

SEWAGE PERMIT APPROVAL

Property address: 448 No. 50th. Town of: Longview
Permit name: Ernest E. Kendall County of: Cowlitz
Section 12 Township 8N Range 3W Subdivision Reweys Clark Cr. Acres Lot 1 Block 3
APPROVED FOR: Two bedroom mobile home

Specification requirements:
Septic tank: 750 gallon capacity total minimum Two Compartment
Drainfield: 360 square feet total minimum (length X width of trenches)

The suggested layout for this system is:
No. of drainfield lines: 2
Length of drainfield lines: 90 feet each Width of drainfield lines: 2 feet each

Other requirements: ① The drainfield lines shall follow the old cat road as indicated to you at your site. ② The trenches shall be approximately 6 1/2 to 7 feet apart, center to center, and shall be kept as close to the uphill side of the road as possible. ③ Trench bottoms shall be level. ④ All trees within 10 feet of the drainfield shall be removed.

No permits will be issued until final inspection and approval of the drainfield is given.

Please Read
THIS APPROVAL IS ISSUED SUBJECT TO THE FOLLOWING:

1. Development approved only as shown on application form and any attachments. Install sewage system only in area approved for this purpose by Health District.
2. No filling or excavating in approved sewage system area is allowed unless prior written approval is given from Health District.
3. Sewage system to be installed according to Sanitary Code including any special requirements for your particular installation.
4. Present a copy of this form to sewage system installer along with any other written Health District requirements for installation of system.
5. Structure not to be occupied until final inspection done and approval given to cover system, and until system is actually covered (unless repair done to occupied structure). GIVE ~~HEALTH DISTRICT~~ AT LEAST 24 HOURS' NOTICE BEFORE TIME FINAL INSPECTION WANTED.
6. THIS PERMIT IS NOT TRANSFERRABLE TO ANOTHER PERSON. *Dept of Community Development*
7. PRESENT THIS FORM FOR MOBILE HOME PLACEMENT PERMIT OR BUILDING PERMIT IN COWLITZ COUNTY.

COUNTY OR CITY: DO NOT ACCEPT THIS PERMIT APPROVAL IF ALTERED, OR IF INFORMATION YOU OBTAIN DOES NOT CORRESPOND WITH THIS PERMIT APPROVAL.

Approved by Craig E. Wells Date Sept. 30, 1976


Permit office

VICINITY SKETCH: Show the following

Project No. 76-910

- Nearest intersection
- Adjacent addresses
- Landmarks (if any)
- Road names


- Show all distances (approximate)
- Waterways or lakes within 200 ft.
- North Arrow



PLOT PLAN: Show the following

- Lot dimensions
- Adjacent roads
- Size and use of each building
- Show all dimensions

- Perc holes, show 3' holes with "X" and 4' holes with "O"
- Septic tank location (proposed or existing)
- Well location (Proposed or existing)
- Show general slope of property



THE ABOVE INFORMATION IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE.

DATE _____

SIGNATURE _____

SOIL INFORMATION:

SOIL SERIES Olequa Silt Loam

HOLE NUMBER	1	2	3	4	5	6
-------------	---	---	---	---	---	---

DEPTH						
WATER LEVEL	None					
MOTTLING	None					
SOIL CLASSIFICATION	0' to 12" Silt Loam					
	12" to 54" Red Silty Clay Loam					

FALL IN INCHES						
PERC. RATE						

REMARKS:
