


VICINITY MAP MUST SHOW:


1. Location of property. >
2. Directional arrow indicating north. >
3. Any adjacent property addresses and landmarks near subject property. >
4. Nearest intersecting roads. >



Esteb

35790 Spirit Lake Hwy

RECEIVED  
 Lot # 6CD  
 34-10-14W  
 OCT 16 1992  
 WG 3403002



NOTE: ORIENTATION OF DRAINFIELD IS ONLY AN APPROXIMATION

SITE PLAN MUST SHOW:

1. Lot dimensions and property lines.
2. Directional arrow indicating north.
3. Road location and any existing or proposed driveways.
4. All proposed and existing structures, their dimensions and distances to each other, to property lines and to centerline of road.
5. Location of soil test area, drainfield, reserve drainfield area, slope of land, well, and their distances to proposed structures or projects.
6. Location and amount of any fill or grading.
7. Location of address stake, if applicable.
8. All bodies of water, natural and manmade (streams, creeks, rivers, ditches, etc.), and distance to proposed structures or development.
9. All easements (utility, access, etc.)
10. Adjacent property addresses and uses.
11. Draw to scale, if possible.

-SITE CHARACTERISTICS

Topography: General Topographic Characteristics west of ridge crest  
 Drainage Characteristics: well drained  
 Slopes: General 0 - 12 %; Proposed Drainfield Location 4 - 6 %  
 Geology: Type of Bedrock & Depth No data  
 Vegetation: Brush - Maple, Oregon Grape, sedges, young fir  
 Distance to, and type of, nearest surface water: NA  
 (If Less than 250 Feet)  
 Distance to nearby wells: NA  
 (If Less than 250 Feet)  
 Distance to public sewers: NA  
 (If Less than 500 Feet)  
 Other structures on property: NA

RECEIVED  
DCD

-SOIL SERIES

As mapped by U.S. Soil Conservation Service: SmC OCT 16 1992  
 Appears to be (if different from S.C.S. Classification): \_\_\_\_\_

-SOIL LOGS

<u>Depth</u>	<u>Description</u>	<u>Comments</u>
<u>0 - 10</u>	<u>silt loam</u>	<u>A Horizon</u>
<u>10 - 24</u>	<u>sandy silt loam</u>	
<u>24 -</u>	<u>sandy silt loam</u>	<u>mottled</u>

<u>Depth</u>	<u>Description</u>	<u>Comments</u>
<u>0 - 12</u>	<u>silt loam</u>	<u>A Horizon</u>
<u>12 - 24</u>	<u>sandy silt loam</u>	
<u>24 -</u>	<u>sandy silt loam</u>	<u>mottled</u>

<u>Depth</u>	<u>Description</u>	<u>Comments</u>

-MAXIMUM SEASONAL GROUNDWATER ELEVATION

Soil Mottling 24" faint Water Table Not found  
 (Depth Found & Degree of Development) (Depth to Standing Water)

COMMENTS: Mottling higher 12 - 18" further west.  
 \_\_\_\_\_  
 \_\_\_\_\_