

# Complete List of Vaccine Names and CPT/ CVX Codes

A list that matches the vaccine name or codes in Washington State Immunization Information System (WA IIS) with the brand name or other common names of the vaccines you use most often.

Vaccine trade name or common name	Best WAIS Selection	State Supplied	Age (Range)	Dose	Route	Manufacturer/ NDC Number	CPT code	CVX code
<b>Combination Vaccines</b>								
<b>Pediarix</b>	DTAP/HepB/IPV	✓	6 weeks +	0.5 ml	IM	GlaxoSmithKline – SKB NDC: 58160-0811-52	90723	110
<b>Pentacel</b>	DTaP/HIB/IPV	✓	6 weeks - 5 yrs	0.5 ml	IM	Sanofi Pasteur – PMC (AKA: Aventis) NDC: 49281-0510-05	90698	120
<b>Kinrix</b>	DTaP/IPV	✓	4 - 6 yrs	0.5 ml	IM	GlaxoSmithKline – SKB NDC: 58160-0812-11	90696	130
<b>Quadracel</b>						Sanofi Pasteur – PMC (AKA: Aventis) NDC: 49281-0562-10		
<b>Comvax</b>	HEPB/HIB	✓	6 weeks +	0.5 ml	IM	Merck- MSD NDC: 00006-4898-00	90748	51
<b>ProQuad</b>	MMR/V	✓	1 yr +	0.5 ml	SQ	Merck- MSD NDC: 00006-4999-00	90710	94
<b>MenHibrix</b>	Meningococcal C/Y-HIB-PRP	✓	6weeks – 18 months	0.5ml	IM	GlaxoSmithKline – SKB NDC: 58160-0801-11	90644	148
<b>Twinrix</b>	HepA/HepB		18 + yrs	1.0 ml	IM	GlaxoSmithKline – SKB	90636	104
<b>Diphtheria, Tetanus and Pertussis</b>								
<b>Diphtheria and tetanus toxoids adsorbed</b>	DT (Pediatric)	✓	6 weeks +	0.5 ml	IM	Sanofi Pasteur – PMC (AKA: Aventis) NDC: 49281-0225-10	90702	28
<b>Daptacel</b>	<b>DTaP</b> or DTaP, 5 Pertussis Antigen	✓	6 weeks +	0.5 ml	IM	Sanofi Pasteur – PMC (AKA: Aventis) NDC: 49281-0286-10	90700	106
<b>Infanrix</b>	DTaP	✓	6 weeks +	0.5 ml	IM	GlaxoSmithKline – SKB NDC:58160-0810-11		20
<b>Tenivac - Tetanus and diphtheria toxoids adsorbed</b>	Td Adult, Preserv free	✓	7+ yrs	0.5 ml	IM	Sanofi Pasteur – PMC (AKA: Aventis) NDC: 49281-0215-10	90714	113
<b>Boostrix</b> Tetanus Diphtheria & Acellular Pertussis	Tdap	✓	7-65+ yrs	0.5 ml	IM	GlaxoSmithKline – SKB NDC:58160-0842-11	90715	115
<b>Adacel</b> Tetanus Diphtheria and Acellular Pertussis	Tdap	✓	7-65+yrs	0.5 ml	IM	Sanofi Pasteur – PMC (AKA: Aventis) NDC: 49281-0400-10		
<b>Tripedia</b>	DTaP		6 weeks +	0.5 ml	IM	Sanofi Pasteur – PMC	90700	20
<b>Decavac - Tetanus and diphtheria toxoids adsorbed (Replaced by Tenivac)</b>	Td Adult, Preserv free						90714	113

Complete List of Vaccine Names and CPT/CVX Codes

Vaccine trade name or common name	Best WAIS Selection	State Supplied	Age (Range)	Dose	Route	Manufacturer/ NDC Number	CPT code	CVX code
<b>Diphtheria, Tetanus and Pertussis (conti.)</b>								
Whenever DTaP was given, even if the brand name is unknown	DTaP						90700	20
Tetanus and diphtheria toxoids adsorbed	Td Adult						90718	09
Diphtheria, tetanus toxoids, & whole cell pertussis vaccine (will be from historical records)	DTP							
<b>Hepatitis A</b>								
Havrix (2 doses for pediatric/adolescent)	Hep A 2 dose - Ped/Adol	✓	12 months - 18 yrs	0.5 ml (720 EL.U)	IM	GlaxoSmithKline – SKB NDC: 58160-0825-11	90633	83
Vaqta (2 doses for pediatric/adolescents)	Hep A 2 dose - Ped/Adol	✓	12 months - 18 yrs	0.5 ml (25 U)	IM	Merck- MSD NDC: 00006-4831-41		
Havrix (3 doses for pediatric/adolescent)	Hep A 3 dose - Ped/Adol							
Vaqta (2 doses for adults)	Hep A 2 dose - Adult		19+ yrs	1.0 ml (50u)	IM	Merck- MSD	90632	52
Havrix (2 doses for adults)	Hep A 2 dose - Adult		19+ yrs	1.0 ml (1440 EL.U)	IM	GlaxoSmithKline – SKB		
<b>Hepatitis B</b>								
Engerix-B Ped/Adol (3 dose schedule)	HepB Ped/Adol Preserv. Free	✓	Birth - 19 yrs	0.5 ml 10µg	IM	GlaxoSmithKline – SKB NDC: 58160-0820-11	90744	08
Recombivax HB Ped/Adol	HepB Ped/Adol Preserv. Free	✓	Birth - 19 yrs	0.5 ml 5µg	IM	Merck- MSD NDC: 00006-4981-00		
Recombivax - Dialysis (3 dose schedule)	Hepatitis B - dialysis	✓		1.0 ml 40µg	IM	Merck- MSD	90747	44
Recombivax HB for adults	Hep B 2 dose – Adol/Adult		11-15 years	1.0 ml 10µg	IM	Merck- MSD	90743	43
Engerix-B for adults	Hep B Adult		20 + yrs	1.0 ml 20µg	IM	GlaxoSmithKline – SKB	90746	43
Recombivax HB for adults	Hep B Adult		20 + yrs	1.0 ml 10µg	IM	Merck- MSD	90746	43
Various dosages depending on specific individual cases, such as high risk or dialysis.	<i>Note: there are various choices available to reflect the specific situation</i>						90746	43

## Complete List of Vaccine Names and CPT/CVX Codes

Vaccine trade name or common name	Best WAIS Selection	State Supplied	Age (Range)	Dose	Route	Manufacturer/ NDC Number	CPT code	CVX code
<b>HIB</b>								
ActHib	Hib-PRP-T	✓	2 months - 5 yrs	0.5 ml	IM	Sanofi Pasteur – PMC (AKA: Aventis) NDC: 49281-0545-05	90648	48
PedvaxHib	Hib-PRP-OMP	✓	2 months - 5 yrs	0.5ml	IM	Merck- MSD NDC: 00006-4897-00	90647	49
Hiberix	Hib-PRP-T		12 months – 4 years	0.5ml	IM	GlaxoSmithKline – SKB	90648	48
OmniHib	Hib-PRP-T							
HibTITER	Hib-HBOC							
ProHIBit (discontinued)	Hib-PRP-D							
<b>Human Papilloma Virus</b>								
Gardasil	HPV, quadrivalent	✓	9 - 26 yrs	0.5ml	IM	Merck- MSD NDC: 00006-4045-41	90649	62
Gardasil 9	HPV, 9	✓	9 – 26 yrs	0.5 ml	IM	Merck- MSD NDC: 0006-4119-03	90651	165
Cervarix™	HPV, bivalent	✓	10-25 yrs	0.5ml	IM	GlaxoSmithKline – SKB NDC: 58160-0830-52	90650	118
<b>Immune Globulin Products</b> (This list is not comprehensive by brand name or manufacturer)								
<b>HyperHEP B S/D or HepaGam B</b> (Hepatitis B Immune Globulin)	HBIG (Hepatitis B Immune Globulin)			See pkg insert for dosage and admin recommendations	IM	Talecris Biotherapeutics – TAL <b>OR</b> Cangene Corp - CNJ	90371	30
<b>GamaSTAN S/D</b> (Immune Globulin) <b>Note:</b> Used for post-exposure prophylaxis for Hep A and MMR exposure	IG (Immune Globulin IM)			See pkg insert for dosage and admin recommendations	IM	Talecris Biotherapeutics – TAL or Grifols – GFR	90281	86
<b>Immune Globulin, intravenous</b> <b>Note:</b> Rarely used for post-exposure prophylaxis	IGIV			See pkg insert for dosage and admin recommendations	IV	Many Manufacturers	90283	87
<b>Synagis</b> (Respiratory Syncytial Virus Immune Globulin)	RSV-IGIM			See pkg insert for dosage and admin recommendations	IM	MedImmune – MED	90378	93
<b>HyperTET S/D</b> (Tetanus Immune Globulin)	TIG			See pkg insert for dosage and admin recommendations	IM	Talecris Biotherapeutics - TAL	90389	13

## Complete List of Vaccine Names and CPT/CVX Codes

Vaccine trade name or common name	Best WAIS Selection	State Supplied	Age (Range)	Dose	Route	Manufacturer/ NDC Number	CPT code	CVX code
<b>Immune Globulin Products cont.:</b>	<b>(This list is not comprehensive by brand name or manufacturer)</b>							
<b>VariZIG</b> (Varicella Zoster Immune Globulin) <b>Note:</b> Used for post exposure prophylaxis to Chickenpox	VZIG			See pkg insert for dosage and admin recommendations	IM	Cangene Corporation (Canada) – CNJ	90396	36
<b>Influenza</b>								
<b>Fluzone, Quadrivalent, 6-35 mos</b> (IIV4)	Influenza inj quad PF, 6-35 mos	✓	6 - 35 mos	0.25 ml PFS	IM	Sanofi Pasteur – PMC (AKA: Aventis) NDC: 49281-0514-25	90685	161
<b>FluLaval, Quadrivalent</b> (IIV4)	Influenza, inj, quad, w/preservative 36+ mos	✓	3 - 18 yrs	0.5 ml MDV	IM	GlaxoSmithKline – SKB NDC: 19515-0891-11	90688	158
<b>Fluzone, Quad, w/preserv</b> (IIV4)	Influenza, inj, quad, w Preservative, 3+ yrs	✓	3+ yrs	0.5 ml MDV	IM	Sanofi Pasteur – PMC (AKA: Aventis) NDC: 49281-0621-15	90688	158
<b>Flumist Quadrivalent</b> (LAIV4)	Influenza, live intranasal, quadrivalent	✓	2 - 18 yrs	0.2 ml PIS	IN	MedImmune – MED NDC: 66019-0301-10	90672	149
<b>FLUARIX Quadrivalent</b> (IIV4)	Influenza, inj, quad PF, 36+ mos	✓	3+ yrs	0.5ml PFS	IM	GlaxoSmithKline – SKB NDC: 58160-0901-52	90686	150
<b>Afluria</b> (IIV3) <b>Contains Preservative</b>	Influ Inact 9 + yrs w/Thimerosol		9+ yrs	0.5ml MDV	IM	CSL Biotherapies, INC	90658	141
<b>Afluria</b> (IIV3) <b>Preservative Free</b>	Influ Inact 9+yrs pres free		9+ yrs	0.5ml PFS	IM	CSL Biotherapies, INC	90656	140
<b>Agriflu</b> (IIV3), preservative free	Influ split, 18+ yrs, PF		18+ yrs	0.5ml PFS	IM	Novartis Pharmaceutical Corp. – NOV	90656	140
<b>FLUARIX Quadrivalent</b> (IIV4)	Influenza, inj, quad PF, 36+ mos		3+ yrs	0.5ml PFS	IM	GlaxoSmithKline – SKB NDC: 58160-0901-52	90686	150
<b>FlublOK</b> (RIV3)	Inf, recomb, inj, 18+ yrs, PF		18-49 yrs	0.5ml SDV	IM	Protein Sciences Corp – PSC	90673	155
<b>Flucelvax</b> (ccIIV3)	Influ split, MDCK, presv free, 18+ years		18+ yrs	0.5ml PFS	IM	Novartis Pharmaceutical Corp. – NOV	90661	153
<b>FluLaval</b> (IIV3)	Influ Split, 36+ mos		3+ yrs	0.5 ml MDV	IM	GlaxoSmithKline – SKB	90658	141
<b>FluLaval Quad PF</b> (IIV4)	Influenza, inj. Quad PF, 36+ mos		3+ yrs	0.5ml PFS	IM	GlaxoSmithKline – SKB	90686	150
<b>FluLaval Quad w/presrv</b> (IIV4)	Influenza, in j quad, w/preservative, 36+ mos		3+ yrs	0.5 ml MDV	IM	GlaxoSmithKline – SKB	90688	158

Complete List of Vaccine Names and CPT/CVX Codes

Vaccine trade name or common name	Best WAIS Selection	State Supplied	Age (Range)	Dose	Route	Manufacturer/ NDC Number	CPT code	CVX code
<b>Influenza cont.:</b>								
<b>Flumist Quadrivalent (LAIV4)</b>	Influenza, live intranasal, quadrivalent		2 - 49 yrs	0.2 ml PIS	IN	MedImmune – MED NDC: 66019-0301-10	90672	149
<b>Fluvirin (IIV3)</b>	Influ Inact 48+ mos, w Thimerosal		4+ yrs	0.5 ml MDV	IM	Novartis Pharmaceutical Corp. – NOV	90658	141
<b>Fluvirin (PF) (IIV3)</b>	Influ Inact 48+ mos presser free		4+ yrs	0.5 ml PFS	IM	Novartis Pharmaceutical Corp. – NOV	90656	140
<b>Fluzone (IIV3) Contains Preservative</b>	Influenza split, 6-35 mos		6-35 mos	0.25ml MDV	IM	Sanofi Pasteur – PMC (AKA: Aventis)	90657	141
<b>Fluzone (IIV3) Preservative Free</b>	Influ Split, 36+ mos, pres free		3+ yrs	0.5ml PFS	IM	Sanofi Pasteur – PMC (AKA: Aventis)	90656	140
<b>Fluzone (IIV3) Contains Preservative</b>	Influ Split, 36+ mos		3+ yrs	0.5ml MDV	IM	Sanofi Pasteur – PMC (AKA: Aventis)	90658	141
<b>Fluzone, Quad, 6-35 mos, PF (IIV4)</b>	Influenza inj quad PF, 6-35 mos		6 - 35 mos	0.25 ml PFS	IM	Sanofi Pasteur – PMC (AKA: Aventis) NDC: 49281-0514-25	90685	161
<b>Fluzone, Quad, w/preserv (IIV4)</b>	Influenza, inj, quad w/presr, 6-35mos		6-35 mos	0.25 ml MDV	IM	Sanofi Pasteur – PMC (AKA: Aventis)	90687	158
<b>Fluzone, Quad, 3+ yrs, PF (IIV4)</b>	Influenza, inj, quad PF, 3+ yrs		3+ yrs	0.5 ml PFS 0.5 ml SDV	IM	Sanofi Pasteur – PMC (AKA: Aventis)	90686	150
<b>Fluzone, Quad, w/preserv (IIV4)</b>	Influenza, inj, quad, w Preservative, 3+ yrs	✓	3+ yrs	0.5ml MDV	IM	Sanofi Pasteur – PMC (AKA: Aventis)	90688	158
<b>Fluzone High Dose (IIV3)</b>	Influenza, High Dose		65+ yrs	0.5ml PFS	IM	Sanofi Pasteur – PMC (AKA: Aventis)	90662	135
<b>Fluzone Intradermal (IIV3)</b>	Influenza, Intradermal PF		18-64yr	0.1mL PFMS	ID	Sanofi Pasteur – PMC (AKA: Aventis)	90654	144
<b>Japanese Encephalitis</b>								
<b>IXIARO - Japanese Encephalitis</b>	Japanese Encephalitis-IM		17 yrs +	0.5ml	IM	Intercell Biomedical - INT	90738	134
<b>JE-VAX - Japanese Encephalitis</b>	Japanese Encephalitis							
<b>Measles, Mumps &amp; Rubella</b>								
<b>MMRII - Measles, Mumps &amp; Rubella</b>	MMR	✓	1+ yrs	0.5ml	SQ	Merck- MSD NDC: 00006-4681-00	90707	03

## Complete List of Vaccine Names and CPT/CVX Codes

Vaccine trade name or common name	Best WAIS Selection	State Supplied	Age (Range)	Dose	Route	Manufacturer/ NDC Number	CPT code	CVX code
<b>Meningococcal</b>								
<b>Menactra Meningococcal Conjugate vaccine (Serogroups A, C, Y, W-135)</b>	Meningococcal (MCV4P)	✓	9mos-55 yrs	0.5 ml	IM	Sanofi Pasteur – PMC (AKA: Aventis) NDC: 49281-0589-05	90734	114
<b>Menveo Meningococcal Conjugate vaccine (Serogroups A, C, Y, W-135)</b>	Meningococcal (MCV4O)	✓	2-55 yrs	0.5 ml	IM	Novartis Pharmaceutical Corp. – NOV NDC: 46028-0208-01	90734	136
<b>Bexsero Meningococcal B, OMV</b>	Meningococcal B, OMV		10-25 yrs	0.5 ml	IM	Novartis Pharmaceutical Corp. – NOV NDC: 46028-0114-02	90620	163
<b>Trumenba Meningococcal B, recombinant</b>	Meningococcal B, recombinant		10-25 yrs	0.5 ml	IM	Pfizer, INC - PFR NDC: 0005-0100-01	90621	162
<b>Menomune A/C/Y/W-135 Meningococcal Polysaccharide vaccine</b>	Meningococcal (MPSV4)		3-18 mos (2 doses), 19+ mos ( 1 dose)	0.5 ml	SQ	Sanofi Pasteur – PMC (AKA: Aventis)	90733	32
<b>Pneumonia</b>								
<b>Prenar 13 (Pneumococcal Conjugate, 13 valent)</b>	Pneumococcal, PCV-13	✓	2 - 59 months	0.5ml	IM	Pfizer, INC - PFR NDC: 00005-1971-02	90670	133
<b>Pneumovax 23 (Pneumococcal, polyvalent)</b>	Pneumococcal, (PPSV)	✓	≥2 yrs w/health risks	0.5ml	SQ/IM	Merck- MSD NDC: 00006-4943-00	90732	33
<b>Prenar (Pneumococcal Conjugate, 7 valent) (Note: to be documented for vaccine given before 04/2010)</b>	Pneumococcal, (PCV)		2 - 59 months	0.5ml	IM	Wyeth Ayerst – WAL	90669	100
<b>Polio</b>								
<b>IPOL Poliovirus vaccine, inactivated</b>	IPV	✓	6 weeks +	0.5 ml	SQ	Sanofi Pasteur – PMC (AKA: Aventis) NDC: 49281-0860-10	90713	10
<b>Poliovirus vaccine, live oral</b>	OPV							
<b>Rabies</b>								
<b>Imovax</b>	Rabies			1.0 ml	IM	Sanofi Pasteur – PMC (AKA: Aventis)	90675	18

Complete List of Vaccine Names and CPT/CVX Codes

Vaccine trade name or common name	Best WAIS Selection	State Supplied	Age (Range)	Dose	Route	Manufacturer/ NDC Number	CPT code	CVX code
<b>Rabies conti:</b>								
<b>Rabavert</b>	Rabies			1.0 ml	IM	Novartis Pharmaceutical Corp. – NOV	90675	18
<b>Rabies, ID</b>	Rabies, Intradermal			0.1ml	ID		90676	40
<b>Rotavirus</b>								
<b>Rotateq</b>	Rotavirus, pentavalent RV5	✓	2-32 months	2.0 ml	ORAL	Merck- MSD NDC: 00006-4047-41	90680	116
<b>Rotavirus Cont.:</b>								
<b>Rotarix</b>	Rotavirus, monovalent RV1	✓	6-24 weeks	1.0 ml	ORAL	GlaxoSmithKline – SKB NDC: 58160-0845-52	90681	119
<b>TB test</b>								
<b>Purified Protein Derivative (PPD)</b>	PPD Test			0.1 ml	ID	Parkdale Pharmaceuticals – PD	86580	96
<b>QuantiFERON – TB Gold Test (QGT-G)</b>	QuantiFERON – TB Gold Test (QGT-G)			N/A	Blood Draw	N/A	86480	N/A
<b>Typhoid</b>								
<b>Typhoid ViCPs</b>	Typhoid, ViCPs		2 yr +	0.5 ml	IM	Sanofi Pasteur – PMC (AKA: Aventis)	90691	101
<b>Typhoid, Oral (Vivotif Berna)</b>	Typhoid, Oral		6 yr +	4 tabs	ORAL	Crucell - CRU	90690	25
<b>Typhoid, parenteral</b>	Typhoid, parenteral							
<b>Varicella</b>								
<b>Varivax Chicken Pox Vaccine</b>	Varicella	✓	1+ yrs	0.5 ml	SQ	Merck- MSD NDC: 00006-4827-00	90716	21
<b>Yellow Fever</b>								
<b>Yellow Fever</b>	Yellow Fever		9+ months	0.5ml	SQ	Sanofi Pasteur – PMC (AKA: Aventis)	90717	37
<b>Zoster ("Shingles")</b>								
<b>Zostavax</b>	Zoster		50 + yrs	0.65 ml	SQ	Merck- MSD	90736	121

## Complete List of Vaccine Names and CPT/CVX Codes

### Notes



On the Vaccination View/Add Screen: there are two places to look for the appropriate vaccine choice when entering a vaccination date. Always look **FIRST** at the vaccine names that appear on the screen. ALL routine vaccines will appear. For less common vaccines that you can't find on this list, go to the "select" box at the bottom of the vaccine list, and choose your vaccine from the drop-down list and enter the date administered.

✍ "Unspecified" vaccines should only be used for entering historical vaccines when the specific vaccine type is unknown.



If your practice manages vaccine inventory in WA IIS: make sure the vaccine types you enter match the vaccine types your lot number manager has entered. If you don't see the correct lot number on your Vaccination Detail screen, you and your lot number manager may be entering different vaccines (i.e., DTaP vs. DTaP-5 pertussis antigen.) Be sure to speak with the person entering your lot numbers if you notice any issues/problems.



FLU Notes to consider

✍ **PFS** = Prefilled Syringe; **MDV** = Multidose vial; **SDV** - Single Dose vial; **PFMS** – Prefilled micro syringe

✍ **WA IIS** staff discourage the use of the vaccine type "Influenza Whole". This vaccines type has not been used in the U.S. for some time