Adams County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	59	387.1	(331 - 450)	19	128.5	(97 - 168)
Anus, Anal Canal and Anorectum	0	n/c	n/c	0	n/c	n/c
Bladder	2	n/c	n/c	0	n/c	n/c
Brain and Other Nervous System	1	n/c	n/c	1	n/c	n/c
Breast (Female)*	8	99.7	(63 - 151)	1	n/c	n/c
Cervix*	2	n/c	n/c	0	n/c	n/c
Colorectal	6	36.9	(21 - 60)	2	n/c	n/c
Endometrium*	2	n/c	n/c	0	n/c	n/c
Esophagus	0	n/c	n/c	1	n/c	n/c
Hodgkin Lymphoma	0	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	3	n/c	n/c	0	n/c	n/c
Larynx	1	n/c	n/c	0	n/c	n/c
Leukemia	2	n/c	n/c	1	n/c	n/c
Liver and Intraheptic Bile Duct	1	n/c	n/c	0	n/c	n/c
Lung	6	37.0	(21 - 61)	5	32.8	(18 - 56)
Melanoma of the skin	3	n/c	n/c	0	n/c	n/c
Myeloma	1	n/c	n/c	1	n/c	n/c
Non-Hodgkin Lymphoma	4	26.6	(13 - 48)	0	n/c	n/c
Oral Cavity & Pharynx	1	n/c	n/c	0	n/c	n/c
Ovary*	0	n/c	n/c	0	n/c	n/c
Pancreas	1	n/c	n/c	1	n/c	n/c
Prostate**	9	121.6	(80 - 179)	1	n/c	n/c
Soft Tissue Including Heart	0	n/c	n/c	0	n/c	n/c
Stomach	1	n/c	n/c	0	n/c	n/c
Testis**	0	n/c	n/c	0	n/c	n/c
Thyroid	2	n/c	n/c	0	n/c	n/c
Vulva (Female)*	0	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Asotin County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	127	419.0	(376 - 467)	54	169.8	(144 - 200)
Anus, Anal Canal and Anorectum	0	n/c	n/c	0	n/c	n/c
Bladder	5	15.5	(8 - 29)	2	n/c	n/c
Brain and Other Nervous System	4	15.1	(7 - 29)	3	n/c	n/c
Breast (Female)*	18	120.4	(88 - 164)	3	n/c	n/c
Cervix*	0	n/c	n/c	0	n/c	n/c
Colorectal	8	23.8	(15 - 38)	4	12.2	(7 - 24)
Endometrium*	2	n/c	n/c	0	n/c	n/c
Esophagus	2	n/c	n/c	2	n/c	n/c
Hodgkin Lymphoma	1	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	4	16.6	(8 - 32)	1	n/c	n/c
Larynx	1	n/c	n/c	0	n/c	n/c
Leukemia	4	12.4	(6 - 25)	1	n/c	n/c
Liver and Intraheptic Bile Duct	1	n/c	n/c	2	n/c	n/c
Lung	21	66.9	(51 - 88)	15	47.8	(35 - 66)
Melanoma of the skin	11	34.5	(23 - 52)	1	n/c	n/c
Myeloma	3	n/c	n/c	2	n/c	n/c
Non-Hodgkin Lymphoma	5	15.2	(8 - 28)	1	n/c	n/c
Oral Cavity & Pharynx	3	10.3	(5 - 22)	1	n/c	n/c
Ovary*	2	n/c	n/c	1	n/c	n/c
Pancreas	3	11.5	(5 - 24)	4	12.7	(7 - 25)
Prostate**	13	81.4	(58 - 116)	3	n/c	n/c
Soft Tissue Including Heart	1	n/c	n/c	0	n/c	n/c
Stomach	2	n/c	n/c	1	n/c	n/c
Testis**	0	n/c	n/c	0	n/c	n/c
Thyroid	2	n/c	n/c	1	n/c	n/c
Vulva (Female)*	2	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Benton County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	875	473.4	(455 - 492)	299	165.8	(155 - 177)
Anus, Anal Canal and Anorectum	5	2.3	(1 - 4)	1	n/c	n/c
Bladder	44	24.6	(20 - 29)	6	3.9	(2 - 6)
Brain and Other Nervous System	13	7.4	(5 - 10)	11	5.6	(4 - 8)
Breast (Female)*	158	159.1	(145 - 175)	20	19.1	(14 - 25)
Cervix*	4	5.1	(3 - 9)	1	n/c	n/c
Colorectal	79	43.9	(38 - 50)	26	14.4	(11 - 18)
Endometrium*	27	27.6	(22 - 35)	2	n/c	n/c
Esophagus	10	5.2	(3 - 8)	10	5.5	(4 - 8)
Hodgkin Lymphoma	2	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	33	17.7	(14 - 22)	11	5.8	(4 - 8)
Larynx	3	n/c	n/c	1	n/c	n/c
Leukemia	29	16.5	(13 - 20)	12	7.0	(5 - 10)
Liver and Intraheptic Bile Duct	13	6.1	(4 - 9)	9	5.0	(3 - 7)
Lung	107	59.6	(53 - 67)	86	48.4	(43 - 55)
Melanoma of the skin	34	18.9	(15 - 23)	6	3.0	(2 - 5)
Myeloma	10	5.4	(4 - 8)	5	2.9	(2 - 5)
Non-Hodgkin Lymphoma	33	18.4	(15 - 23)	11	6.6	(5 - 9)
Oral Cavity & Pharynx	20	10.2	(8 - 13)	7	3.8	(2 - 6)
Ovary*	12	11.1	(8 - 16)	6	5.8	(3 - 10)
Pancreas	18	10.1	(8 - 13)	17	9.2	(7 - 12)
Prostate**	107	115.9	(103 - 130)	15	22.3	(16 - 30)
Soft Tissue Including Heart	5	2.8	(2 - 5)	2	n/c	n/c
Stomach	15	8.8	(6 - 12)	3	n/c	n/c
Testis**	5	6.3	(4 - 11)	0	n/c	n/c
Thyroid	27	15.7	(12 - 20)	1	n/c	n/c
Vulva (Female)*	5	4.6	(2 - 8)	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Chelan County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	454	505.9	(479 - 535)	140	151.4	(137 - 167)
Anus, Anal Canal and Anorectum	1	n/c	n/c	0	n/c	n/c
Bladder	16	16.3	(12 - 22)	3	n/c	n/c
Brain and Other Nervous System	6	6.4	(4 - 11)	5	5.6	(3 - 10)
Breast (Female)*	69	154.8	(134 - 179)	7	16.3	(10 - 26)
Cervix*	3	n/c	n/c	1	n/c	n/c
Colorectal	32	35.0	(28 - 43)	12	12.7	(9 - 18)
Endometrium*	9	20.2	(13 - 31)	1	n/c	n/c
Esophagus	6	6.3	(4 - 11)	6	6.4	(4 - 11)
Hodgkin Lymphoma	3	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	10	11.2	(7 - 17)	3	3.4	(2 - 7)
Larynx	3	n/c	n/c	1	n/c	n/c
Leukemia	22	25.7	(20 - 33)	10	10.5	(7 - 16)
Liver and Intraheptic Bile Duct	4	4.3	(2 - 8)	4	3.7	(2 - 7)
Lung	48	52.1	(44 - 62)	36	37.8	(31 - 46)
Melanoma of the skin	40	47.1	(39 - 57)	3	n/c	n/c
Myeloma	4	4.0	(2 - 8)	1	n/c	n/c
Non-Hodgkin Lymphoma	21	23.5	(18 - 31)	5	5.8	(3 - 10)
Oral Cavity & Pharynx	18	18.5	(14 - 25)	2	n/c	n/c
Ovary*	3	n/c	n/c	2	n/c	n/c
Pancreas	11	12.9	(9 - 19)	11	12.6	(8 - 18)
Prostate**	71	152.9	(133 - 176)	7	18.0	(11 - 28)
Soft Tissue Including Heart	2	n/c	n/c	0	n/c	n/c
Stomach	6	6.6	(4 - 11)	3	n/c	n/c
Testis**	2	n/c	n/c	0	n/c	n/c
Thyroid	8	11.2	(7 - 17)	0	n/c	n/c
Vulva (Female)*	2	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Clallam County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	653	543.7	(518 - 571)	239	184.6	(171 - 200)
Anus, Anal Canal and Anorectum	3	n/c	n/c	0	n/c	n/c
Bladder	29	21.5	(17 - 28)	9	6.5	(4 - 11)
Brain and Other Nervous System	9	10.0	(6 - 16)	5	4.4	(2 - 9)
Breast (Female)*	101	168.8	(148 - 192)	14	22.0	(15 - 33)
Cervix*	4	13.1	(6 - 25)	1	n/c	n/c
Colorectal	50	42.3	(35 - 51)	18	14.3	(10 - 20)
Endometrium*	19	28.4	(21 - 39)	0	n/c	n/c
Esophagus	8	6.4	(4 - 11)	10	7.6	(5 - 12)
Hodgkin Lymphoma	1	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	19	14.8	(11 - 20)	5	3.9	(2 - 8)
Larynx	5	4.0	(2 - 8)	2	n/c	n/c
Leukemia	21	17.1	(13 - 23)	10	6.9	(5 - 11)
Liver and Intraheptic Bile Duct	7	6.1	(4 - 11)	8	6.0	(4 - 10)
Lung	94	72.8	(64 - 83)	66	51.1	(44 - 60)
Melanoma of the skin	59	50.7	(43 - 60)	6	4.8	(3 - 9)
Myeloma	7	5.1	(3 - 9)	5	3.4	(2 - 7)
Non-Hodgkin Lymphoma	25	24.0	(18 - 31)	8	6.0	(4 - 10)
Oral Cavity & Pharynx	15	12.3	(9 - 18)	4	2.8	(1 - 6)
Ovary*	9	14.0	(9 - 23)	5	8.1	(5 - 16)
Pancreas	15	10.6	(8 - 15)	17	12.4	(9 - 17)
Prostate**	70	111.1	(96 - 129)	16	26.0	(19 - 36)
Soft Tissue Including Heart	2	n/c	n/c	2	n/c	n/c
Stomach	7	5.0	(3 - 9)	1	n/c	n/c
Testis**	2	n/c	n/c	0	n/c	n/c
Thyroid	9	9.7	(6 - 15)	0	n/c	n/c
Vulva (Female)*	7	14.0	(8 - 24)	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Clark County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	2,120	478.8	(467 - 491)	754	178.3	(171 - 186)
Anus, Anal Canal and Anorectum	11	2.5	(2 - 4)	1	n/c	n/c
Bladder	100	23.6	(21 - 27)	22	5.3	(4 - 7)
Brain and Other Nervous System	35	7.9	(6 - 10)	27	6.1	(5 - 8)
Breast (Female)*	375	157.0	(148 - 167)	44	18.7	(16 - 22)
Cervix*	16	7.3	(5 - 10)	3	1.4	(1 - 3)
Colorectal	164	37.5	(34 - 41)	60	14.4	(12 - 17)
Endometrium*	68	27.1	(23 - 31)	4	1.8	(1 - 3)
Esophagus	21	4.7	(4 - 6)	22	5.2	(4 - 7)
Hodgkin Lymphoma	9	2.1	(1 - 3)	1	n/c	n/c
Kidney & Renal Pelvis	69	15.6	(13 - 18)	17	3.8	(3 - 5)
Larynx	13	3.0	(2 - 4)	3	n/c	n/c
Leukemia	46	10.7	(9 - 13)	31	7.6	(6 - 9)
Liver and Intraheptic Bile Duct	37	7.5	(6 - 9)	28	5.7	(5 - 7)
Lung	270	64.4	(60 - 69)	208	49.9	(46 - 54)
Melanoma of the skin	179	40.7	(37 - 44)	16	3.7	(3 - 5)
Myeloma	23	5.0	(4 - 6)	17	4.2	(3 - 6)
Non-Hodgkin Lymphoma	82	19.0	(17 - 22)	27	6.7	(5 - 8)
Oral Cavity & Pharynx	53	11.8	(10 - 14)	17	3.9	(3 - 5)
Ovary*	26	11.5	(9 - 15)	18	8.0	(6 - 11)
Pancreas	54	12.8	(11 - 15)	52	12.0	(10 - 14)
Prostate**	205	91.4	(84 - 99)	38	23.0	(19 - 28)
Soft Tissue Including Heart	12	2.9	(2 - 4)	4	1.1	(1 - 2)
Stomach	24	5.4	(4 - 7)	13	3.2	(2 - 4)
Testis**	15	7.8	(6 - 11)	0	n/c	n/c
Thyroid	69	15.9	(14 - 18)	2	n/c	n/c
Vulva (Female)*	19	7.8	(6 - 10)	1	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Columbia County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	32	489.0	(388 - 620)	14	201.1	(141 - 292)
Anus, Anal Canal and Anorectum	1	n/c	n/c	0	n/c	n/c
Bladder	1	n/c	n/c	0	n/c	n/c
Brain and Other Nervous System	1	n/c	n/c	0	n/c	n/c
Breast (Female)*	4	115.3	(58 - 250)	1	n/c	n/c
Cervix*	0	n/c	n/c	0	n/c	n/c
Colorectal	3	n/c	n/c	0	n/c	n/c
Endometrium*	1	n/c	n/c	0	n/c	n/c
Esophagus	0	n/c	n/c	0	n/c	n/c
Hodgkin Lymphoma	0	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	0	n/c	n/c	0	n/c	n/c
Larynx	0	n/c	n/c	0	n/c	n/c
Leukemia	1	n/c	n/c	1	n/c	n/c
Liver and Intraheptic Bile Duct	0	n/c	n/c	1	n/c	n/c
Lung	4	58.9	(31 - 122)	5	65.8	(36 - 130)
Melanoma of the skin	4	68.8	(30 - 145)	0	n/c	n/c
Myeloma	0	n/c	n/c	0	n/c	n/c
Non-Hodgkin Lymphoma	3	46.6	(22 - 108)	2	n/c	n/c
Oral Cavity & Pharynx	1	n/c	n/c	0	n/c	n/c
Ovary*	0	n/c	n/c	0	n/c	n/c
Pancreas	0	n/c	n/c	0	n/c	n/c
Prostate**	5	129.6	(72 - 262)	1	n/c	n/c
Soft Tissue Including Heart	0	n/c	n/c	0	n/c	n/c
Stomach	0	n/c	n/c	0	n/c	n/c
Testis**	0	n/c	n/c	0	n/c	n/c
Thyroid	1	n/c	n/c	0	n/c	n/c
Vulva (Female)*	0	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Cowlitz County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	633	496.8	(474 - 520)	246	191.6	(178 - 206)
Anus, Anal Canal and Anorectum	5	4.3	(2 - 7)	0	n/c	n/c
Bladder	26	19.7	(16 - 25)	8	6.3	(4 - 10)
Brain and Other Nervous System	7	6.6	(4 - 10)	5	4.4	(2 - 8)
Breast (Female)*	95	147.8	(131 - 167)	15	22.7	(16 - 31)
Cervix*	3	6.2	(3 - 12)	1	n/c	n/c
Colorectal	61	47.0	(40 - 55)	24	18.5	(14 - 24)
Endometrium*	20	28.8	(22 - 38)	1	n/c	n/c
Esophagus	6	4.4	(3 - 7)	6	4.8	(3 - 8)
Hodgkin Lymphoma	3	3.1	(1 - 6)	1	n/c	n/c
Kidney & Renal Pelvis	17	13.0	(10 - 17)	6	4.3	(3 - 7)
Larynx	5	3.7	(2 - 6)	1	n/c	n/c
Leukemia	18	14.9	(11 - 20)	8	6.1	(4 - 9)
Liver and Intraheptic Bile Duct	12	9.1	(6 - 13)	9	7.2	(5 - 11)
Lung	93	70.8	(63 - 80)	75	57.4	(50 - 66)
Melanoma of the skin	42	36.2	(30 - 44)	4	3.5	(2 - 7)
Myeloma	7	5.2	(3 - 8)	3	n/c	n/c
Non-Hodgkin Lymphoma	19	15.1	(11 - 20)	6	5.1	(3 - 8)
Oral Cavity & Pharynx	17	13.4	(10 - 18)	5	3.9	(2 - 7)
Ovary*	5	8.0	(4 - 14)	7	10.8	(7 - 17)
Pancreas	17	13.3	(10 - 18)	16	12.8	(9 - 17)
Prostate**	71	110.2	(96 - 127)	12	21.4	(15 - 30)
Soft Tissue Including Heart	4	3.5	(2 - 6)	1	n/c	n/c
Stomach	10	7.6	(5 - 11)	4	3.0	(2 - 6)
Testis**	2	n/c	n/c	0	n/c	n/c
Thyroid	12	10.7	(7 - 15)	1	n/c	n/c
Vulva (Female)*	6	10.2	(6 - 17)	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Douglas County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	211	483.4	(446 - 524)	70	160.2	(139 - 184)
Anus, Anal Canal and Anorectum	2	n/c	n/c	0	n/c	n/c
Bladder	9	21.1	(14 - 31)	1	n/c	n/c
Brain and Other Nervous System	3	8.3	(4 - 16)	2	n/c	n/c
Breast (Female)*	32	143.3	(115 - 177)	4	19.1	(10 - 34)
Cervix*	0	n/c	n/c	1	n/c	n/c
Colorectal	12	29.5	(21 - 41)	7	16.2	(10 - 26)
Endometrium*	3	13.7	(7 - 27)	0	n/c	n/c
Esophagus	5	10.7	(6 - 19)	3	7.7	(4 - 15)
Hodgkin Lymphoma	0	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	6	13.2	(8 - 22)	1	n/c	n/c
Larynx	2	n/c	n/c	0	n/c	n/c
Leukemia	7	16.2	(10 - 26)	2	n/c	n/c
Liver and Intraheptic Bile Duct	2	n/c	n/c	4	8.5	(4 - 16)
Lung	18	40.6	(31 - 54)	18	38.8	(29 - 51)
Melanoma of the skin	16	41.0	(30 - 55)	1	n/c	n/c
Myeloma	3	n/c	n/c	1	n/c	n/c
Non-Hodgkin Lymphoma	9	21.2	(14 - 31)	2	n/c	n/c
Oral Cavity & Pharynx	6	14.1	(8 - 23)	2	n/c	n/c
Ovary*	1	n/c	n/c	2	n/c	n/c
Pancreas	7	15.8	(10 - 25)	5	11.0	(6 - 19)
Prostate**	37	165.7	(136 - 201)	5	30.7	(17 - 51)
Soft Tissue Including Heart	1	n/c	n/c	0	n/c	n/c
Stomach	4	7.3	(4 - 14)	1	n/c	n/c
Testis**	1	n/c	n/c	0	n/c	n/c
Thyroid	7	16.7	(10 - 27)	0	n/c	n/c
Vulva (Female)*	2	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Ferry County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	45	396.3	(327 - 482)	22	196.1	(150 - 258)
Anus, Anal Canal and Anorectum	0	n/c	n/c	0	n/c	n/c
Bladder	1	n/c	n/c	0	n/c	n/c
Brain and Other Nervous System	1	n/c	n/c	1	n/c	n/c
Breast (Female)*	10	191.2	(123 - 299)	4	66.7	(32 - 145)
Cervix*	0	n/c	n/c	0	n/c	n/c
Colorectal	4	34.1	(17 - 72)	3	n/c	n/c
Endometrium*	1	n/c	n/c	0	n/c	n/c
Esophagus	1	n/c	n/c	1	n/c	n/c
Hodgkin Lymphoma	0	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	2	n/c	n/c	0	n/c	n/c
Larynx	0	n/c	n/c	0	n/c	n/c
Leukemia	1	n/c	n/c	1	n/c	n/c
Liver and Intraheptic Bile Duct	1	n/c	n/c	0	n/c	n/c
Lung	6	48.0	(28 - 87)	6	52.0	(30 - 94)
Melanoma of the skin	4	33.5	(17 - 70)	1	n/c	n/c
Myeloma	0	n/c	n/c	0	n/c	n/c
Non-Hodgkin Lymphoma	1	n/c	n/c	0	n/c	n/c
Oral Cavity & Pharynx	2	n/c	n/c	0	n/c	n/c
Ovary*	0	n/c	n/c	0	n/c	n/c
Pancreas	1	n/c	n/c	2	n/c	n/c
Prostate**	4	63.7	(32 - 133)	1	n/c	n/c
Soft Tissue Including Heart	0	n/c	n/c	0	n/c	n/c
Stomach	0	n/c	n/c	0	n/c	n/c
Testis**	0	n/c	n/c	0	n/c	n/c
Thyroid	1	n/c	n/c	0	n/c	n/c
Vulva (Female)*	0	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Franklin County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	250	446.2	(413 - 481)	83	163.1	(143 - 186)
Anus, Anal Canal and Anorectum	2	n/c	n/c	0	n/c	n/c
Bladder	12	25.3	(18 - 35)	3	n/c	n/c
Brain and Other Nervous System	5	6.6	(4 - 12)	3	n/c	n/c
Breast (Female)*	36	124.8	(102 - 152)	4	13.3	(7 - 25)
Cervix*	1	n/c	n/c	0	n/c	n/c
Colorectal	26	47.0	(37 - 60)	9	17.9	(12 - 27)
Endometrium*	7	25.4	(16 - 40)	0	n/c	n/c
Esophagus	2	n/c	n/c	3	n/c	n/c
Hodgkin Lymphoma	2	n/c	n/c	1	n/c	n/c
Kidney & Renal Pelvis	8	13.2	(8 - 21)	2	n/c	n/c
Larynx	1	n/c	n/c	0	n/c	n/c
Leukemia	11	18.3	(12 - 27)	6	10.8	(6 - 18)
Liver and Intraheptic Bile Duct	4	6.7	(3 - 13)	3	n/c	n/c
Lung	27	55.5	(44 - 70)	19	40.0	(30 - 52)
Melanoma of the skin	10	15.0	(10 - 22)	1	n/c	n/c
Myeloma	4	7.6	(4 - 14)	1	n/c	n/c
Non-Hodgkin Lymphoma	10	19.1	(13 - 28)	2	n/c	n/c
Oral Cavity & Pharynx	4	6.2	(3 - 12)	1	n/c	n/c
Ovary*	3	n/c	n/c	4	13.8	(7 - 25)
Pancreas	6	13.1	(8 - 21)	4	9.2	(5 - 16)
Prostate**	35	127.5	(103 - 157)	3	n/c	n/c
Soft Tissue Including Heart	2	n/c	n/c	1	n/c	n/c
Stomach	4	7.0	(4 - 13)	1	n/c	n/c
Testis**	1	n/c	n/c	0	n/c	n/c
Thyroid	11	17.2	(12 - 25)	1	n/c	n/c
Vulva (Female)*	1	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Garfield County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	12	311.7	(213 - 492)	4	97.3	(48 - 243)
Anus, Anal Canal and Anorectum	0	n/c	n/c	0	n/c	n/c
Bladder	0	n/c	n/c	0	n/c	n/c
Brain and Other Nervous System	0	n/c	n/c	1	n/c	n/c
Breast (Female)*	1	n/c	n/c	0	n/c	n/c
Cervix*	0	n/c	n/c	0	n/c	n/c
Colorectal	1	n/c	n/c	0	n/c	n/c
Endometrium*	0	n/c	n/c	0	n/c	n/c
Esophagus	0	n/c	n/c	0	n/c	n/c
Hodgkin Lymphoma	0	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	1	n/c	n/c	0	n/c	n/c
Larynx	0	n/c	n/c	0	n/c	n/c
Leukemia	0	n/c	n/c	0	n/c	n/c
Liver and Intraheptic Bile Duct	0	n/c	n/c	0	n/c	n/c
Lung	1	n/c	n/c	1	n/c	n/c
Melanoma of the skin	1	n/c	n/c	0	n/c	n/c
Myeloma	0	n/c	n/c	0	n/c	n/c
Non-Hodgkin Lymphoma	1	n/c	n/c	0	n/c	n/c
Oral Cavity & Pharynx	0	n/c	n/c	0	n/c	n/c
Ovary*	0	n/c	n/c	0	n/c	n/c
Pancreas	0	n/c	n/c	1	n/c	n/c
Prostate**	2	n/c	n/c	0	n/c	n/c
Soft Tissue Including Heart	0	n/c	n/c	0	n/c	n/c
Stomach	0	n/c	n/c	0	n/c	n/c
Testis**	0	n/c	n/c	0	n/c	n/c
Thyroid	0	n/c	n/c	0	n/c	n/c
Vulva (Female)*	0	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Grant County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	402	456.0	(430 - 483)	155	181.5	(165 - 199)
Anus, Anal Canal and Anorectum	2	n/c	n/c	0	n/c	n/c
Bladder	14	16.5	(12 - 22)	4	4.7	(2 - 8)
Brain and Other Nervous System	4	5.3	(3 - 9)	4	4.5	(2 - 8)
Breast (Female)*	58	127.9	(109 - 149)	9	20.7	(14 - 31)
Cervix*	2	n/c	n/c	0	n/c	n/c
Colorectal	32	36.3	(29 - 45)	13	15.1	(11 - 21)
Endometrium*	7	17.0	(11 - 26)	1	n/c	n/c
Esophagus	6	7.1	(4 - 11)	4	4.8	(3 - 8)
Hodgkin Lymphoma	2	n/c	n/c	1	n/c	n/c
Kidney & Renal Pelvis	12	13.0	(9 - 18)	4	4.6	(2 - 8)
Larynx	2	n/c	n/c	1	n/c	n/c
Leukemia	14	15.8	(11 - 22)	7	8.8	(6 - 14)
Liver and Intraheptic Bile Duct	6	6.3	(4 - 10)	6	6.5	(4 - 11)
Lung	53	61.9	(53 - 73)	40	46.7	(39 - 56)
Melanoma of the skin	25	30.2	(24 - 38)	1	n/c	n/c
Myeloma	4	4.3	(2 - 8)	2	n/c	n/c
Non-Hodgkin Lymphoma	15	16.1	(12 - 22)	5	6.3	(4 - 11)
Oral Cavity & Pharynx	14	15.1	(11 - 21)	1	n/c	n/c
Ovary*	5	10.9	(6 - 19)	2	n/c	n/c
Pancreas	11	13.2	(9 - 19)	11	12.7	(9 - 18)
Prostate**	51	113.8	(96 - 134)	13	37.2	(26 - 51)
Soft Tissue Including Heart	6	6.6	(4 - 11)	2	n/c	n/c
Stomach	6	6.4	(4 - 11)	2	n/c	n/c
Testis**	3	n/c	n/c	1	n/c	n/c
Thyroid	11	12.5	(8 - 18)	0	n/c	n/c
Vulva (Female)*	2	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Grays Harbor County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	531	553.9	(526 - 583)	190	195.4	(179 - 213)
Anus, Anal Canal and Anorectum	4	4.4	(2 - 8)	0	n/c	n/c
Bladder	29	30.2	(24 - 38)	4	3.9	(2 - 8)
Brain and Other Nervous System	8	8.9	(6 - 14)	5	5.6	(3 - 10)
Breast (Female)*	62	125.5	(107 - 147)	12	23.3	(16 - 34)
Cervix*	3	n/c	n/c	1	n/c	n/c
Colorectal	44	45.9	(38 - 55)	14	15.3	(11 - 21)
Endometrium*	17	32.9	(24 - 45)	2	n/c	n/c
Esophagus	7	6.3	(4 - 10)	5	5.2	(3 - 9)
Hodgkin Lymphoma	2	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	23	24.1	(19 - 31)	5	4.4	(2 - 8)
Larynx	4	3.9	(2 - 8)	1	n/c	n/c
Leukemia	17	18.0	(13 - 24)	10	10.2	(7 - 15)
Liver and Intraheptic Bile Duct	8	7.8	(5 - 12)	7	6.5	(4 - 11)
Lung	79	79.3	(69 - 91)	63	64.4	(55 - 75)
Melanoma of the skin	29	32.1	(26 - 40)	2	n/c	n/c
Myeloma	5	5.9	(3 - 10)	2	n/c	n/c
Non-Hodgkin Lymphoma	17	19.1	(14 - 26)	7	7.8	(5 - 12)
Oral Cavity & Pharynx	12	12.6	(9 - 18)	5	5.2	(3 - 9)
Ovary*	8	15.4	(10 - 25)	5	10.0	(6 - 18)
Pancreas	15	15.5	(11 - 21)	12	12.2	(8 - 18)
Prostate**	80	156.3	(137 - 179)	8	19.9	(13 - 30)
Soft Tissue Including Heart	1	n/c	n/c	1	n/c	n/c
Stomach	4	4.2	(2 - 8)	2	n/c	n/c
Testis**	1	n/c	n/c	0	n/c	n/c
Thyroid	8	9.9	(6 - 15)	1	n/c	n/c
Vulva (Female)*	5	13.0	(7 - 23)	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Island County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	587	529.2	(504 - 556)	163	143.4	(131 - 157)
Anus, Anal Canal and Anorectum	3	n/c	n/c	0	n/c	n/c
Bladder	36	30.8	(25 - 38)	5	4.4	(2 - 8)
Brain and Other Nervous System	8	7.3	(5 - 12)	6	6.5	(4 - 11)
Breast (Female)*	95	170.8	(150 - 194)	12	21.6	(15 - 32)
Cervix*	2	n/c	n/c	0	n/c	n/c
Colorectal	37	34.2	(28 - 42)	14	12.5	(9 - 18)
Endometrium*	14	23.1	(16 - 33)	1	n/c	n/c
Esophagus	6	5.2	(3 - 9)	6	4.9	(3 - 9)
Hodgkin Lymphoma	3	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	18	16.1	(12 - 22)	6	5.2	(3 - 9)
Larynx	3	n/c	n/c	1	n/c	n/c
Leukemia	15	13.5	(10 - 19)	8	6.4	(4 - 10)
Liver and Intraheptic Bile Duct	8	7.3	(5 - 12)	6	5.3	(3 - 9)
Lung	55	47.6	(40 - 56)	36	31.3	(26 - 38)
Melanoma of the skin	74	67.9	(59 - 78)	3	n/c	n/c
Myeloma	8	7.4	(5 - 12)	2	n/c	n/c
Non-Hodgkin Lymphoma	18	15.7	(12 - 21)	5	4.2	(2 - 8)
Oral Cavity & Pharynx	12	11.8	(8 - 17)	4	3.1	(2 - 6)
Ovary*	8	13.5	(9 - 22)	5	8.3	(5 - 15)
Pancreas	11	9.8	(7 - 15)	10	8.5	(6 - 13)
Prostate**	82	138.3	(121 - 158)	10	20.1	(13 - 30)
Soft Tissue Including Heart	5	5.5	(3 - 10)	2	n/c	n/c
Stomach	6	4.7	(3 - 8)	3	n/c	n/c
Testis**	2	n/c	n/c	0	n/c	n/c
Thyroid	7	7.2	(4 - 12)	0	n/c	n/c
Vulva (Female)*	3	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Jefferson County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	331	564.7	(527 - 607)	88	150.2	(132 - 173)
Anus, Anal Canal and Anorectum	1	n/c	n/c	0	n/c	n/c
Bladder	19	29.9	(22 - 42)	3	n/c	n/c
Brain and Other Nervous System	3	n/c	n/c	2	n/c	n/c
Breast (Female)*	47	158.7	(130 - 197)	4	11.2	(6 - 29)
Cervix*	0	n/c	n/c	0	n/c	n/c
Colorectal	18	30.4	(22 - 43)	5	8.9	(5 - 19)
Endometrium*	8	26.1	(15 - 48)	0	n/c	n/c
Esophagus	4	7.8	(4 - 18)	3	5.7	(3 - 15)
Hodgkin Lymphoma	1	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	8	12.2	(8 - 22)	2	n/c	n/c
Larynx	2	n/c	n/c	0	n/c	n/c
Leukemia	7	15.4	(9 - 28)	2	n/c	n/c
Liver and Intraheptic Bile Duct	6	9.7	(6 - 20)	4	7.3	(4 - 17)
Lung	35	56.1	(46 - 71)	29	46.9	(37 - 61)
Melanoma of the skin	49	83.6	(69 - 103)	0	n/c	n/c
Myeloma	4	7.4	(4 - 17)	3	5.7	(2 - 15)
Non-Hodgkin Lymphoma	15	23.6	(17 - 35)	4	6.7	(3 - 17)
Oral Cavity & Pharynx	7	11.1	(7 - 21)	1	n/c	n/c
Ovary*	4	10.8	(5 - 29)	3	10.4	(5 - 29)
Pancreas	7	11.6	(7 - 22)	6	9.5	(5 - 19)
Prostate**	54	172.9	(146 - 209)	7	28.3	(18 - 50)
Soft Tissue Including Heart	2	n/c	n/c	0	n/c	n/c
Stomach	4	5.7	(3 - 15)	2	n/c	n/c
Testis**	1	n/c	n/c	0	n/c	n/c
Thyroid	6	12.2	(7 - 23)	0	n/c	n/c
Vulva (Female)*	1	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

King County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	10,563	534.9	(529 - 541)	2,953	155.4	(152 - 159)
Anus, Anal Canal and Anorectum	122	5.8	(5 - 6)	8	0.4	(0 - 1)
Bladder	376	20.4	(19 - 22)	90	4.8	(4 - 5)
Brain and Other Nervous System	150	7.6	(7 - 8)	101	5.1	(5 - 6)
Breast (Female)*	2,013	189.8	(185 - 195)	219	20.0	(18 - 22)
Cervix*	62	5.8	(5 - 7)	15	1.4	(1 - 2)
Colorectal	688	35.5	(34 - 37)	243	12.4	(12 - 13)
Endometrium*	278	25.2	(23 - 27)	23	2.2	(2 - 3)
Esophagus	83	4.3	(4 - 5)	71	3.7	(3 - 4)
Hodgkin Lymphoma	57	2.9	(2 - 3)	3	0.2	(0 - 0)
Kidney & Renal Pelvis	289	14.8	(14 - 16)	73	4.0	(3 - 5)
Larynx	54	2.8	(2 - 3)	17	0.9	(1 - 1)
Leukemia	274	14.4	(13 - 15)	119	6.5	(6 - 7)
Liver and Intraheptic Bile Duct	210	10.1	(9 - 11)	158	8.0	(7 - 9)
Lung	983	53.2	(51 - 55)	682	37.0	(35 - 39)
Melanoma of the skin	1,170	58.6	(57 - 61)	50	2.5	(2 - 3)
Myeloma	133	7.1	(6 - 8)	69	3.7	(3 - 4)
Non-Hodgkin Lymphoma	437	22.3	(21 - 24)	112	6.0	(5 - 7)
Oral Cavity & Pharynx	251	12.3	(11 - 13)	59	2.9	(2 - 3)
Ovary*	136	12.5	(11 - 14)	91	8.2	(7 - 9)
Pancreas	239	12.7	(12 - 14)	193	10.3	(9 - 11)
Prostate**	1,215	129.7	(125 - 134)	156	21.5	(20 - 24)
Soft Tissue Including Heart	66	3.4	(3 - 4)	25	1.3	(1 - 2)
Stomach	119	6.2	(6 - 7)	57	3.1	(3 - 4)
Testis**	82	7.7	(7 - 9)	2	n/c	n/c
Thyroid	282	13.6	(13 - 15)	8	0.4	(0 - 1)
Vulva (Female)*	84	7.9	(7 - 9)	4	0.3	(0 - 1)

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Kitsap County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	1,618	546.3	(530 - 563)	471	163.6	(155 - 173)
Anus, Anal Canal and Anorectum	12	4.0	(3 - 6)	2	n/c	n/c
Bladder	65	22.5	(19 - 26)	13	4.9	(3 - 7)
Brain and Other Nervous System	16	5.6	(4 - 8)	15	5.2	(4 - 7)
Breast (Female)*	259	163.6	(152 - 176)	30	17.9	(14 - 22)
Cervix*	11	8.4	(6 - 12)	4	2.7	(1 - 5)
Colorectal	113	38.4	(34 - 43)	35	12.4	(10 - 15)
Endometrium*	47	29.7	(25 - 36)	2	n/c	n/c
Esophagus	15	4.8	(3 - 7)	11	3.4	(2 - 5)
Hodgkin Lymphoma	8	2.9	(2 - 5)	0	n/c	n/c
Kidney & Renal Pelvis	46	15.4	(13 - 18)	9	3.2	(2 - 5)
Larynx	11	3.7	(3 - 5)	5	1.6	(1 - 3)
Leukemia	42	14.5	(12 - 17)	18	6.0	(4 - 8)
Liver and Intraheptic Bile Duct	23	7.6	(6 - 10)	14	5.0	(4 - 7)
Lung	177	61.4	(56 - 67)	128	44.1	(40 - 49)
Melanoma of the skin	171	58.2	(53 - 64)	9	3.0	(2 - 4)
Myeloma	18	6.6	(5 - 9)	8	2.9	(2 - 4)
Non-Hodgkin Lymphoma	63	21.3	(18 - 25)	19	6.8	(5 - 9)
Oral Cavity & Pharynx	38	11.9	(10 - 14)	8	2.8	(2 - 4)
Ovary*	22	14.0	(11 - 18)	12	7.4	(5 - 11)
Pancreas	43	14.8	(12 - 18)	37	12.8	(10 - 16)
Prostate**	224	149.3	(138 - 162)	23	19.4	(15 - 25)
Soft Tissue Including Heart	7	2.5	(2 - 4)	4	1.3	(1 - 2)
Stomach	17	5.6	(4 - 8)	11	3.6	(2 - 5)
Testis**	10	8.3	(6 - 12)	0	n/c	n/c
Thyroid	37	14.0	(11 - 17)	2	n/c	n/c
Vulva (Female)*	15	9.7	(7 - 13)	1	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Kittitas County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	187	442.5	(405 - 483)	69	162.2	(140 - 187)
Anus, Anal Canal and Anorectum	1	n/c	n/c	0	n/c	n/c
Bladder	9	22.5	(15 - 34)	1	n/c	n/c
Brain and Other Nervous System	1	n/c	n/c	2	n/c	n/c
Breast (Female)*	26	122.7	(96 - 156)	7	28.1	(17 - 46)
Cervix*	2	n/c	n/c	0	n/c	n/c
Colorectal	12	29.8	(21 - 43)	6	15.1	(9 - 25)
Endometrium*	5	22.3	(12 - 40)	0	n/c	n/c
Esophagus	2	n/c	n/c	3	n/c	n/c
Hodgkin Lymphoma	1	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	6	14.3	(8 - 24)	1	n/c	n/c
Larynx	0	n/c	n/c	0	n/c	n/c
Leukemia	6	12.3	(7 - 21)	3	7.0	(3 - 14)
Liver and Intraheptic Bile Duct	2	n/c	n/c	1	n/c	n/c
Lung	18	43.7	(33 - 58)	17	42.2	(31 - 57)
Melanoma of the skin	10	26.9	(18 - 40)	2	n/c	n/c
Myeloma	3	n/c	n/c	1	n/c	n/c
Non-Hodgkin Lymphoma	10	23.5	(16 - 35)	2	n/c	n/c
Oral Cavity & Pharynx	5	13.1	(7 - 23)	1	n/c	n/c
Ovary*	3	n/c	n/c	2	n/c	n/c
Pancreas	6	11.6	(7 - 20)	5	11.7	(7 - 20)
Prostate**	32	138.7	(111 - 172)	4	26.6	(14 - 47)
Soft Tissue Including Heart	1	n/c	n/c	1	n/c	n/c
Stomach	3	n/c	n/c	0	n/c	n/c
Testis**	1	n/c	n/c	0	n/c	n/c
Thyroid	4	8.9	(4 - 17)	0	n/c	n/c
Vulva (Female)*	1	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Klickitat County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	120	400.3	(357 - 449)	50	172.3	(145 - 205)
Anus, Anal Canal and Anorectum	1	n/c	n/c	0	n/c	n/c
Bladder	2	n/c	n/c	2	n/c	n/c
Brain and Other Nervous System	2	n/c	n/c	2	n/c	n/c
Breast (Female)*	21	147.0	(111 - 195)	2	n/c	n/c
Cervix*	0	n/c	n/c	0	n/c	n/c
Colorectal	9	30.9	(20 - 48)	4	15.5	(8 - 30)
Endometrium*	3	n/c	n/c	0	n/c	n/c
Esophagus	2	n/c	n/c	2	n/c	n/c
Hodgkin Lymphoma	1	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	4	13.1	(7 - 26)	0	n/c	n/c
Larynx	2	n/c	n/c	1	n/c	n/c
Leukemia	5	16.3	(8 - 31)	2	n/c	n/c
Liver and Intraheptic Bile Duct	3	n/c	n/c	1	n/c	n/c
Lung	16	46.3	(34 - 65)	15	49.2	(36 - 69)
Melanoma of the skin	9	32.6	(21 - 51)	1	n/c	n/c
Myeloma	1	n/c	n/c	1	n/c	n/c
Non-Hodgkin Lymphoma	3	n/c	n/c	2	n/c	n/c
Oral Cavity & Pharynx	2	n/c	n/c	0	n/c	n/c
Ovary*	1	n/c	n/c	1	n/c	n/c
Pancreas	2	n/c	n/c	2	n/c	n/c
Prostate**	21	121.2	(92 - 162)	3	n/c	n/c
Soft Tissue Including Heart	0	n/c	n/c	0	n/c	n/c
Stomach	2	n/c	n/c	2	n/c	n/c
Testis**	0	n/c	n/c	0	n/c	n/c
Thyroid	3	n/c	n/c	0	n/c	n/c
Vulva (Female)*	0	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Lewis County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	448	442.0	(418 - 467)	206	197.9	(182 - 215)
Anus, Anal Canal and Anorectum	4	4.0	(2 - 8)	1	n/c	n/c
Bladder	22	21.4	(16 - 28)	5	4.5	(2 - 8)
Brain and Other Nervous System	6	6.2	(4 - 11)	6	6.8	(4 - 11)
Breast (Female)*	63	123.1	(106 - 143)	13	24.4	(17 - 35)
Cervix*	3	n/c	n/c	1	n/c	n/c
Colorectal	38	37.3	(31 - 45)	16	15.4	(11 - 21)
Endometrium*	15	29.5	(21 - 41)	3	n/c	n/c
Esophagus	8	7.8	(5 - 12)	6	6.1	(4 - 10)
Hodgkin Lymphoma	3	n/c	n/c	1	n/c	n/c
Kidney & Renal Pelvis	14	14.6	(10 - 20)	5	4.7	(3 - 9)
Larynx	2	n/c	n/c	1	n/c	n/c
Leukemia	11	10.4	(7 - 15)	8	7.7	(5 - 12)
Liver and Intraheptic Bile Duct	9	7.9	(5 - 12)	8	7.6	(5 - 12)
Lung	63	59.4	(51 - 69)	59	56.3	(48 - 66)
Melanoma of the skin	17	18.3	(13 - 25)	3	3.2	(2 - 7)
Myeloma	6	5.4	(3 - 9)	4	3.9	(2 - 8)
Non-Hodgkin Lymphoma	24	24.8	(19 - 32)	7	6.8	(4 - 11)
Oral Cavity & Pharynx	11	10.5	(7 - 15)	4	3.5	(2 - 7)
Ovary*	6	14.1	(8 - 23)	4	7.6	(4 - 14)
Pancreas	11	10.1	(7 - 15)	13	12.0	(8 - 17)
Prostate**	49	91.2	(77 - 108)	11	25.1	(17 - 36)
Soft Tissue Including Heart	4	4.3	(2 - 8)	2	n/c	n/c
Stomach	3	3.3	(2 - 7)	2	n/c	n/c
Testis**	3	n/c	n/c	0	n/c	n/c
Thyroid	9	9.6	(6 - 15)	1	n/c	n/c
Vulva (Female)*	5	9.8	(5 - 18)	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Lincoln County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	57	344.1	(291 - 408)	24	136.8	(106 - 179)
Anus, Anal Canal and Anorectum	0	n/c	n/c	0	n/c	n/c
Bladder	1	n/c	n/c	0	n/c	n/c
Brain and Other Nervous System	2	n/c	n/c	1	n/c	n/c
Breast (Female)*	11	138.0	(92 - 210)	3	32.4	(15 - 79)
Cervix*	0	n/c	n/c	0	n/c	n/c
Colorectal	4	22.0	(11 - 46)	2	n/c	n/c
Endometrium*	1	n/c	n/c	0	n/c	n/c
Esophagus	1	n/c	n/c	1	n/c	n/c
Hodgkin Lymphoma	0	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	3	n/c	n/c	1	n/c	n/c
Larynx	0	n/c	n/c	0	n/c	n/c
Leukemia	1	n/c	n/c	1	n/c	n/c
Liver and Intraheptic Bile Duct	1	n/c	n/c	1	n/c	n/c
Lung	7	36.5	(22 - 64)	8	45.3	(29 - 75)
Melanoma of the skin	2	n/c	n/c	0	n/c	n/c
Myeloma	0	n/c	n/c	0	n/c	n/c
Non-Hodgkin Lymphoma	3	n/c	n/c	1	n/c	n/c
Oral Cavity & Pharynx	2	n/c	n/c	0	n/c	n/c
Ovary*	1	n/c	n/c	1	n/c	n/c
Pancreas	1	n/c	n/c	2	n/c	n/c
Prostate**	11	121.9	(83 - 186)	1	n/c	n/c
Soft Tissue Including Heart	0	n/c	n/c	0	n/c	n/c
Stomach	0	n/c	n/c	0	n/c	n/c
Testis**	0	n/c	n/c	0	n/c	n/c
Thyroid	2	n/c	n/c	0	n/c	n/c
Vulva (Female)*	0	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Mason County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	470	541.4	(512 - 572)	154	178.1	(162 - 196)
Anus, Anal Canal and Anorectum	2	n/c	n/c	0	n/c	n/c
Bladder	25	27.6	(22 - 35)	3	n/c	n/c
Brain and Other Nervous System	5	5.8	(3 - 11)	3	n/c	n/c
Breast (Female)*	66	156.6	(135 - 182)	11	28.2	(19 - 42)
Cervix*	4	10.0	(5 - 20)	1	n/c	n/c
Colorectal	31	34.3	(27 - 43)	10	12.0	(8 - 18)
Endometrium*	13	30.0	(21 - 43)	1	n/c	n/c
Esophagus	7	8.1	(5 - 13)	6	6.6	(4 - 11)
Hodgkin Lymphoma	2	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	11	13.0	(9 - 19)	5	5.9	(3 - 11)
Larynx	3	n/c	n/c	1	n/c	n/c
Leukemia	9	9.9	(6 - 15)	4	4.6	(2 - 9)
Liver and Intraheptic Bile Duct	8	8.6	(5 - 14)	6	7.8	(5 - 13)
Lung	74	81.4	(71 - 94)	49	55.0	(46 - 65)
Melanoma of the skin	44	51.1	(42 - 61)	3	n/c	n/c
Myeloma	6	6.9	(4 - 12)	1	n/c	n/c
Non-Hodgkin Lymphoma	19	22.3	(17 - 30)	5	6.1	(3 - 11)
Oral Cavity & Pharynx	11	12.1	(8 - 18)	3	n/c	n/c
Ovary*	6	15.2	(9 - 26)	3	n/c	n/c
Pancreas	12	13.9	(10 - 20)	11	13.0	(9 - 19)
Prostate**	50	110.3	(93 - 131)	10	24.2	(16 - 36)
Soft Tissue Including Heart	2	n/c	n/c	2	n/c	n/c
Stomach	4	4.4	(2 - 9)	1	n/c	n/c
Testis**	2	n/c	n/c	0	n/c	n/c
Thyroid	8	9.8	(6 - 16)	0	n/c	n/c
Vulva (Female)*	5	16.5	(9 - 29)	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Okanogan County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	278	502.0	(467 - 540)	97	174.6	(155 - 197)
Anus, Anal Canal and Anorectum	0	n/c	n/c	0	n/c	n/c
Bladder	11	21.1	(14 - 31)	4	7.4	(4 - 14)
Brain and Other Nervous System	5	9.5	(5 - 17)	3	6.3	(3 - 13)
Breast (Female)*	35	128.4	(104 - 158)	3	12.4	(6 - 25)
Cervix*	2	n/c	n/c	1	n/c	n/c
Colorectal	17	28.9	(21 - 39)	10	17.2	(11 - 26)
Endometrium*	5	18.5	(10 - 33)	0	n/c	n/c
Esophagus	5	7.7	(4 - 14)	3	5.6	(3 - 12)
Hodgkin Lymphoma	1	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	12	23.2	(16 - 33)	2	n/c	n/c
Larynx	3	n/c	n/c	1	n/c	n/c
Leukemia	10	18.1	(12 - 27)	3	5.7	(3 - 12)
Liver and Intraheptic Bile Duct	5	8.0	(4 - 15)	4	8.1	(4 - 15)
Lung	34	59.2	(48 - 73)	28	49.6	(39 - 63)
Melanoma of the skin	18	34.4	(25 - 46)	1	n/c	n/c
Myeloma	5	8.2	(4 - 15)	1	n/c	n/c
Non-Hodgkin Lymphoma	13	26.0	(18 - 37)	4	7.4	(4 - 14)
Oral Cavity & Pharynx	11	19.7	(13 - 29)	2	n/c	n/c
Ovary*	5	16.3	(9 - 30)	2	n/c	n/c
Pancreas	8	13.8	(9 - 22)	7	12.1	(7 - 20)
Prostate**	42	127.3	(105 - 154)	6	25.2	(14 - 42)
Soft Tissue Including Heart	1	n/c	n/c	1	n/c	n/c
Stomach	3	5.9	(3 - 12)	2	n/c	n/c
Testis**	1	n/c	n/c	0	n/c	n/c
Thyroid	7	15.2	(9 - 25)	0	n/c	n/c
Vulva (Female)*	3	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Pacific County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	154	423.6	(382 - 471)	67	172.8	(149 - 203)
Anus, Anal Canal and Anorectum	1	n/c	n/c	0	n/c	n/c
Bladder	7	17.2	(10 - 31)	2	n/c	n/c
Brain and Other Nervous System	2	n/c	n/c	2	n/c	n/c
Breast (Female)*	23	122.1	(92 - 165)	5	23.4	(13 - 49)
Cervix*	1	n/c	n/c	0	n/c	n/c
Colorectal	15	40.0	(28 - 58)	6	17.9	(11 - 32)
Endometrium*	4	22.3	(10 - 51)	1	n/c	n/c
Esophagus	3	8.1	(4 - 21)	2	n/c	n/c
Hodgkin Lymphoma	0	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	6	19.2	(11 - 35)	3	n/c	n/c
Larynx	1	n/c	n/c	0	n/c	n/c
Leukemia	3	n/c	n/c	2	n/c	n/c
Liver and Intraheptic Bile Duct	2	n/c	n/c	2	n/c	n/c
Lung	23	56.4	(43 - 75)	20	50.7	(39 - 69)
Melanoma of the skin	6	17.4	(9 - 33)	2	n/c	n/c
Myeloma	1	n/c	n/c	0	n/c	n/c
Non-Hodgkin Lymphoma	6	18.4	(10 - 34)	1	n/c	n/c
Oral Cavity & Pharynx	6	19.2	(11 - 35)	1	n/c	n/c
Ovary*	2	n/c	n/c	3	n/c	n/c
Pancreas	4	9.0	(4 - 21)	4	10.5	(5 - 23)
Prostate**	21	100.0	(76 - 136)	3	17.9	(9 - 44)
Soft Tissue Including Heart	0	n/c	n/c	0	n/c	n/c
Stomach	2	n/c	n/c	0	n/c	n/c
Testis**	0	n/c	n/c	0	n/c	n/c
Thyroid	2	n/c	n/c	0	n/c	n/c
Vulva (Female)*	1	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Pend Oreille County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	97	496.2	(436 - 565)	37	192.6	(156 - 238)
Anus, Anal Canal and Anorectum	0	n/c	n/c	0	n/c	n/c
Bladder	4	17.7	(8 - 38)	1	n/c	n/c
Brain and Other Nervous System	1	n/c	n/c	1	n/c	n/c
Breast (Female)*	13	155.3	(106 - 225)	1	n/c	n/c
Cervix*	0	n/c	n/c	0	n/c	n/c
Colorectal	7	33.9	(21 - 58)	4	19.8	(10 - 41)
Endometrium*	3	n/c	n/c	1	n/c	n/c
Esophagus	1	n/c	n/c	2	n/c	n/c
Hodgkin Lymphoma	0	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	4	15.9	(8 - 35)	0	n/c	n/c
Larynx	1	n/c	n/c	0	n/c	n/c
Leukemia	2	n/c	n/c	1	n/c	n/c
Liver and Intraheptic Bile Duct	4	13.9	(7 - 32)	1	n/c	n/c
Lung	16	79.2	(58 - 110)	11	59.2	(40 - 88)
Melanoma of the skin	6	36.2	(20 - 63)	0	n/c	n/c
Myeloma	1	n/c	n/c	0	n/c	n/c
Non-Hodgkin Lymphoma	4	18.0	(9 - 38)	2	n/c	n/c
Oral Cavity & Pharynx	1	n/c	n/c	1	n/c	n/c
Ovary*	2	n/c	n/c	0	n/c	n/c
Pancreas	3	n/c	n/c	3	n/c	n/c
Prostate**	10	78.0	(51 - 124)	1	n/c	n/c
Soft Tissue Including Heart	0	n/c	n/c	0	n/c	n/c
Stomach	2	n/c	n/c	1	n/c	n/c
Testis**	0	n/c	n/c	0	n/c	n/c
Thyroid	2	n/c	n/c	0	n/c	n/c
Vulva (Female)*	1	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Pierce County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	4,591	574.1	(564 - 584)	1,358	176.7	(171 - 182)
Anus, Anal Canal and Anorectum	22	2.6	(2 - 3)	2	n/c	n/c
Bladder	178	23.2	(21 - 25)	36	4.9	(4 - 6)
Brain and Other Nervous System	62	7.7	(7 - 9)	44	5.4	(5 - 6)
Breast (Female)*	796	183.5	(176 - 191)	84	19.4	(17 - 22)
Cervix*	35	8.5	(7 - 10)	14	3.3	(2 - 4)
Colorectal	306	39.1	(37 - 42)	114	14.7	(13 - 16)
Endometrium*	108	23.5	(21 - 26)	5	1.1	(1 - 2)
Esophagus	44	5.4	(5 - 6)	39	4.9	(4 - 6)
Hodgkin Lymphoma	23	2.9	(2 - 4)	4	0.4	(0 - 1)
Kidney & Renal Pelvis	160	20.1	(18 - 22)	29	3.9	(3 - 5)
Larynx	34	4.2	(3 - 5)	12	1.5	(1 - 2)
Leukemia	126	16.2	(15 - 18)	46	6.2	(5 - 7)
Liver and Intraheptic Bile Duct	88	10.4	(9 - 12)	52	6.5	(5 - 8)
Lung	602	78.8	(75 - 83)	401	53.1	(50 - 56)
Melanoma of the skin	353	44.0	(41 - 47)	23	2.9	(2 - 4)
Myeloma	47	6.0	(5 - 7)	30	4.1	(3 - 5)
Non-Hodgkin Lymphoma	167	21.1	(19 - 23)	37	4.8	(4 - 6)
Oral Cavity & Pharynx	108	12.9	(12 - 14)	25	3.0	(2 - 4)
Ovary*	57	13.5	(11 - 16)	37	8.6	(7 - 10)
Pancreas	114	14.5	(13 - 16)	92	11.8	(10 - 13)
Prostate**	560	145.0	(138 - 152)	60	19.8	(17 - 23)
Soft Tissue Including Heart	30	3.9	(3 - 5)	7	0.8	(1 - 1)
Stomach	63	8.1	(7 - 9)	25	3.1	(2 - 4)
Testis**	28	6.9	(6 - 9)	0	n/c	n/c
Thyroid	127	15.7	(14 - 17)	3	0.4	(0 - 1)
Vulva (Female)*	44	10.3	(9 - 12)	2	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

San Juan County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	133	477.8	(425 - 540)	34	114.9	(92 - 149)
Anus, Anal Canal and Anorectum	1	n/c	n/c	0	n/c	n/c
Bladder	5	16.4	(9 - 38)	0	n/c	n/c
Brain and Other Nervous System	1	n/c	n/c	1	n/c	n/c
Breast (Female)*	25	194.6	(147 - 264)	4	30.0	(15 - 73)
Cervix*	0	n/c	n/c	0	n/c	n/c
Colorectal	7	25.0	(15 - 48)	2	n/c	n/c
Endometrium*	4	23.2	(12 - 63)	0	n/c	n/c
Esophagus	1	n/c	n/c	1	n/c	n/c
Hodgkin Lymphoma	1	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	3	n/c	n/c	1	n/c	n/c
Larynx	0	n/c	n/c	0	n/c	n/c
Leukemia	3	n/c	n/c	1	n/c	n/c
Liver and Intraheptic Bile Duct	2	n/c	n/c	1	n/c	n/c
Lung	10	31.4	(21 - 55)	6	18.4	(11 - 41)
Melanoma of the skin	22	85.9	(63 - 120)	1	n/c	n/c
Myeloma	1	n/c	n/c	1	n/c	n/c
Non-Hodgkin Lymphoma	5	20.8	(11 - 45)	2	n/c	n/c
Oral Cavity & Pharynx	3	n/c	n/c	0	n/c	n/c
Ovary*	1	n/c	n/c	1	n/c	n/c
Pancreas	3	n/c	n/c	4	16.5	(7 - 40)
Prostate**	21	139.7	(106 - 198)	3	n/c	n/c
Soft Tissue Including Heart	1	n/c	n/c	0	n/c	n/c
Stomach	2	n/c	n/c	1	n/c	n/c
Testis**	0	n/c	n/c	0	n/c	n/c
Thyroid	1	n/c	n/c	0	n/c	n/c
Vulva (Female)*	1	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Skagit County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	855	573.7	(551 - 597)	267	173.6	(162 - 187)
Anus, Anal Canal and Anorectum	3	2.3	(1 - 5)	0	n/c	n/c
Bladder	45	29.3	(24 - 35)	8	5.2	(3 - 8)
Brain and Other Nervous System	14	10.4	(7 - 14)	7	4.8	(3 - 8)
Breast (Female)*	124	160.2	(144 - 178)	16	19.7	(14 - 27)
Cervix*	6	9.6	(6 - 16)	2	n/c	n/c
Colorectal	64	42.9	(37 - 50)	27	17.5	(14 - 22)
Endometrium*	19	23.2	(17 - 31)	3	n/c	n/c
Esophagus	12	7.7	(5 - 11)	9	6.1	(4 - 9)
Hodgkin Lymphoma	4	2.8	(1 - 5)	0	n/c	n/c
Kidney & Renal Pelvis	28	18.5	(15 - 23)	7	4.5	(3 - 7)
Larynx	4	2.6	(1 - 5)	1	n/c	n/c
Leukemia	27	18.6	(15 - 23)	10	7.0	(5 - 10)
Liver and Intraheptic Bile Duct	13	8.4	(6 - 12)	9	5.9	(4 - 9)
Lung	96	63.2	(56 - 71)	72	47.0	(41 - 54)
Melanoma of the skin	97	68.3	(60 - 77)	4	2.7	(1 - 5)
Myeloma	9	6.7	(4 - 10)	3	2.1	(1 - 4)
Non-Hodgkin Lymphoma	30	18.8	(15 - 23)	10	5.8	(4 - 9)
Oral Cavity & Pharynx	18	11.9	(9 - 16)	3	n/c	n/c
Ovary*	11	14.2	(10 - 21)	6	7.0	(4 - 12)
Pancreas	19	11.8	(9 - 16)	18	11.4	(9 - 15)
Prostate**	107	146.9	(131 - 164)	14	21.4	(15 - 29)
Soft Tissue Including Heart	4	2.7	(1 - 5)	2	n/c	n/c
Stomach	9	5.8	(4 - 9)	3	2.4	(1 - 5)
Testis**	3	n/c	n/c	0	n/c	n/c
Thyroid	16	11.8	(9 - 16)	1	n/c	n/c
Vulva (Female)*	5	7.7	(4 - 13)	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Skamania County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	67	476.2	(409 - 554)	30	218.0	(174 - 274)
Anus, Anal Canal and Anorectum	0	n/c	n/c	0	n/c	n/c
Bladder	4	26.5	(13 - 53)	1	n/c	n/c
Brain and Other Nervous System	3	28.5	(13 - 58)	2	n/c	n/c
Breast (Female)*	10	131.6	(86 - 201)	2	n/c	n/c
Cervix*	0	n/c	n/c	0	n/c	n/c
Colorectal	5	37.9	(21 - 68)	2	n/c	n/c
Endometrium*	2	n/c	n/c	0	n/c	n/c
Esophagus	2	n/c	n/c	2	n/c	n/c
Hodgkin Lymphoma	1	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	1	n/c	n/c	1	n/c	n/c
Larynx	1	n/c	n/c	0	n/c	n/c
Leukemia	3	n/c	n/c	1	n/c	n/c
Liver and Intraheptic Bile Duct	1	n/c	n/c	1	n/c	n/c
Lung	8	54.5	(34 - 87)	8	52.4	(32 - 85)
Melanoma of the skin	5	39.0	(21 - 70)	0	n/c	n/c
Myeloma	0	n/c	n/c	0	n/c	n/c
Non-Hodgkin Lymphoma	2	n/c	n/c	1	n/c	n/c
Oral Cavity & Pharynx	1	n/c	n/c	1	n/c	n/c
Ovary*	1	n/c	n/c	1	n/c	n/c
Pancreas	2	n/c	n/c	2	n/c	n/c
Prostate**	6	85.4	(49 - 147)	1	n/c	n/c
Soft Tissue Including Heart	1	n/c	n/c	0	n/c	n/c
Stomach	0	n/c	n/c	1	n/c	n/c
Testis**	1	n/c	n/c	0	n/c	n/c
Thyroid	2	n/c	n/c	0	n/c	n/c
Vulva (Female)*	0	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Snohomish County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population Rate per 100,000	95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population Rate per 100,000	95% CI for Rates
All Sites Combined	4,006	562.8	(552 - 573)	1,094	164.1	(158 - 170)
Anus, Anal Canal and Anorectum	32	4.2	(3 - 5)	3	n/c	n/c
Bladder	167	25.2	(23 - 28)	34	5.4	(4 - 7)
Brain and Other Nervous System	53	7.3	(6 - 9)	34	4.7	(4 - 6)
Breast (Female)*	675	172.6	(165 - 180)	75	19.6	(17 - 23)
Cervix*	26	7.0	(5 - 9)	6	1.6	(1 - 3)
Colorectal	292	42.1	(39 - 45)	100	15.0	(13 - 17)
Endometrium*	121	30.1	(27 - 33)	10	2.5	(2 - 4)
Esophagus	30	4.3	(3 - 5)	27	3.9	(3 - 5)
Hodgkin Lymphoma	16	2.2	(2 - 3)	4	0.5	(0 - 1)
Kidney & Renal Pelvis	131	18.6	(17 - 21)	24	3.4	(3 - 4)
Larynx	21	2.9	(2 - 4)	4	0.5	(0 - 1)
Leukemia	107	15.5	(14 - 17)	43	6.6	(6 - 8)
Liver and Intraheptic Bile Duct	67	8.4	(7 - 10)	46	6.2	(5 - 7)
Lung	425	64.3	(61 - 68)	291	43.9	(41 - 47)
Melanoma of the skin	395	55.1	(52 - 58)	20	3.1	(2 - 4)
Myeloma	43	6.4	(5 - 8)	20	3.2	(2 - 4)
Non-Hodgkin Lymphoma	166	23.7	(22 - 26)	46	7.1	(6 - 9)
Oral Cavity & Pharynx	94	12.2	(11 - 14)	18	2.6	(2 - 3)
Ovary*	57	15.0	(13 - 17)	26	6.8	(5 - 9)
Pancreas	84	12.2	(11 - 14)	76	11.3	(10 - 13)
Prostate**	480	142.8	(135 - 151)	52	21.3	(18 - 25)
Soft Tissue Including Heart	21	2.9	(2 - 4)	6	0.8	(0 - 1)
Stomach	53	7.5	(6 - 9)	23	3.5	(3 - 5)
Testis**	25	6.8	(5 - 9)	1	n/c	n/c
Thyroid	103	13.7	(12 - 15)	4	0.5	(0 - 1)
Vulva (Female)*	40	10.2	(8 - 12)	1	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Spokane County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	2,472	474.4	(463 - 486)	893	171.5	(165 - 178)
Anus, Anal Canal and Anorectum	13	2.6	(2 - 4)	4	0.7	(0 - 1)
Bladder	111	21.5	(19 - 24)	30	5.8	(5 - 7)
Brain and Other Nervous System	32	6.4	(5 - 8)	30	5.9	(5 - 7)
Breast (Female)*	476	171.4	(162 - 181)	62	21.3	(18 - 25)
Cervix*	12	5.5	(4 - 8)	4	1.4	(1 - 3)
Colorectal	179	34.7	(32 - 38)	71	13.5	(12 - 16)
Endometrium*	68	23.5	(20 - 27)	7	2.2	(1 - 4)
Esophagus	24	4.5	(4 - 6)	26	4.8	(4 - 6)
Hodgkin Lymphoma	14	3.0	(2 - 4)	1	n/c	n/c
Kidney & Renal Pelvis	85	16.6	(15 - 19)	18	3.3	(2 - 4)
Larynx	15	2.8	(2 - 4)	3	n/c	n/c
Leukemia	54	10.9	(9 - 13)	30	5.8	(5 - 7)
Liver and Intraheptic Bile Duct	41	7.2	(6 - 9)	34	6.2	(5 - 8)
Lung	307	59.1	(55 - 63)	243	47.2	(44 - 51)
Melanoma of the skin	172	33.7	(31 - 37)	14	2.7	(2 - 4)
Myeloma	29	5.6	(4 - 7)	21	3.9	(3 - 5)
Non-Hodgkin Lymphoma	89	17.5	(15 - 20)	35	6.8	(5 - 8)
Oral Cavity & Pharynx	67	12.3	(11 - 14)	16	3.1	(2 - 4)
Ovary*	34	12.6	(10 - 15)	25	8.7	(7 - 11)
Pancreas	67	12.7	(11 - 15)	64	12.6	(11 - 15)
Prostate**	281	108.4	(101 - 116)	44	20.6	(17 - 25)
Soft Tissue Including Heart	14	2.8	(2 - 4)	6	1.4	(1 - 2)
Stomach	28	5.4	(4 - 7)	15	2.8	(2 - 4)
Testis**	15	6.7	(5 - 9)	0	n/c	n/c
Thyroid	82	17.4	(15 - 20)	2	n/c	n/c
Vulva (Female)*	12	4.2	(3 - 6)	1	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Stevens County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	261	425.6	(395 - 459)	112	186.5	(166 - 209)
Anus, Anal Canal and Anorectum	1	n/c	n/c	0	n/c	n/c
Bladder	11	17.1	(12 - 25)	2	n/c	n/c
Brain and Other Nervous System	3	n/c	n/c	4	6.6	(3 - 13)
Breast (Female)*	43	137.2	(114 - 166)	6	21.0	(13 - 36)
Cervix*	2	n/c	n/c	0	n/c	n/c
Colorectal	26	44.7	(35 - 57)	10	17.1	(11 - 26)
Endometrium*	7	18.8	(11 - 32)	0	n/c	n/c
Esophagus	3	n/c	n/c	4	5.7	(3 - 12)
Hodgkin Lymphoma	1	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	10	15.3	(10 - 23)	3	n/c	n/c
Larynx	1	n/c	n/c	0	n/c	n/c
Leukemia	8	13.2	(8 - 21)	7	12.6	(8 - 21)
Liver and Intraheptic Bile Duct	5	8.1	(5 - 15)	7	10.8	(6 - 18)
Lung	35	55.2	(45 - 68)	30	47.7	(38 - 60)
Melanoma of the skin	20	37.0	(27 - 50)	2	n/c	n/c
Myeloma	4	6.1	(3 - 12)	3	n/c	n/c
Non-Hodgkin Lymphoma	9	14.9	(9 - 23)	3	6.2	(3 - 13)
Oral Cavity & Pharynx	8	13.1	(8 - 21)	1	n/c	n/c
Ovary*	4	15.9	(8 - 31)	2	n/c	n/c
Pancreas	7	9.7	(6 - 16)	8	11.8	(7 - 19)
Prostate**	26	73.1	(57 - 95)	4	13.8	(7 - 28)
Soft Tissue Including Heart	3	n/c	n/c	2	n/c	n/c
Stomach	2	n/c	n/c	1	n/c	n/c
Testis**	0	n/c	n/c	0	n/c	n/c
Thyroid	5	10.6	(6 - 19)	0	n/c	n/c
Vulva (Female)*	1	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Thurston County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	1,581	549.8	(534 - 566)	490	174.2	(165 - 184)
Anus, Anal Canal and Anorectum	6	2.1	(1 - 3)	2	n/c	n/c
Bladder	69	24.4	(21 - 28)	13	4.5	(3 - 6)
Brain and Other Nervous System	26	9.4	(7 - 12)	14	4.8	(3 - 7)
Breast (Female)*	250	158.2	(147 - 171)	30	19.2	(15 - 24)
Cervix*	7	5.4	(3 - 8)	4	2.2	(1 - 4)
Colorectal	112	39.2	(35 - 44)	40	13.9	(11 - 17)
Endometrium*	46	26.9	(22 - 32)	4	2.6	(1 - 5)
Esophagus	18	6.0	(5 - 8)	15	5.3	(4 - 7)
Hodgkin Lymphoma	10	3.7	(2 - 5)	0	n/c	n/c
Kidney & Renal Pelvis	52	17.8	(15 - 21)	9	3.1	(2 - 5)
Larynx	9	3.4	(2 - 5)	3	1.0	(0 - 2)
Leukemia	54	19.7	(17 - 23)	20	7.2	(5 - 9)
Liver and Intraheptic Bile Duct	25	8.1	(6 - 10)	21	6.6	(5 - 9)
Lung	175	63.2	(58 - 69)	132	47.6	(43 - 53)
Melanoma of the skin	150	53.0	(48 - 58)	11	4.0	(3 - 6)
Myeloma	19	7.0	(5 - 9)	8	2.8	(2 - 4)
Non-Hodgkin Lymphoma	68	24.4	(21 - 28)	19	6.7	(5 - 9)
Oral Cavity & Pharynx	38	12.8	(10 - 16)	7	2.7	(2 - 4)
Ovary*	24	15.3	(12 - 20)	17	11.0	(8 - 15)
Pancreas	41	14.2	(12 - 17)	36	13.1	(11 - 16)
Prostate**	173	123.9	(113 - 136)	23	20.1	(16 - 26)
Soft Tissue Including Heart	9	3.3	(2 - 5)	5	1.5	(1 - 3)
Stomach	15	4.9	(4 - 7)	11	3.7	(2 - 5)
Testis**	10	8.2	(6 - 12)	0	n/c	n/c
Thyroid	45	17.0	(14 - 20)	1	n/c	n/c
Vulva (Female)*	17	10.7	(8 - 14)	1	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Wahkiakum County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	35	491.6	(391 - 631)	13	168.3	(117 - 263)
Anus, Anal Canal and Anorectum	0	n/c	n/c	0	n/c	n/c
Bladder	2	n/c	n/c	0	n/c	n/c
Brain and Other Nervous System	0	n/c	n/c	0	n/c	n/c
Breast (Female)*	4	152.0	(68 - 354)	1	n/c	n/c
Cervix*	0	n/c	n/c	0	n/c	n/c
Colorectal	3	42.7	(20 - 118)	2	n/c	n/c
Endometrium*	0	n/c	n/c	0	n/c	n/c
Esophagus	0	n/c	n/c	1	n/c	n/c
Hodgkin Lymphoma	0	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	2	n/c	n/c	1	n/c	n/c
Larynx	1	n/c	n/c	1	n/c	n/c
Leukemia	1	n/c	n/c	0	n/c	n/c
Liver and Intraheptic Bile Duct	0	n/c	n/c	0	n/c	n/c
Lung	3	n/c	n/c	2	n/c	n/c
Melanoma of the skin	3	n/c	n/c	0	n/c	n/c
Myeloma	1	n/c	n/c	1	n/c	n/c
Non-Hodgkin Lymphoma	1	n/c	n/c	0	n/c	n/c
Oral Cavity & Pharynx	1	n/c	n/c	0	n/c	n/c
Ovary*	0	n/c	n/c	1	n/c	n/c
Pancreas	0	n/c	n/c	0	n/c	n/c
Prostate**	7	167.8	(98 - 362)	1	n/c	n/c
Soft Tissue Including Heart	0	n/c	n/c	0	n/c	n/c
Stomach	1	n/c	n/c	0	n/c	n/c
Testis**	0	n/c	n/c	0	n/c	n/c
Thyroid	0	n/c	n/c	0	n/c	n/c
Vulva (Female)*	0	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Walla Walla County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	328	469.1	(439 - 501)	114	151.9	(136 - 170)
Anus, Anal Canal and Anorectum	2	n/c	n/c	0	n/c	n/c
Bladder	20	25.9	(20 - 34)	5	7.2	(4 - 12)
Brain and Other Nervous System	3	n/c	n/c	2	n/c	n/c
Breast (Female)*	48	143.2	(120 - 171)	8	20.5	(13 - 33)
Cervix*	2	n/c	n/c	0	n/c	n/c
Colorectal	27	38.5	(30 - 49)	7	8.8	(5 - 14)
Endometrium*	8	21.5	(14 - 34)	0	n/c	n/c
Esophagus	4	5.3	(3 - 10)	3	4.3	(2 - 9)
Hodgkin Lymphoma	2	n/c	n/c	1	n/c	n/c
Kidney & Renal Pelvis	8	11.6	(7 - 18)	2	n/c	n/c
Larynx	4	5.6	(3 - 10)	1	n/c	n/c
Leukemia	8	11.3	(7 - 17)	5	5.8	(3 - 11)
Liver and Intraheptic Bile Duct	7	9.0	(5 - 15)	6	8.1	(5 - 14)
Lung	38	54.4	(45 - 66)	29	40.3	(32 - 50)
Melanoma of the skin	23	34.4	(27 - 44)	2	n/c	n/c
Myeloma	4	6.0	(3 - 11)	3	n/c	n/c
Non-Hodgkin Lymphoma	15	21.8	(16 - 30)	7	8.7	(5 - 14)
Oral Cavity & Pharynx	7	10.0	(6 - 16)	4	5.0	(2 - 10)
Ovary*	5	13.5	(7 - 24)	2	n/c	n/c
Pancreas	8	10.9	(7 - 17)	7	9.6	(6 - 16)
Prostate**	42	124.6	(103 - 150)	5	14.3	(8 - 25)
Soft Tissue Including Heart	1	n/c	n/c	1	n/c	n/c
Stomach	4	6.0	(3 - 11)	1	n/c	n/c
Testis**	1	n/c	n/c	0	n/c	n/c
Thyroid	5	7.9	(4 - 14)	0	n/c	n/c
Vulva (Female)*	1	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Whatcom County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	1,216	543.9	(526 - 562)	370	165.5	(156 - 176)
Anus, Anal Canal and Anorectum	11	4.6	(3 - 7)	1	n/c	n/c
Bladder	47	20.9	(18 - 25)	12	5.6	(4 - 8)
Brain and Other Nervous System	12	5.6	(4 - 8)	12	5.2	(4 - 7)
Breast (Female)*	203	176.9	(163 - 192)	26	21.3	(17 - 27)
Cervix*	6	6.3	(4 - 10)	3	3.0	(1 - 6)
Colorectal	75	33.5	(29 - 38)	22	10.0	(8 - 13)
Endometrium*	37	28.9	(24 - 35)	4	2.7	(1 - 5)
Esophagus	8	3.5	(2 - 5)	9	3.8	(2 - 6)
Hodgkin Lymphoma	6	2.7	(2 - 4)	1	n/c	n/c
Kidney & Renal Pelvis	31	13.9	(11 - 17)	8	3.9	(2 - 6)
Larynx	7	3.2	(2 - 5)	2	n/c	n/c
Leukemia	37	17.1	(14 - 21)	19	8.5	(6 - 11)
Liver and Intraheptic Bile Duct	17	7.5	(6 - 10)	14	5.9	(4 - 8)
Lung	134	61.1	(55 - 68)	96	43.3	(38 - 49)
Melanoma of the skin	125	56.8	(51 - 63)	7	2.9	(2 - 5)
Myeloma	13	6.1	(4 - 8)	9	3.7	(2 - 6)
Non-Hodgkin Lymphoma	46	20.6	(17 - 25)	18	8.4	(6 - 11)
Oral Cavity & Pharynx	30	13.2	(11 - 16)	6	2.7	(2 - 4)
Ovary*	16	12.8	(9 - 17)	15	12.3	(9 - 17)
Pancreas	23	10.6	(8 - 14)	21	9.1	(7 - 12)
Prostate**	155	132.5	(120 - 146)	21	21.9	(17 - 28)
Soft Tissue Including Heart	6	2.8	(2 - 5)	1	n/c	n/c
Stomach	15	6.7	(5 - 9)	3	n/c	n/c
Testis**	8	8.3	(5 - 13)	0	n/c	n/c
Thyroid	34	17.2	(14 - 21)	1	n/c	n/c
Vulva (Female)*	14	13.5	(10 - 18)	1	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Whitman County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	134	397.4	(358 - 440)	54	156.5	(133 - 184)
Anus, Anal Canal and Anorectum	1	n/c	n/c	0	n/c	n/c
Bladder	9	29.1	(19 - 43)	1	n/c	n/c
Brain and Other Nervous System	3	8.6	(4 - 18)	3	n/c	n/c
Breast (Female)*	23	144.8	(111 - 187)	3	n/c	n/c
Cervix*	1	n/c	n/c	0	n/c	n/c
Colorectal	11	31.8	(22 - 46)	7	20.3	(12 - 33)
Endometrium*	4	27.2	(14 - 49)	1	n/c	n/c
Esophagus	1	n/c	n/c	1	n/c	n/c
Hodgkin Lymphoma	1	n/c	n/c	0	n/c	n/c
Kidney & Renal Pelvis	5	14.2	(8 - 25)	2	n/c	n/c
Larynx	0	n/c	n/c	0	n/c	n/c
Leukemia	6	15.3	(9 - 26)	3	9.4	(4 - 19)
Liver and Intraheptic Bile Duct	1	n/c	n/c	1	n/c	n/c
Lung	13	37.9	(27 - 53)	13	39.5	(28 - 55)
Melanoma of the skin	9	25.5	(17 - 39)	1	n/c	n/c
Myeloma	3	n/c	n/c	3	9.5	(4 - 19)
Non-Hodgkin Lymphoma	8	23.6	(15 - 37)	2	n/c	n/c
Oral Cavity & Pharynx	4	13.1	(7 - 24)	1	n/c	n/c
Ovary*	2	n/c	n/c	0	n/c	n/c
Pancreas	3	9.7	(5 - 19)	4	10.6	(5 - 20)
Prostate**	15	92.7	(67 - 126)	3	n/c	n/c
Soft Tissue Including Heart	1	n/c	n/c	1	n/c	n/c
Stomach	0	n/c	n/c	0	n/c	n/c
Testis**	1	n/c	n/c	0	n/c	n/c
Thyroid	2	n/c	n/c	0	n/c	n/c
Vulva (Female)*	0	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Yakima County

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	1,019	428.8	(413 - 445)	403	170.4	(161 - 180)
Anus, Anal Canal and Anorectum	3	n/c	n/c	0	n/c	n/c
Bladder	37	16.2	(13 - 20)	12	5.3	(4 - 7)
Brain and Other Nervous System	17	7.2	(5 - 10)	11	4.7	(3 - 7)
Breast (Female)*	161	128.3	(117 - 141)	24	18.1	(14 - 23)
Cervix*	12	10.3	(7 - 15)	4	3.2	(2 - 6)
Colorectal	79	33.3	(29 - 38)	34	14.0	(11 - 17)
Endometrium*	26	19.7	(15 - 25)	2	n/c	n/c
Esophagus	10	4.4	(3 - 6)	12	5.0	(3 - 7)
Hodgkin Lymphoma	6	2.4	(1 - 4)	1	n/c	n/c
Kidney & Renal Pelvis	43	17.8	(15 - 21)	17	7.1	(5 - 9)
Larynx	8	3.5	(2 - 5)	2	n/c	n/c
Leukemia	35	14.7	(12 - 18)	18	7.7	(6 - 10)
Liver and Intraheptic Bile Duct	17	7.1	(5 - 9)	15	6.2	(4 - 8)
Lung	146	61.6	(56 - 68)	109	45.7	(41 - 51)
Melanoma of the skin	56	23.4	(20 - 27)	8	3.4	(2 - 5)
Myeloma	16	7.1	(5 - 10)	8	3.4	(2 - 5)
Non-Hodgkin Lymphoma	43	18.4	(15 - 22)	14	6.0	(4 - 8)
Oral Cavity & Pharynx	20	8.5	(6 - 11)	8	3.5	(2 - 5)
Ovary*	14	10.8	(8 - 15)	9	6.4	(4 - 10)
Pancreas	33	14.3	(12 - 18)	27	11.4	(9 - 14)
Prostate**	118	105.8	(95 - 118)	15	16.0	(12 - 21)
Soft Tissue Including Heart	6	2.4	(1 - 4)	3	n/c	n/c
Stomach	16	6.7	(5 - 9)	11	4.5	(3 - 6)
Testis**	4	4.0	(2 - 7)	0	n/c	n/c
Thyroid	17	7.5	(6 - 10)	1	n/c	n/c
Vulva (Female)*	2	n/c	n/c	0	n/c	n/c

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.

Washington State

Washington State Residents
2010-2012 Average Annual Incidence and Death by Cancer
with Age-Age Adjusted Rates and 95% Confidence Intervals

Cancer Site	Incidence 2010-2012 Annual Average			Mortality 2010-2012 Annual Average		
	Average New Cases per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates	Average Deaths per Year	Age Adjusted to 2000 US Census Population: Rate per 100,000	Age Adjusted to 2000 US Census Population: 95% CI for Rates
All Sites Combined	38,027	522.4	(519 - 525)	11,900	166.8	(165 - 169)
Anus, Anal Canal and Anorectum	277	3.8	(4 - 4)	27	0.4	(0 - 0)
Bladder	1,573	22.2	(22 - 23)	346	5.0	(5 - 5)
Brain and Other Nervous System	529	7.4	(7 - 8)	383	5.2	(5 - 6)
Breast (Female)*	6,538	170.0	(168 - 172)	790	19.9	(19 - 21)
Cervix*	237	6.7	(6 - 7)	69	1.8	(2 - 2)
Colorectal	2,695	37.5	(37 - 38)	984	13.7	(13 - 14)
Endometrium*	1,031	25.5	(25 - 26)	79	1.9	(2 - 2)
Esophagus	367	5.0	(5 - 5)	339	4.6	(4 - 5)
Hodgkin Lymphoma	188	2.7	(3 - 3)	21	0.3	(0 - 0)
Kidney & Renal Pelvis	1,187	16.3	(16 - 17)	284	4.0	(4 - 4)
Larynx	228	3.1	(3 - 3)	66	0.9	(1 - 1)
Leukemia	1,044	14.8	(14 - 15)	473	6.8	(6 - 7)
Liver and Intraheptic Bile Duct	659	8.5	(8 - 9)	496	6.6	(6 - 7)
Lung	4,323	61.0	(60 - 62)	3,156	44.7	(44 - 46)
Melanoma of the skin	3,468	48.1	(47 - 49)	210	2.9	(3 - 3)
Myeloma	448	6.3	(6 - 7)	242	3.5	(3 - 4)
Non-Hodgkin Lymphoma	1,513	21.0	(20 - 22)	433	6.2	(6 - 7)
Oral Cavity & Pharynx	923	12.2	(12 - 13)	220	3.0	(3 - 3)
Ovary*	496	12.8	(12 - 14)	323	8.1	(8 - 9)
Pancreas	910	12.6	(12 - 13)	802	11.3	(11 - 12)
Prostate**	4,569	127.3	(125 - 130)	604	21.2	(20 - 22)
Soft Tissue Including Heart	220	3.1	(3 - 3)	83	1.2	(1 - 1)
Stomach	453	6.3	(6 - 7)	206	2.9	(3 - 3)
Testis**	232	6.9	(6 - 7)	7	0.2	(0 - 0)
Thyroid	974	13.9	(13 - 14)	34	0.5	(0 - 1)
Vulva (Female)*	305	8.1	(8 - 9)	13	0.3	(0 - 0)

* Rates reflect only the female population

** Rates reflect only the male population.

Note: Rates and confidence intervals are not calculated if there are fewer than 10 cases for the combined data from 2010-2012.

Incidence Data: Washington State Department of Health, Washington State Cancer Registry, released in January 2015.
Mortality Data: Washington State Department of Health, Center for Health Statistics, released in November 2013.