

**WASTE TREATMENT AND IMMOBILIZATION PLANT
APPENDIX 1.0
WTP INTERIM COMPLIANCE SCHEDULE
CHANGE CONTROL LOG**

Change Control Logs ensure that changes to this unit are performed in a methodical, controlled, coordinated, and transparent manner. Each unit addendum will have its own change control log with a modification history table. The “**Modification Number**” represents Ecology’s method for tracking the different versions of the permit. This log will serve as an up to date record of modifications and version history of the unit.

Modification History Table

Appendices	Modification Date	Modification Number
Appendix 1.0	06/12/2019	24590-WTP-PCN-ENV-19-002 (8C.2019.Q2)
Appendix 1.1	11/28/2017	8C.2017.8F
Appendix 1.2	05/11/2018	24590-WTP-PCN-ENV-18-005
Appendix 1.3	08/30/2018	8C.2018.3F
Appendix 1.4	06/12/2019	24590-WTP-PCN-ENV-19-002 (8C.2019.Q2)
Appendix 1.5	10/02/2018	24590-WTP-PCN-ENV-18-008 (8C.2018.Q4)

This page intentionally left blank.

DRAFT

1
2
3
4
5
6

OPERATING UNIT GROUP 10
APPENDIX 1.0
WTP INTERIM COMPLIANCE SCHEDULE

DRAFT

1
2
3
4
5

This page intentionally left blank.

DRAFT

1
2
3 **OPERATING UNIT GROUP 10**
4 **APPENDIX 1.0**
5 **WTP INTERIM COMPLIANCE SCHEDULE**
6

7 Where information regarding treatment, management, and disposal of the radioactive source, byproduct
8 material, and/or special nuclear components of mixed waste (as defined by the *Atomic Energy Act of*
9 *1954*, as amended) has been incorporated into this permit, it is not incorporated for the purpose of
10 regulating the radiation hazards of such components under the authority of this permit and
11 Chapter 70.105 Revised Code of Washington. In the event of any conflict between Permit Condition
12 III.10.A and any statement relating to the regulation of source, special nuclear, and byproduct material
13 contained in portions of permit application that are incorporated into this permit, Permit Condition
14 III.10.A will prevail.

DRAFT

1
2
3
4
5

This page intentionally left blank.

DRAFT