

**DRAWINGS AND DOCUMENTS  
OPERATING UNIT GROUP 10 – APPENDIX 6.2  
FINAL RISK ASSESSMENT WORK PLAN**

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12

The documents listed in the following table are incorporated by reference into this permit and are subject to the requirements set forth in Part I Standard Conditions, Part II General Facility Conditions, and Part III Operating Unit Group 10 Conditions. Upon request, copies of the documents can be viewed at the Nuclear Waste Program Resource Center located at 3100 Port of Benton Blvd. Richland, WA. Appointments for viewing can be scheduled by calling (509) 372-7950.

Appendix	Drawing/Document Number	Description
Appendix 6.2	24590-WTP-RPT-ENV-14-002, Rev. 0	Final Risk Assessment Work Plan: Environmental Risk Assessment Work Plan for the Hanford Tank Waste Treatment and Immobilization Plant
Appendix 6.2.1	24590-WTP-RPT-ENV-10-001, Rev. 0	Supplement 1 – Constituents of Potential Concern for the WTP Air and Dangerous Waste Permits
Appendix 6.2.2	24590-WTP- <del>ES-PE-17-001RPT-PO-03-008</del> , Rev. <del>12</del>	Supplement 2 – <del>Integrated Emissions Study Baseline Report</del> for the Hanford Tank Waste Treatment and Immobilization Plant
Appendix 6.2.3	24590-WTP- <del>RPT-ENV-17-008HAC-50-00001</del> , Rev. <del>0C</del>	Supplement 3 – <del>Cell Estimated Organic Emissions Estimate from Process Cells</del>
Appendix 6.2.4	24590-WTP-RPT-ENV- <del>VS-1407-0032</del> , Rev. <del>20</del>	Supplement 4 – Chemical Parameters and Toxicological Inputs for the Environmental Risk Assessment for the Hanford Tank Waste Treatment and Immobilization Plant
Appendix 6.2.5	24590-WTP-RPT-ENV-08-001, Rev. <del>52</del>	Supplement 5 – Hanford Tank Waste Treatment and Immobilization Plant Risk Assessment Air Quality Modeling Protocol
<u>Appendix 6.2.6</u>	<u>24590-WTP-RPT-ENV-18-003, Rev. 01</u>	<u>Supplement 6 – Risk Assessment Work Plan for the Direct Feed Low-Activity Waste Configuration</u>

13  
14  
15  
16  
17  
18  
19

Source documents (which do not include a "P" in the last set of numbers, e.g. "-P0001," or "-TP001") should be used in conjunction with any document change notices issued against them.

We are currently transitioning from permit documents (which do include a "P" in the last set of numbers) to source documents. At the end of the transition period, permit submittals will contain source documents and will be incorporated into the permit as described in Ecology Publication # 07-05-006.

1  
2  
3  
4  
5

This page intentionally left blank.

DRAFT