

277-T OUTDOOR STORAGE AREA
PART V, CLOSURE UNIT GROUP 28 UNIT-SPECIFIC PERMIT CONDITIONS
CHANGE CONTROL LOG

Change Control Logs ensure that changes to this unit are performed in a methodical, controlled, coordinated, and transparent manner. Each unit addendum will have its own change control log with a modification history table. The “**Modification Number**” represents Ecology’s method for tracking the different versions of the permit. This log will serve as an up to date record of modifications and version history of the unit.

Modification History Table

Modification Date	Modification Number

This page intentionally left blank.

DRAFT

1
2
3
4
5

**PART V, CLOSURE UNIT 28 PERMIT CONDITIONS
277-T OUTDOOR STORAGE AREA**

DRAFT

1
2
3
4
5

This page intentionally left blank.

DRAFT

1
2 **PART V, CLOSURE UNIT 28 CONDITIONS**
3 **277-T OUTDOOR STORAGE AREA**
4
5

6 **UNIT DESCRIPTION**

7 The 277-T Outdoor Storage Area (OSA) Dangerous Waste Management Unit (DWMU) is located west of
8 the 221-T Canyon Building and north of the 221-T Railroad Tunnel. The 277-T OSA consists of two
9 uncoated concrete pads and an asphalt area surrounding the 277-T Building is approximately 95 ft on the
10 south side by 86 ft on the west side by 135 ft on the north side by 76 ft on the east side. The 277-T OSA
11 was used to store mixed waste in a central accumulation area or satellite accumulation area to support
12 T Plant activities. All waste inventory has been removed from the 277-T OSA. Future storage of
13 dangerous or mixed waste is not authorized within the 277-T OSA DWMU.

14 This Closure Plan addresses closure requirements, and includes inspection and training requirements as
15 related to closure activities.

16 **LIST OF ADDENDA SPECIFIC TO CLOSURE UNIT 28:**

17 Addenda H “Closure Plan”

18 **DEFINITIONS**

19 Reserved

20 **ACRONYMS**

21 Reserved

22 **V.28.A COMPLIANCE WITH UNIT-SPECIFIC PERMIT CONDITIONS**

23 The Permittees shall comply with all requirements set forth in the Hanford Facility
24 Resource Conservation and Recovery Act Permit (Permit) as specified in Permit
25 Attachment 9, *Permit Applicability Matrix*, including all approved modifications.
26 All addenda, subsections, figures, tables, and appendices included in the following
27 Unit-Specific Permit Conditions are enforceable in their entirety.

28 In the event that the Part V, Unit Conditions for Closure Unit 28, 277-T OSA conflict
29 with the Part I-Standard Conditions and/or Part II-General Facility Conditions of the
30 Permit, the unit conditions will prevail for Closure Unit 28, 277-T OSA.

31 **V.28.B CLOSURE**

32 **V.28.B.1** The Permittees will comply with all requirements set forth in the Addendum H,
33 “Closure Plan,” for the 277-T OSA, and close the 277-T OSA in accordance with the
34 Addendum H, “Closure Plan.” [Washington Administrative Code (WAC) 173-303-
35 610(3)(a)]

36 **V.28.B.2** The Permittees will notify Department of Ecology (Ecology) within 24 hours of any
37 deviations from the approved Addendum H, “Closure Plan.” Ecology and the Permittees
38 will review the deviation to determine if it will affect the ability to meet final acceptance
39 of closure.

- 1 **V.28.B.3** Review of Sampling Data to Determine Clean Closure
- 2 **V.28.B.3.a** For Statistical Grid Sampling: Upon receipt of the final laboratory analytical report, the
3 Permittees will use the data analysis function in the Visual Sample Plan to generate the
4 Data Analysis Report for the results of the statistical grid sampling. The Data Analysis
5 Report will demonstrate whether the sampling assumptions in the Addendum H,
6 “Closure Plan,” Visual Sampling Plan Supporting Documentation were met. The
7 Permittees will provide the Data Analysis Report to Ecology within 30 days from receipt
8 of the final laboratory analytical report. If sampling assumptions/closure performance
9 standards were not met, the Permittees will submit a permit modification request in
10 accordance with Permit Condition I.C.3 to amend the Closure Plan to reflect the
11 additional work that would need to be done to achieve clean closure. The permit
12 modification request must be submitted within 60 days of completion of the submittal of
13 the Visual Sample Plan Data Analysis Report to Ecology.
- 14 **V.28.B.3.b** For Non-Statistical Grid Sampling and/or Focused Sampling: The Permittees will
15 conduct a review of the non-statistical grid and/or focused sampling data for purposes of
16 verifying the closure performance standards specified in the sampling plan in Addendum
17 H, “Closure Plan,” have not been exceeded. If the closure performance standards have
18 been exceeded, the Permittees will submit a permit modification request in accordance
19 with Permit Condition I.C.3 to amend the Closure Plan to reflect the additional work
20 and/or sampling that would need to be done to achieve clean closure. The permit
21 modification request must be submitted within 60 days of completion of the review of
22 sampling data results
- 23 **V.28.B.4** Within sixty days of completion of closure for the 277-T OSA, the Permittees must
24 submit to Ecology by registered mail or other means that establish proof of receipt
25 (including applicable electronic means), a certification that the 277-T OSA has been
26 closed in accordance with the specifications of the Addendum H, “Closure Plan”
27 [WAC 173-303-610 (6)]. The certification must be signed by the Permittees and by an
28 Independent Qualified Registered Professional Engineer (IQRPE). Documentation
29 (reports, etc.) supporting the IQRPE's certification will be submitted to Ecology at the
30 same time as the written certification described above.