



Clean Water and Livestock Operations: Citation List

Livestock and Water Quality

Ball, P.R., Ryden, J.C. 1984. Nitrogen relationships in intensively managed temperate grasslands. *Plant and Soil* 76: 23-33. [1]

Banerjee, M.; Burton, D.L.; W. P.; Mccaughey, P., and Grant, C.A. 2000. Influence of pasture management on soil biological quality. *Journal of Range Management* 53:127–133. [1]

Barling, R. D. and I. D. Moore. 1994. Role of buffer strips in management of waterway pollution: A review. *Environmental Management* 18(4):543-558. [1]

Barton, D. R., W. D. Taylor and R. M. Biette. 1985. Dimensions of riparian buffer strips required to maintain trout habitat in southern Ontario streams. *North American Journal of Fisheries Management* 5: 364-378. [1]

Beeson, C. E. and P. E. Doyle. 1995. Comparison of bank erosion at vegetated and non- vegetated channel bends. *Water Resources Bulletin* 31(6):983-990. [1]

Beegle, D.B., K.A. Kelling, and M.A. Schmitt, 2008. Nitrogen in animal manures. Chapter 21 in Nitrogen in Agricultural Systems, ed. by J. S. Schepers and W. R. Raun. Agronomy Monograph 49. American Society of Agronomy, Crop Science Society of America, and Soil Science Society of America. p. 823-881. [11]

Belsky, A.J., Matzke., and Uselman, S. 1999. Survey of livestock influences on stream and riparian ecosystems in the western United States. *Journal of Soil and Water Conservation* 54: 419-431. [1]

Bengeyfield, P. 2007. Quantifying the Effects of Livestock Grazing on Suspended Sediment and Stream Morphology at pg 92, M Furniss, C Clifton, and K Ronnenberg, eds., 2007. *Advancing the Fundamental Sciences: Proceedings of the Forest Service National Earth Sciences Conference, San Diego, CA, 18-22 October 2004*, PNWGTR- 689, Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. [11]

Bentrup, G. 2008. Conservation buffers: design guidelines for buffers, corridors and greenways. Gen. Tech. Rep. SRS-109. Asheville, NC: Department of Agriculture, Forest Service, Southern Research Station. 110 p. [11]



- Braccia, A., and J. Voshell. 2006. Environmental factors accounting for benthic macroinvertebrate assemblage structure at the sample scale in streams subjected to a gradient of cattle grazing. *Hydrobiologia* 573(1):55-73. [1]
- Brazier, J. R., and G. W. Brown. 1973. *Buffer strips for stream temperature control*. For. Resour. Lab., School For., Oregon State Univ., Corvallis: Pp 1–9. [11]
- Broadmeadow, S. and T.R. Nisbet. 2004 The effects of riparian forest management on the freshwater environment: a literature review of best management practice. *Hydrology and Earth System Sciences* 8(3):286-305. [1]
- Brookshire, Kauffman, Lytjen, and Otting. 2002. Cumulative effects of wild ungulate and livestock herbivory on riparian willows. *Oecologia* 132:559–566. [1]
- Budd, W. W., P. L. Cohen, P. R. Saunders and F. R. Steiner. 1987. Stream corridor management in the Pacific Northwest: I. Determination of stream-corridor widths. *Environmental Management* 11(5): 587597. [1]
- Bull, E, Deal, J.W. and Hohmann, J.E. 2001. Avian and Amphibian Use of Fenced and Unfenced Stock Ponds in Northeastern Oregon Forests Department of Agriculture Forest Service Pacific Northwest Research Statio. Research Paper PNW-RP-539 [11]
- Burkholder, J. M., M. A. Mallin, H. B. Glasgow, Jr., L. M. Larsen, M. R. McIver, G. C. Shank, N. Deamer-Melia, D. S. Briley, J. Springer, B. W. Touchette, and E. K. Hannon. 1997. Impacts to a coastal river and estuary from rupture of a large swine waste holding lagoon. *Journal of Environmental Quality* 26:1451-1466. [1]
- Carey, B.M. and J.H. Harrison, 2014. Nitrogen dynamics at a manured grass field overlying the Sumas-Blaine Aquifer in Whatcom County. Washington State Department of Ecology, Olympia, WA. Publication No. 14-03-001. [1]
- Carmen T. Agouridis, et al, Influence of BMPs on Cattle Position Preference. An ASAE/CSAE Meeting Presentation Paper Number: 042182 [11]
- Castelle, A. J., A. W. Johnson and C. Conolly. 1994. Wetland and stream buffer requirements— A review. *Journal of Environmental Quality* 23:878-882. [1]
- Cey, E.E., D.L. Rudolph, R. Aravena, and G. Parkin. 1999. Role of the riparian zone in controlling the distribution and fate of agricultural nitrogen near a small stream in southern Ontario. *Journal of Contaminant Hydrology* 37:45–67. [1]
- Chaney, et al. 1993. *Managing Change: Livestock Grazing On Western Riparian Areas*. [11]
- Chapman and Ribic. 2002. The impact of buffer strips and stream-side grazing on small mammals in southwestern Wisconsin, *Agriculture, Ecosystems and Environment* 88; 49–59. [1]
- Christensen, D. 2000. *Protection of Riparian Ecosystems: A Review of the Best Available Science*. Jefferson County Environmental Health Division. 15 pgs. [11]

- Clausen, J.C., K. Guillard, C.M. Sigmund, and K.M. Dors. 2000. Water quality changes from riparian buffer restoration in Connecticut. *Journal of Environmental Quality* 29:1751–1761. [1]
- Cohen, P., P. R. Saunders, W. W. Budd and F. R. Steiner. 1987. Stream corridor management in the Pacific Northwest: II. Management strategies. *Environmental Management* 11(5): 599-605. [1]
- Collier, K. J., A. B. Cooper, R. J. Davies- Colley, J. C. Rutherford, C. M. Smith, R. B. Williamson. 1995. *Managing Riparian Zones: A Contribution to Protecting New Zealand's Rivers and Streams. Vol. 1: Concepts*. Wellington, NZ: Department of Conservation. [11]
- Collier, K. J., A. B. Cooper, R. J. Davies- Colley, J. C. Rutherford, C. M. Smith, R. B. Williamson. 1995. *Managing Riparian Zones: A Contribution to Protecting New Zealand's Rivers and Streams. Vol. 2: Guidelines*. Wellington, NZ: Department of Conservation. [11]
- Collins, R. and Rutherford, K. 2004. Modeling bacterial water quality in streams draining pastoral land. *Water Research* 38:700–712. [1]
- Cooper, C. M. 1993. Biological effects of agriculturally derived surface water pollutants on aquatic systems—a review. *Journal of Environmental Quality* 22:402-408. [1]
- Cooper, J. R., J. W. Gilliam, R. B. Daniels and W. P. Robarge. 1987. Riparian areas as filters for agricultural sediment. *Soil Science Society of America Journal* 51:416-420. [1]
- Correll, D. S. 1997. *Vegetated Stream Riparian Zones: Their Effects on Stream Nutrients, Sediments, and Toxic Substances (An Annotated and Indexed Bibliography)*. [11]
- Coyne, M. S., R. A. Gilfillen, R. W. Rhodes and R. L., Blevins. 1995. Soil and fecal coliform trapping by grass filter strips during simulated rain. *Journal of Soil and Water Conservation* 50(4): 405-408. [1]
- Crawford, J. K. and D. R. Lenat. 1989. Effects of land use on the water quality and biota of three streams in the Piedmont Province of North Carolina. In: *Water Resources Investigation Report 89-4007*. Raleigh, NC: US Geological Survey. [11]
- D. E. Line. W. A. Harman, G. D. Jennings, E. J. Thompson, and D. L. Osmond .2000. Nonpoint-Source Pollutant Load Reductions Associated with Livestock Exclusion. *Journal of Environmental Quality* 29:1882-1890. [1]
- D.E. Line .2003. Changes in a stream's physical and biological conditions following livestock exclusion. *Transactions of the ASAE* 46 (2): 287-293. [11]
- Daniels, R.B., and J.W. Gilliam. 1996. Sediment and chemical load reduction by grass and riparian filters. *Soil Science Society American Journal* 60: 246-251. [1]
- Davies, P. E. and M. Nelson. 1994. Relationships between riparian buffer widths and the effects of logging on stream habitat, invertebrate community composition and fish abundance. *Australian Journal of Marine and Freshwater Resources* 45: 1289-1305. [1]
- Derek C. Godwin a & J. Ronald Miner. 1996. The Potential Of Off-Stream Livestock Watering To Reduce Water Quality Impacts, *Bioresource Technology* 58 (1996) 285-290. [1]

- Diesch, S.L. 1970. Disease transmission of water-borne organisms of animal origin. In T.E. Willrich and G.E. Smith eds *Agricultural Practices and Water Quality*. Iowa State University Press, Ames p. 265-28. [11]
- Downing, T.W., 2008. Case study: Impact of manure application timing in dairy pastures on the migration of nitrates to groundwater. *The Professional Animal Scientist*, Vol. 24, p. 100-102. [1]
- Eastern Canada Soil and Water Conservation Centre. 1995. *Buffer Strips And Water Quality: A Review Of The Literature*. New Brunswick. 8 pp. [11]
- Ellis, J. H. 2008. Scientific Recommendations on the Size of Stream Vegetated Buffers Needed to Protect Water Quality, Part One, The Need for Stream Vegetated Buffers: What Does the Science Say? Report to Montana Department of Environmental Quality, EPA/DEQ Wetland Development Grant. Montana Audubon, Helena, MT. 24 pp. [11]
- Fennessy, M. S. and J. K. Cronk. 1997. The effectiveness and restoration potential of riparian ecotones for the management of nonpoint source pollution, particularly nitrate. *Critical Reviews in Environmental Science and Technology* 27(4):285- 317. [1]
- Fischer, R.A. and Fischenich J.C. 2000. Design recommendations for riparian corridors and vegetated buffer strips. U.S. Army Engineer Research and Development Center, Environmental Laboratory. Vicksburg, MS [11]
- Fischer, R.A., C.O. Martin, and J.C. Fischenich. 2000. Improving riparian buffer strips and corridors for water quality and wildlife. International Conference on Riparian Ecology and management in Multi-Land Use Watersheds. American Water Resources Association. August 2000. 7 pp. [11]
- Fleischner, T. 1994. Ecological Costs of Livestock Grazing in North America. *Conservation Biology* 8(September, 3): 629-644. [1]
- Gary, H, Johnson, S., and Ponce, S. 1983. Cattle grazing impact of surface water quality in a Colorado Front Range stream. *Journal of Soil and Water Conservation* (March-April): 38(2):124-128. [1]
- Gharabaghi, B., R.P. Rudra, H.R. Whiteley, and W.T. Dickinson. 2000. Sediment-Removal Efficiency of Vegetative Filter Strips. ASEA Tehcnical Notes. GTI Annual REearch Report. pp. 32-40. [11]
- Gilliam, J. W. 1994. Riparian wetlands and water quality. *Journal of Environmental Quality* 23: 896900. [1]
- Gilliam, J. W., and R. W. Skaggs. 1988. Natural buffer areas and drainage control to remove pollutants from agricultural drainage waters. University of North Carolina. 57pgs. [11]
- Gregory, S. V., F. J. Swanson, A. McKee and K. W. Cummins. 1991. An Ecosystem Perspective of Riparian Zones: Focus on links between land and water. *Bioscience* 41(8): 540-551. [1]
- Hack-ten Broeke, M.J.D. and Van der Putten, A.H.J. 1997. Nitrate leaching affected by management options with respect to urine-affected areas and groundwater levels for grazed grassland. *Agriculture, Ecosystems and Environment* 66: 197- 210. [1]

- Hawes, Ellen and M. Smith. 2005. Riparian Buffer Zones: Functions and Recommended Widths. Yale School of Forestry and Environmental Studies. Eightmile River Wild and Scenic Study Committee. [11]
- Haycock, N. E. and G. Pinay. 1993. Ground- water nitrate dynamics in grass and poplar vegetated riparian buffer strips during winter. *Journal of Environmental Quality* 22:273-278. [1]
- Heathwaite, A.L. and Johnes, P.J. 1996. Contribution of nitrogen species and phosphorus fractions to stream water quality in agricultural catchments. *Hydrological Processes* 10: 971–983. [1]
- Hermanson, R., W. Pan, C. Perillo, R. Stevens, and C. Stockle, 2000. Nitrogen use by crops and the fate of nitrogen in the soil and vadose zone: A literature search. Washington State University and Washington State Department of Ecology. Publication No. 00-10-015. 248 pages. [11]
- Hewlett, J. D., and J. C. Fortson. 1982. Stream temperature under an inadequate buffer strip in the southeast Piedmont. *Water Resources. Bulletin.* 18:983–988. [1]
- Hook, Paul B. 2003. Wetland and Aquatic Resources: Sediment Retention in Rangeland Riparian Buffers. *Journal of Environmental Quality* 32:1130-1137. [1]
- Hubbard, R. K. and R. R. Lowrance. 1994. Riparian forest buffer system research at the Coastal Plain Experimental Station, Tifton, Georgia. *Water, Air and Soil Pollution* 77: 409-432. [1]
- Hubbard, R. K. and R. R. Lowrance. 1996. Solute transport and filtering through a riparian forest. *Transactions of the ASAE* 39(2): 477-488. [11]
- Independent Multidisciplinary Science Team. 2004. *Oregon's Water Temperature Standard and Its Application: Causes, Consequences And Controversies Associated With Stream Temperature.* Technical Report 2004-1. [11]
- Jacobs, T. C. and J. W. Gilliam. 1985. Riparian losses of nitrate from agricultural drainage waters. *Journal of Environmental Quality* 14(4): 472-478. [1]
- James, E; P Kleinman; T Veith; R Stedman; A Sharpley. 2007. Phosphorus contributions from pastured dairy cattle to streams of the Cannonville watershed. *Journal of Soil and Water Conservation* 62(1): 40. [1]
- Johnson, A. W., and D. M. Ryba. 1992. A literature review of recommended buffer widths to maintain various functions of stream riparian areas. Prepared for King Co. Surface Water Manage. Div., Aquatic Resour. Consult., Seattle. 28 pp. [11]
- Johnson, Craig W.; Buffler, Susan. 2008. *Riparian buffer design guidelines for water quality and wildlife habitat functions on agricultural landscapes in the Intermountain West.* Gen. Tech. Rep. RMRS-GTR-203. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 53 p. [11]
- Kauffman, J.B., Cumming, D., Hieder, C. Lytjen, D, and Otting, N. 2000. Riparian Vegetation Responses to re-watering and cessation of grazing, Mono Basin, California; Proceedings from the

International Conference on Riparian Ecology and Management in Multi-Land Use Watersheds. American Water Resources Association. [11]

Kauffman, Krueger, and Vavra. 1983. Impacts of Cattle on Streambanks in Northeastern Oregon. *Journal Of Range Management* 36(6). [1]

Kemp, A., Hemkes, O.J., Van Steenbergen, T. 1979. The crude protein production of grassland and utilization by milking cows. *Netherlands. Journal of Agricultural. Science.* 27: 36-47. [1]

Kenneth W Tate; Maria Das Gracas C Pereira; Edward R Atwill . 2004. Efficacy of Vegetated Buffer Strips for Retaining *Cryptosporidium parvum*. *Journal of Environmental Quality* 33 (6): 2243. [1]

Knutson, K.L. and V.L. Naef. 1997. Management recommendations for Washington's priority habitats: riparian. Wash. Dept. Fish and Wildlife, Olympia, WA. 181 pp. [11]

Kowalenko, C.G., 1989. The fate of applied nitrogen in a Fraser Valley soil using 15N in field microplots. *Canadian Journal of Soil Science.* Volume 69, p. 825-833. [1]

Kowalenko, C.G., 1987. The dynamics of inorganic nitrogen in a Fraser Valley soil with and without spring or fall ammonium nitrate applications. *Canadian Journal of Soil Science.* Volume 67, p. 367-382. [1]

Lee, K.H., Isenhardt, T.M., and Schultz, R.C. 2003. Sediment and nutrient removal in an established multi-species riparian buffer. *Journal of Soil and Water Conservation* 58(1): 1-8. [1]

Li, H.W. Pearsons, T.N., Tait, C.K., Li, J.L. 1994. Cumulative effects of riparian disturbances along high desert trout streams of the John Day Basin, Oregon. *Transactions of the American Fisheries Society* 123: 627-640. [1]

Liisa Pietola, Rainer Hornb, Markku Yli-Hallac. 2005. Effects of trampling by cattle on the hydraulic and mechanical properties of soil. *Soil & Tillage Research* 82: 99-108. [1]

Lowrance, R., and 12 others. 1997. Water quality functions of riparian forest buffers in Chesapeake Bay watersheds. *Environmental Management* 21(5):687-712. [1]

Lowrance, R., L. S. Altier, R. G. Williams, S. P. Imadar, D. D. Bosch, J. M. Sheridan, D. L. Thomas, R. K. Hubbard. 1998. The Riparian Ecosystem Management Model: Simulator for ecological processes in riparian zones. Proceedings of the First Federal Interagency Hydrologic Modeling Conference. [11]

Lowrance, R., R. Leonard and J. Sheridan. 1985. Managing riparian ecosystems to control nonpoint pollution. *Journal of Soil and Water Conservation* 40(1): 87-91. [1]

Lynch, J. A., E. S. Corbett, and K. Mussallem. 1985. Best management practices for controlling nonpoint source pollution on forested watersheds. *Journal of Soil and Water Conservation.* 40:164-167. [1]

Macduff. J.H., Steenvoorden, J.H.A.M., Scholefield, D., Cuttle, S.P. 1990. Nitrate leaching losses from grazed grassland. In: Gfborc[k, N., Krajcovic, V., Zimkov;i, M. (Eds.), *Soil-Grassland-Animal Relationships*. Proceedings of the 13th European Grassland Federation, The Grassland Institute, Bansk~Bystrica, Czechoslovakia, pp. 18-24. [11]

- Marlow, C.B., K. Olson-Rutz, and J. Atchley. 1989. Response of a southwest Montana riparian system to four grazing management alternatives, R.E. Gresswell, B.A. Barton, and J.L. Kersher (ed.) *Practical approaches to riparian resource management: an educational workshop*, U.S. Bureau of Land Management publication. Pp 111-116. [11]
- Marlow. C.B., T.M. Pogacnik, and S.D. Quinsey. 1987. Streambank stability and grazing in southwestern Montana. *Journal of Soil and Water Conservation*. 42:291-296. [1]
- Mayer, P.M., Steven K. Reynolds, Jr., Timothy J. Canfield. 2005. Riparian buffer width, vegetative cover, and nitrogen removal effectiveness: a review of current science and regulations. U.S. Environmental Protection Agency, EPA/600/R-05/118, National Risk Management Research Laboratory, Ada, OK, 28 pp. [11]
- Mceldowney,R.R., M. Flenniken, G.W. Frasier, M.J. Trlica, And W.C. Leininger. 2002. Sediment movement and Filtration in a Riparian Meadow Following Cattle Use. *Journal of Range Management* 55: 367-373. [1]
- McGechan, M.B. and Topp, C.F.E. 2004. Modeling environmental impacts of deposition of excreted nitrogen by grazing dairy cows. *Agriculture, Ecosystems and Environment* 103: 149–164. [1]
- Meals. 2001. Water quality response to riparian restorations in an agricultural watershed in Vermont, USA. *Water Science and Technology* 43(5): 175-182. [1]
- Moore, J. A., Smyth, J., Baker, S. & Miner, J. R. 1988. *Evaluating Coliform Concentrations in Runoff from Various Animal Waste Management Systems*. Oregon State University Agricultural Experiment Station Special Report 817, Corvallis, Oregon. [11]
- Muenz, T.K. et al 2006 Stream Buffer Effectiveness in an Agriculturally Influenced Area, Southwestern Georgia. *Journal of Environmental Quality*. 35:1924-1938. [1]
- Murphy, M. L., J. Heifetz, S. W. Johnson, K. V. Koski and J. F. Thedinga. 1986. Effects of clear-cut logging with and without buffer strips on juvenile salmonids in Alaskan streams. *Canadian Journal of Fisheries and Aquatic Science* 43: 1521- 1533. [1]
- Muscutt, A. D., G. L. Harris, S.W. Bailey and D. B. Davies. 1993. Buffer zones to improve water quality: A review of their potential use in UK agriculture. *Agriculture, Ecosystems and Environment* 45: 59-77. [1]
- Myers, T.J. and S. Swanson.1995. Impact of deferred rotation grazing on stream characteristics in central Nevada: a case study. *North America Journal of Fisheries Management* 15; 428-439. [1]
- Naiman, R. J., H. Décamps and M. Pollock. 1993. The role of riparian corridors in maintaining regional biodiversity. *Ecological Applications* 3(2): 209-212. [1]
- Nash, D., Hannah, M., Halliwell, D., Murdoch, C., 2000. Factors affecting phosphorus export from a pasture-based grazing system. *Journal of Environmental Quality* 29, 1160–1166. [1]

- Natural Resources Conservation Service .2003. National Range and Pasture Handbook. Chapter 7 Rangeland and Pastureland Hydrology and Erosion. United States Department of Agriculture. Available at <http://www.glti.nrcs.usda.gov/technical/publications/nrph.html> [11]
- Nichols, D. J., T. C. Daniel, D. R. Edwards, P. A. Moore, and D. H. Pote. 1998. Use of grass filter strips to reduce 17 Beta-estradiol in runoff from fescue-applied poultry litter. *Journal of Soil and Water Conservation* 53:74–77. [1]
- Nieswand, G. H., R. M. Hordon, T. B. Shelton, B. B. Chavooshian and S. Blarr. 1990. Buffer strips to protect water supply reservoirs: A model and recommendations. *Water Resources Bulletin* 26(6):959-966. [1]
- Omernik, J. M., A. R. Abernathy and L. M. Male. 1981. Stream nutrient levels and proximity of agriculture and forest land to streams: Some relationships. *Journal of Soil and Water Conservation* 36(4): 227-231. [1]
- Osborne, L. L. and D. A. Kovacic. 1993. Riparian vegetated buffer strips in water-quality restoration and stream management. *Freshwater Biology* 29: 243-258. [1]
- Owens, L B, Edwards, W M, Van Keuren, R W. 1996. Sediment losses from a pastured watershed before and after stream fencing. *Journal of Soil and Water Conservation* 51(1): 90. [1]
- Paul, J.W. and B.J. Zebarth, 1997. Denitrification and nitrate leaching during the fall and winter following dairy cattle slurry application. *Canadian Journal of Soil Science*. Volume 77, p. 241-248. [1]
- Peterjohn, W. T. and D. L. Correll. 1984. Nutrient dynamics in an agricultural watershed: Observations on the role of a riparian forest. *Ecology* 65(5): 1466-1475. [1]
- Phillips, J. D. 1989. An evaluation of the factors determining the effectiveness of water quality buffer zones. *Journal of Hydrology* 107: 133-145. [1]
- Platts, W.S. 1981. *Effects of sheep grazing on a riparian-stream environment*. Research INT-307 USDA Forest Service Intermountain Forest and Range Experiment Station, Ogden, UT. [11]
- Platts, W.S. 1986. Riparian stream management. *Trans. West Sect. Wildl. Soc.* 22:90–93. [1]
- Platts, W.S. and R.L. Nelson. 1985. Impacts of rest-rotation grazing on stream banks in forested watersheds in Idaho. *North American Journal of Fisheries Management* 5; 547-556. [1]
- Platts, W.S., Behenke, R.J., Buckhouse, J.C., Casey O.E., Claire, E.W., Cooper, J., Duff, D.A., Evans, W.A., Haugen, G., Marcuson, P.E., Meehan, W.R., Phillips, R.W., Raleigh, R.F., and Skovlin, J.M. 1977. Livestock interactions with fish and their environments. In *Proceedings of the workshop on livestock and wildlife-fisheries relationships in the Great Basin*. Special Publication 3301. Edited by J. menke. Agricultural Sciences Publications, University of California, Berkeley. PP 36-41. [11]
- Poff, N. L., J. D. Allan, M. B. Bain, J. R. Karr, K. L. Prestegard, B. D. Richter, R. E. Sparks and J. C. Stromberg. 1997. The natural flow regime: A paradigm for river conservation and restoration. *Bioscience* 47(11): 769-784. [1]

- Poor, C.J. and J.J. McDonnell. 2007. The effect of land use on stream nitrate dynamics. *Journal of Hydrology* 332:54-68. [1]
- Rabeni, C. F. and M. A. Smale. 1995. Effects of siltation on stream fishes and the potential mitigating role of the buffering riparian zone. [11]
- Rabeni, C.F., and G.W. Minshall. 1977. Factors affecting microdistribution of stream benthic insects. *Oikos* 29(1):33-43. [1]
- Ranganath, Hession, and Wynn. 2009. Livestock exclusion influences on riparian vegetation, channel morphology, and benthic macroinvertebrate assemblages. *Journal of Soil and Water Conservation* 64(1). [1]
- Schellinger, D.R. and J.C. Clausen. 1992. Vegetative filter requirements of dairy barnyard runoff in cold regions. *Journal Of Environmental Quality*. 21:40–45. [1]
- Schlosser, I. J. and J. R. Karr. 1981. Water quality in agricultural watersheds: Impact of riparian vegetation during base flow. *Water Resources Bulletin* 17(2):233-240. [1]
- Schmitt, T.J., M.G. Dosskey, and K.D. Hoagland. 1999. Filter strip performance and processes for different vegetation, widths, and contaminants. *Journal of Environmental Quality* 28:1479–1489. [1]
- Schwer, C.B., and J.C. Clausen. 1989. Vegetative filter strips of dairy milkhouse wastewater. *Journal of Environmental Quality* 18:446–451. [1]
- Shields, F. D., Jr., A. J. Bowie and C. M. Cooper. 1995. Control of streambank erosion due to bed degradation with vegetation and structure. *Water Resources Bulletin* 31(3):475-490. [1]
- Smith, M.S. 1996. Management of rangelands: paradigms at their limits. *Ecology and Management of Grazing Systems*. Ed.by J. Hodgson and A.W. Illius: 341. [11]
- Sovell, J. Vondracek, B., Frost, J, and Mumford, K. 2000. Impacts of Rotational Grazing and Riparian Buffers on Physiochemical and Biological Charactersitics of Southeastern Minnesota, USA, streams. *Environmental Management* 26(6): 629-641. [1]
- Spackman, S. C. and J. W. Hughes. 1995. Assessment of minimum corridor width for biological conservation: Species richness and distribution along mid-order streams in Vermont, USA. *Biological Conservation* 71: 325-332. [1]
- Spruill, T.B. 2004. Effectiveness of riparian buffers in controlling ground-water discharge of nitrate to streams in selected hydrogeological settings of the North Carolina Coastal Plain. *Water Science and Technology* 49:63–70. [1]
- Steenvoorden, J.H.A.M., Fonck, H., Oosterom, H.P. 1986. Losses of nitrogen from intensive grassland systems by leaching and surface run-off. In: Van Der Meer, H.G., Ryden, J.C., Ennik, G.C. (Eds.) *Nitrogen Fluxes in Intensive Grassland Systems*: 85-97. [1]

Steinfeld, H., Gerber, P, Wassenaar, T, Castel, V.,Rosales, M, Haan, C. 2006. *Livestock's Long Shadow: Environmental Issues and Options*. Food and Agriculture Organization of the United Nations. [11]

Stout, W L ; S L Fales; L D Muller; R R Schnabel; et. al. 2000. Assessing the effect of management intensive grazing on water quality. *Journal of Soil and Water Conservation* 55 (2): 238. [1]

Tate, Das Gracas, Pereira, Atwill. 2004. Efficacy of Vegetated Buffer Strips for Retaining *Cryptosporidium parvum*, *Journal of Environmental Quality* 33 (6): 2243. [1]

Tledemann, Higgins, Quigley, Sanderson, and Marx. 1987. Responses of Fecal Coliform in Streamwater to Four Grazing Strategies. *Journal of Range Management* 40(4): 322. [1]

Todd, A. 2000. Making Decisions About Riparian Buffer Width. Proceedings from the International Conference on Riparian Ecology and Management in Multi-Land Use Watersheds. American Water Resources Association. [11]

Trindade, H., J. Coutinho, S. Jarvis, and N. Moreira, 2001. Nitrogen mineralization in sandy loam soils under an intensive double-cropping forage system with dairy-cattle slurry applications. *European Journal of Agronomy*, Volume 15, p. 281-293. [1]

Trlica, M.J., Nibarger, E.A., Leininger, W.C., Frasier, G.W. 2000. Runoff Water Quality from Grazed and Ungrazed Montane Riparian Plots. Proceedings from the International Conference on Riparian Ecology and Management in Multi-Land Use Watersheds. American Water Resources Association. [11]

U.S. Army Corps of Engineers (USACE). 1991. Buffer Strips for Riparian Zone Management. Waltham, MA: USACE. [11]

Vidon, P.G.F., and A.R. Hill. 2004. Landscape controls on nitrate removal in stream riparian zones. *Water Resources Research* 40:W03201. [1]

Weller, D. E., T. E. Jordan and D. L. Correll. 1998. Heuristic models for material discharge from landscapes with riparian buffers. *Ecological Applications* 8(4): 1156-1169. [1]

Welsch, D. J. 1991. *Riparian Forest Buffers: Function and Design for Protection and Enhancement of Water Resources*. Radnor, PA: USDA Forest Service. [11]

Wenger, S.J. 1999. *A review of the scientific literature on riparian buffer width, extent and vegetation*. Athens: Institute of Ecology Office for Public Service and Outreach, University of Georgia. 59 pp. [11]

Williams, R. D. and A. D. Nicks. 1993. A modeling approach to evaluate best management practices. *Water Science and Technology* 28(3-5): 675-678). [1]

Wohl, N.E. and R.F. Carline. 1996. Relations among riparian grazing, sediment loads, macroinvertebrates, and fishes in three central Pennsylvania streams. *Canadian Journal of Fisheries and Aquatic Science* 53(1): 260-266. [1]

Young, R. A., T. Huntrods and W. Anderson. 1980. Effectiveness of vegetated buffer strips in controlling pollution from feedlot runoff. *Journal of Environmental Quality* 9(3):483-487. [1]

Zaimes, Schultz, and Isenhardt. 2004. Stream bank erosion adjacent to riparian forest buffers, row-crop fields, and continuously grazed pastures in Bear Creek in central Iowa. *Journal of Soil and Water Conservation* 59(1): 26. [1]

Zebarth, B.J., B. Hii, H. Liebscher, K. Chipperfield, J.W. Paul, G. Grove, and S. Szeto, 1998. Agricultural land use practices and nitrate contamination in the Abbotsford Aquifer, British Columbia, Canada. *Agriculture Ecosystem Environment*. 69:99-112. [11]

Zebarth, B.J., Paul, J.W., Schmidt, O., and McDougall, R., 1996. Influence of the time and rate of liquid manure application on yield and nitrogen utilization of silage corn in south coastal British Columbia. *Canadian Journal of Soil Science*, Volume 76, p. 153-164. [1]

Zebarth, B.J. and J.W. Paul, 1995. Impact of changes on agricultural land use on nitrogen loading to the Abbotsford Aquifer. Pacific Agricultural Research Centre (Agassiz, B.C.). p. 6 *In* Technical Report 119. Agriculture and Agri-Food Canada, Agassiz, B.C. [11]

For more information

For more information on this publication contact Ben Rau – Ecology at 360-407-6551 or ben.rau@ecy.wa.gov.

To request ADA accommodation including materials in a format for the visually impaired, call the Water Quality program at 360-407-6600. Persons with impaired hearing may call Washington Relay Service at 711. Persons with a speech disability may call 877-833-6341.