

C. Previous Emergency Drought Authorization information (if applicable):

If applicable, please identify authorizations from previous drought or proration years:

Emergency Drought Permit No. 64-34957

Section 3. WELL INFORMATION

A. Location - Legal Description

Parcel No.	¼	¼	Section	Township	Range	County
231022-44001	SE	SE	22	10	23	YAKIMA
Lot(s)	Block(s)		Subdivision			

If known, enter the distances in feet from the point of withdrawal (well) to the nearest section corner:

_____ Feet (North/ South) and _____ Feet (East/ West)
 from the (NW SW NE SE _____) corner of Section 22.

well is along the NE corner of the pond

NOTE: If more than two points of withdrawal (wells), please attach additional information on a separate sheet of paper.

B. General information

Do you have an existing well? YES NO If so, how many? 1

If available, attach Water Well Report and Pump Test.

Well Tag ID No(s): AAS925

Water well Report Attached

Well diameter(s) & depth(s): Dia. 12" Depth 610'

Section 4. PLACE OF USE

Provide or attach a copy of the legal description of the property (on which the water will be used).

copy of previous permit is attached which shows the legal descriptions

¼	¼	Section	Township	Range	County	Parcel No.
SE	SE	22	10	23	YAKIMA	231023-23401

Do you own all the lands on which the proposed place of use is located? YES NO

231022-14001
 231022-41002
 231022-41001
 231022-44001

If no, do you have legal authority to make this application for use of this land? YES NO

Provide owner name(s), address, and phone number: _____

124.8

total

or 119.8 AF

gpm? 250?

or ~~270~~

Please see map
included for actual
POU (it's not just
in the SE¹/₄ SE¹/₄ of
Section 22 T.10N R23)

Section 5. PROPOSED USE AND WATER QUANTITY CONTEMPLATED UNDER THIS PRE-APPLICATION

Parcel Number	Proposed Irrigated Acres	Crop Type	Irrigation Type (drip, sprinkler, etc.)
231023-23401	49.9	GRAPES	Drip
231022-14001	8.2		
231022-41002	1.6		
231022-41001	58.0		
231022-44001	7.1		
Total	124.8		

Section 6. DRIVING DIRECTIONS


Please provide the site address and detailed driving directions to the well and the proposed place of use:

Corner of Harrison Rd. + Shellen Rd north of Sunnyside, WA

Section 7. REQUIRED SIGNATURES

I certify that the information provided in this application is true and accurate to the best of my knowledge. I grant staff from the Department of Ecology access to the site for inspection and monitoring purposes. I understand that this is not an application for an emergency withdrawal of water, but rather is intended to give Ecology information that will enable it to more expeditiously process an application that may be submitted at a later date.

Ronald N. Harle
 Printed Name
 Pre-Applicant or Authorized Representative


 Signature


5/12/15
 (Date)

Printed Name
 Pre-Applicant or Authorized Representative

Signature

(Date)

Fluine M Farms LLC
 Michael A. Hogue member, manager
 Printed Name
 Legal Owner or Proposed place of use


 Signature

5/12/15
 (Date)

Mail the pre-application to:
 Central Regional Office
 15 W. Yakima Avenue, Suite 200
 Yakima, WA 98902-3463
 (509) 575-2490



FMF

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

15 West Yakima Avenue, Suite 200 • Yakima, Washington 98902-3452 • (509) 575-2490

April 5, 2005

Flying M Farms
32302 N McDonald Rd
Prosser WA 99350-6605

Re: **Emergency Drought Permit No. G4-34957**

In accordance with the provisions of RCW 43.83B.405, on March 10, 2005, it was ordered and determined by the Director of the Department of Ecology that the State of Washington is under drought conditions. In accordance with the provisions of WAC 173-166-060, the Department of Ecology is under the terms of this Order, issuing an EMERGENCY DROUGHT PERMIT. The intent of this authorization is to alleviate hardships and reduce the burdens on water users arising from the drought conditions.

THIS AUTHORIZATION SHALL IN NO MANNER BE CONSTRUED TO GUARANTEE OR IMPLY THAT A FINAL (REGULAR) PERMIT WILL ISSUE FOR THE FUTURE USE OF THE WATER USE HEREIN AUTHORIZED.

The Department of Ecology has agreed to fund the cost of the mitigation or offsets for the impacts associated with the drought emergency authorizations. Ecology is attempting to meet the essential irrigation needs of farmers growing perennial crops (such as orchard crops, grapes, hops, etc.) where the loss of irrigation water would permanently damage the crops. Through the use of emergency supplemental wells, Ecology is authorizing up to 80% of the usual irrigation water supply delivered by the irrigation districts. In a normal year, Roza Irrigation District (the District) is prepared to deliver 3 to 3.3 acre-feet of water per acre. 80% of 3.3 acre-feet is 2.6 acre-feet. The District is expected to deliver approximately 0.8 acre-feet of water. This authorization will allow an additional 1.8 acre-feet of water per acre for orchards. For crops other than orchard a water duty based on 80% of the consumptive use listed in the Washington Irrigation Guide (WIG) or 80% of the quantity normally applied to the crop is used. The applicant stated that he normally applies 2.0 acre-feet per year to his wine grapes. 80% of 2.0 acre-feet is 1.6 acre-feet. This authorization will allow an additional 0.8 acre-feet of water per acre for wine grapes (1.6 acre-feet less 0.8 acre-feet to be delivered by the District). The applicant has 42.5 acres of apples and 68.3 acres of wine grapes. A total of 131.1 acre-feet of water is authorized under this emergency permit [(42.5 acres x 1.8 acre-feet) + (68.3 acres x 0.8 acre-feet)].

This authorization is subject to the following limitations and provisions:

This authorization is for a proposed new well located within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 23, T. 10 N., R. 23 E.W.M.

The instantaneous quantity of water to be withdrawn is limited to 250 gallons per minute (gpm) based upon the instantaneous quantity requested by the applicant.



A total of 131.1 acre-feet of water is authorized under this emergency permit for the supplemental irrigation of 110.8 acres.

The place of use is described as follows:

Yakima Co. parcel No. 231023-23401
SP 91-81: Lot 1

AND

Yakima Co. parcel No. 231022-14001
That portion of the NE $\frac{1}{4}$ of Section 22, T. 10 N., R. 23 E.W.M, described as follows:
Beginning at the SE corner of the NE $\frac{1}{4}$;
Thence N 3° 59' W along the E line of Section 22 a distance of 788.9 ft;
Thence S 64° 17' W 187 ft;
Thence S 43° 23' W 958 ft;
Thence S 89° 29' E along the center line of Section 22 a distance of 881 ft to the point of beginning.
EXCEPT the E 25 ft for County road.

AND

Yakima Co. parcel No. 231022-41002
That portion of the SE $\frac{1}{4}$ of Section 22, T. 10 N., R. 23 E.W.M, described as follows:
Beginning at the SE corner of the NE $\frac{1}{4}$;
Thence N 89° 29' W along the center line of Section 22 a distance of 601.8 ft to the true point of beginning;
Thence N 89° 29' W 279.4 ft;
Thence S 09° 01' E 508.8 ft;
Thence N 18° 38' E 240.8 ft;
Thence N 04° 19' E 297.5 ft to the true point of beginning.

AND

Yakima Co. parcel No. 231022-41001 ✱
That portion of SE $\frac{1}{4}$ of Section 22, T. 10 N., R. 23 E.W.M lying easterly of draw
EXCEPT beginning at the SE corner of said section;
Thence W 900 ft;
Thence N 06° 18' W 250 ft;
Thence N 38° 07' E 568.3 ft;
Thence E 499.7 ft;
Thence S to point of beginning;
AND EXCEPT
E 25 ft and S 30 ft for county road.

AND

Yakima Co. parcel No. 231022-44001 ✱
That portion of the SE $\frac{1}{4}$ of Section 22, T. 10 N., R. 23 E.W.M, described as follows:
Beginning at the SE corner of said section;

Thence W 900 ft;
Thence N 06°18' W 250 ft;
Thence N 38°07' E 568.3 ft;
Thence E 499.7 ft;
Thence S to point of beginning;
EXCEPT that portion lying E of county road;
AND EXCEPT county road right of way.

To develop a well in the Saddle Mountains Aquifer, the well must comply with the following construction requirements and restrictions:

- (a) Unperforated casing shall be set or placed (not driven) twenty (20) feet into the top of Pomona Member (basalt) of the Saddle Mountain Formation, which is estimated to occur at or below a depth of approximately 200 feet.
- (b) The well casing annulus shall be sealed with a neat cement or neat cement grout. The sealing material shall be placed in the annulus by pumping to seal the entire annulus from the bottom of the casing to the land surface.
- (c) The well annulus shall be at least four (4) inches greater in diameter than the permanent casing.
- (d) The well depth shall terminate at or above a depth corresponding to the top of the Priest Rapids Member of the Wanapum Formation, which should be encountered at a depth of approximately 600 feet.
- (e) Installation of an airline and an access port for water level measurement is required.

When flowing artesian conditions are known or suspected, the operator shall have a written sealing plan prepared prior to initiation of construction. Flowing wells shall be so constructed and equipped with valves to ensure that the flow of water can be completely stopped when not being used. Likewise, the well shall be so maintained as to prevent the waste of water through leaky casings, pipes, fittings, valves, or pumps--either above or below land surface.

All water wells constructed within the state shall meet the minimum standards for construction and maintenance as provided under RCW 18.104 (Washington Water Well Construction Act of 1971) and WAC Chapter 173-160-075 through 173-160-305 (Minimum Standards for Construction and Maintenance of Water Wells).

The applicant shall require the driller to collect and retain drill cuttings for Ecology to submit for laboratory analysis as follows:

The driller shall collect and retain basalt chip samples starting with the first basalt encountered and every 20 feet thereafter and at significant changes in lithology. The depth each sample is taken from shall be recorded with the sample. Gross sample size should be large enough to provide a net minimum of sixteen (16) ounces of dry, clean, washed basalt chips from each sample. Staff from Ecology will pick up the samples during and/or at the conclusion of drilling and may arrange for X-ray Fluorescence Analysis. As soon as the drilling schedule is established, the applicant shall notify Anna Hoselton (509) 454-7887 or Ron Dixon (509) 454-7897 at the Department of Ecology, Yakima, WA, to go over any questions and arrange for site access by Ecology staff.

The new well shall be constructed by August 1, 2005. If the new well is not completed by August 1, 2005, you must notify Ecology and provide us with an estimated completion date and a statement describing how the well will be used to provide supplemental water this year. If the well cannot be completed in sufficient time to provide water this year, this emergency permit will be cancelled.

A suitable flow meter approved by the Department of Ecology shall be installed and maintained in accordance with Chapter 173-173 WAC. (Installation, operation and maintenance requirements attached hereto.)

Whenever water is being diverted, bi-weekly (every two weeks) readings of the flow meter shall be recorded and maintained by the permittee. These readings shall be documented by time, date, withdrawal rate, and the person conducting the measurements. Copies of these records shall be submitted to the Department of Ecology by November 15, 2005.

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the records of water use that are kept to meet the above conditions, and to inspect at reasonable times any measuring device used to meet the above conditions.

Withdrawal of water under this authorization may be limited or otherwise regulated in favor of senior rights.

This drought emergency authorization expires on October 31, 2005.

This Order may be appealed pursuant to Chapter 43.21B RCW. Any person wishing to appeal this Order must file an appeal with the Pollution Control Hearings Board **within thirty (30) days of receipt of this Order**. Send the appeal to: Pollution Control Hearings Board, PO Box 40903, Olympia, Washington 98504-0903. At the same time, a copy of the appeal **must** be sent to: Department of Ecology, Water Resources Appeals Coordinator, PO Box 47600, Olympia, Washington 98504-7600.

Sincerely,




Robert F. Barwin, Section Manager
Water Resources Program
Central Region Office

RFB:PNK:gg
050423

Enclosures: Flow Meter Requirements
Your Right To Be Heard

cc: Carroll Palmer, Director, Natural Resources Division, Yakama Nation
Curt Hart, Water Resources Program, HQ



T10N/R23E