


APPLICATION FOR PERMIT

TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

SURFACE WATER

GROUND WATER



\$10.00 MINIMUM STATUTORY EXAMINATION FEE REQUIRED WITH APPLICATION

(GRAY BOXES FOR OFFICE USE ONLY)

APPLICATION NO. G431258	W.R.I.A. 39	COUNTY Kittitas	PRIORITY DATE 4/27/92	TIME	ACCEPTED mi
APPLICANT'S NAME — PLEASE PRINT Plum Creek Timber Company, L.P., a Delaware limited partnership					Bus. Tel. (206) 467-3600
ADDRESS (STREET) 999 Third Avenue, Suite 2300					Home Tel.
(CITY) Seattle			(STATE) WA	(ZIP CODE) 98104	
DATE & PLACE OF INCORPORATION IF APPLICANT IS A CORPORATION June 8, 1989 Delaware (Of General Partner)					Other Tel. (509) 649-2218

1. SOURCE OF SUPPLY

IF SURFACE WATER	IF GROUND WATER
SOURCE (NAME OF STREAM, LAKE, SPRING, ETC.) (IF UNNAMED, SO STATE)	SOURCE (WELL, TUNNEL, INFILTRATION TRENCH, ETC.) A Well
TRIBUTARY	SIZE AND DEPTH 8-inch diameter
	300-ft. depth, 10-ft. screened interval

2. USE

USE TO WHICH WATER IS TO BE APPLIED (DOMESTIC SUPPLY, IRRIGATION, MINING, MANUFACTURING, ETC.)
Aquifer Testing

ENTER QUANTITY OF WATER REQUESTED USING UNITS OF: CUBIC FEET PER SECOND (CFS)	OR	GALLONS PER MINUTE (GPM) 600 per applicant	ACRE FEET PER YEAR
--	-----------	--	--------------------

600 gallons per minute

TIMES DURING YEAR WATER WILL BE REQUIRED
Between 28 and 192 hrs. within an approx. 30-day period while aquifer test is conducted. Water will be discharged directly to the Cle Elum River to minimize the impacts on the local water balance and down-stream flows.

IF IRRIGATION, NUMBER OF ACRES None	IF DOMESTIC USE, NUMBER OF UNITS BY TYPE, E.G. 1-HOME, 1-MOBILE HOME, 2-CAMPSITES, ETC.	IF MUNICIPAL USE, ESTIMATED POPULATION 20 YEARS FROM TODAY
DATE PROJECT WAS OR WILL BE STARTED Spring 1992	DATE PROJECT WAS OR WILL BE COMPLETED Autumn 1992	Will drill and test well upon application approval

3. LOCATION OF POINT OF DIVERSION/WITHDRAWAL

3A. IF IN PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)	SECTION	TOWN	RANGE	ALSO, PLEASE ENCLOSE A COPY OF THE PLAT AND MARK THE POINT(S) OF WITHDRAWAL OR DIVERSION
-----	-------	------------------------------------	---------	------	-------	--

3B. IF NOT IN PLATTED PROPERTY

ON ACCOMPANYING SECTION MAPS, ACCURATELY MARK AND IDENTIFY EACH POINT OF DIVERSION. SHOW NORTH-SOUTH AND EAST-WEST DISTANCES FROM NEAREST SECTION CORNER OR PROPERTY CORNER

ALSO, ENTER BELOW THE DISTANCES FROM THE NEAREST SECTION OR PROPERTY CORNER TO THE DIVERSION OR WITHDRAWAL.
Approx. 700 ft. south, then 800 ft. west from NE corner, Sec. 14, T20N, R14E, WM

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION) SW 1/4 of NE 1/4 of NE 1/4	SECTION 14	TOWNSHIP N. 20	RANGE (E. OR W.) W.M. 14E	COUNTY Kittitas
--	----------------------	--------------------------	-------------------------------------	---------------------------

4. DO YOU OWN THE LAND ON WHICH THIS SOURCE IS LOCATED. IF NOT, INSERT NAME & ADDRESS OF OWNER
Yes

5. LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

ATTACH A COPY OF THE LEGAL DESCRIPTION OF THE PROPERTY (ON WHICH THE WATER WILL BE USED) TAKEN FROM A REAL ESTATE CONTRACT, PROPERTY DEED OR TITLE INSURANCE POLICY, OR, COPY CAREFULLY IN THE SPACE BELOW.

Section 14, T20N, R14E, W.M.

WHAT IS YOUR INTEREST IN THE PROPERTY ON WHICH THE WATER IS TO BE USED (PROPERTY OWNER, LESSEE, CONTRACT PURCHASER, ETC.)

Owner

ARE THERE ANY EXISTING WATER RIGHTS RELATED TO THE LAND ON WHICH THE WATER IS TO BE USED (INCLUDING WATER PROVIDED BY IRRIGATION DISTRICTS OR DITCH COMPANIES.)

YES NO

IF YES, FROM WHAT SOURCE (i.e. SURFACE OR GROUND WATER) AND UNDER WHAT AUTHORITY

6. DESCRIPTION OF SYSTEM PROPOSED OR INSTALLED

(FOR EXAMPLE: SIZE OF PUMP, CAPACITY OF PUMP, PUMP MOTOR HORSE POWER, PIPE DIAMETER, NUMBER OF SPRINKLERS, ETC.)

8-inch diameter well with 10-ft. screened interval, depth of completion interval

approx. 275 ft. Test pump will be a line shaft vertical turbine pump with at

least 500 gpm capacity. One 2-inch PVC observation well with a 10-ft. screened

interval will be installed to approximately 150 feet. Observation well will be

located within 50 to 200 feet westerly from the test well.

REMARKS

7. Upon test completion, both wells will be secured to prevent tampering. Wells

will be incorporated into a separate water rights application for a permanent

well field at this location. The test well will not be placed in service until

the water rights application is approved.

8.

COMPLETE THIS SECTION ONLY IF THIS APPLICATION INCLUDES IRRIGATION AS A USE

IN ORDER TO IMPLEMENT THE PROVISIONS OF INITIATIVE MEASURE NUMBER 59, THE FAMILY FARM WATER ACT WHICH WAS PASSED BY THE VOTERS ON NOVEMBER 3, 1977, WE MUST ASK THE FOLLOWING QUESTIONS:

DOES THE TOTAL NUMBER OF ACRES IN WHICH YOU HAVE CONTROLLING INTEREST IN THE STATE OF WASHINGTON EXCEED 2000 ACRES FOR THE FOLLOWING THREE CATEGORIES:

- 1. LANDS THAT ARE BEING IRRIGATED UNDER WATER RIGHTS ACQUIRED AFTER DECEMBER 8, 1977. YES NO
2. LANDS THAT MAY BE IRRIGATED UNDER APPLICATIONS NOW ON FILE WITH THE DEPARTMENT OF ECOLOGY. YES NO
3. LANDS THAT MAY BE IRRIGATED UNDER THIS APPLICATION. YES NO

IF 10 ACRE-FEET OR MORE OF WATER IS TO BE STORED AND/OR IF THE WATER DEPTH WILL BE 10 FEET OR MORE AT THE DEEPEST POINT, A STORAGE PERMIT MUST BE FILED IN ADDITION TO THIS PERMIT. THESE FORMS CAN BE SECURED, TOGETHER WITH INSTRUCTIONS, FROM THE DEPARTMENT OF ECOLOGY.

SIGNATURES

Plum Creek Timber Company, L.P.

by Plum Creek Management Company, G.P.

by [Signature] Vice President

APPLICANT'S SIGNATURE

Plum Creek Timber Company, L.P.

LEGAL LANDOWNERS NAME (PLEASE PRINT)

999 Third Avenue, Suite 2300 Seattle, Washington 98104

Plum Creek Timber Company, L.P.

by Plum Creek Management Company, G.P.

by [Signature] Vice President

LEGAL LANDOWNER'S SIGNATURE (OWNER OF PROPERTY DESCRIBED IN ITEM NUMBER 5)

FOR OFFICE USE ONLY

STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

ss.

This is to certify that I have examined this application together with the accompanying maps and data, and am returning it for correction or completion as follows:


In order to retain its priority date, this application must be returned to the Department of Ecology, with corrections, on or before 19.....

Witness my hand this..... day of..... 19.....

SECTION MAP

12N1D1
12N2
0
0

Sec. 14 Twp. 20 N N. R. 14 E
0 Cle Elum Headworks



Scale: 1 inch = 800 feet (each small square = 10 acres)

Show by a cross (X) the location of point of diversion (surface water source) or point of withdrawal (ground water source). For ground water applications, show by a circle (O) the locations of other wells or works within a quarter of a mile. Indicate traveling directions from nearest town in space below.

From Ronald, proceed northwest on Highway 903 for approximately 1 mile. Turn left on gravel road. The intersection of the gravel road with the highway is in the SW 1/4 of NW 1/4 of NW 1/4, Section 12, T20N, R14E. Follow the main gravel road southerly, then westerly to borrow pit near the Cle Elum River in SW 1/4 of SW 1/4, Section 11, T20N, R14E. Proceed southeasterly along river terrace approximately 1700 feet on dirt roads to well site.

Detach here

Fold along scale



Detach this scale at the performance, fold excess paper under or cut off excess by cutting along the scale line. This scale corresponds to the SECTION MAP above. You can read feet directly from this scale to outline property and locate points of diversion or withdrawal on the SECTION MAP. Enclose this map along with the application and \$10.00 examination fee.