




APPLICATION FOR PERMIT
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

SURFACE WATER

GROUND WATER



\$10.00 MINIMUM STATUTORY EXAMINATION FEE REQUIRED WITH APPLICATION
(GRAY BOXES FOR OFFICE USE ONLY)

APPLICATION NO. G 430828	W.R.I.A. 40	COUNTY Chelan	PRIORITY DATE 7-10-91	TIME	ACCEPTED PR
APPLICANT'S NAME - PLEASE PRINT Stemilt Irrigation District and Thomas K. Mathison				Bus. Tel. 509-662-6065	Home Tel. 509-663-6678
ADDRESS (STREET) 5116 Blair Slack Road				(CITY) Wenatchee	(STATE) WA
				(ZIP CODE) 98801	

DATE & PLACE OF INCORPORATION IF APPLICANT IS A CORPORATION

1. SOURCE OF SUPPLY

IF SURFACE WATER	IF GROUND WATER
SOURCE (NAME OF STREAM, LAKE, SPRING, ETC.) (IF UNNAMED, SO STATE)	SOURCE (WELL, TUNNEL, INFILTRATION TRENCH, ETC.) A well
TRIBUTARY	SIZE AND DEPTH projected 8" 100' deep

2. USE

USE TO WHICH WATER IS TO BE APPLIED (DOMESTIC SUPPLY, IRRIGATION, MINING, MANUFACTURING, ETC.)
community domestic supply

ENTER QUANTITY OF WATER REQUESTED USING UNITS OF:	CUBIC FEET PER SECOND (CFS)	OR	GALLONS PER MINUTE (GPM) 56	ACRE FEET PER YEAR
TIMES DURING YEAR WATER WILL BE REQUIRED throughout the year				

(continuous community domestic supply)

IF IRRIGATION, NUMBER OF ACRES	IF DOMESTIC USE, NUMBER OF UNITS BY TYPE, E.G. 1-HOME, 1-MOBILE HOME, 2-CAMPSITES, ETC. 50 homes	IF MUNICIPAL USE, ESTIMATED POPULATION 20 YEARS FROM TODAY
DATE PROJECT WAS OR WILL BE STARTED 10/1/91	DATE PROJECT WAS OR WILL BE COMPLETED 11/1/91	

3. LOCATION OF POINT OF DIVERSION/WITHDRAWAL

3A. IF IN PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)	SECTION	TOWN	RANGE	ALSO, PLEASE ENCLOSE A COPY OF THE PLAT AND MARK THE POINT(S) OF WITHDRAWAL OR DIVERSION
-----	-------	------------------------------------	---------	------	-------	--

3B. IF NOT IN PLATTED PROPERTY

ON ACCOMPANYING SECTION MAPS, ACCURATELY MARK AND IDENTIFY EACH POINT OF DIVERSION. SHOW NORTH-SOUTH AND EAST-WEST DISTANCES FROM NEAREST SECTION CORNER OR PROPERTY CORNER.

ALSO, ENTER BELOW THE DISTANCES FROM THE NEAREST SECTION OR PROPERTY CORNER TO THE DIVERSION OR WITHDRAWAL.

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION) SW 1/4 of SW 1/4	SECTION 6	TOWNSHIP N. 21	RANGE (E. OR W.) W.M. 21 E.W.M.	COUNTY Chelan
--	---------------------	--------------------------	---	-------------------------

Being within the

4. DO YOU OWN THE LAND ON WHICH THIS SOURCE IS LOCATED. IF NOT, INSERT NAME & ADDRESS OF OWNER
Bill Chadderton 5837 Stemilt Loop Road Wenatchee, WA 98801 6637319

5. LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

ATTACH A COPY OF THE LEGAL DESCRIPTION OF THE PROPERTY (ON WHICH THE WATER WILL BE USED) TAKEN FROM A REAL ESTATE CONTRACT, PROPERTY DEED OR TITLE INSURANCE POLICY. OR, COPY CAREFULLY IN THE SPACE BELOW.

See attached copy.

WHAT IS YOUR INTEREST IN THE PROPERTY ON WHICH THE WATER IS TO BE USED (PROPERTY OWNER, LESSEE, CONTRACT PURCHASER, ETC.)

None the SID is the water purveyor for the community

ARE THERE ANY EXISTING WATER RIGHTS RELATED TO THE LAND ON WHICH THE WATER IS TO BE USED (INCLUDING WATER PROVIDED BY IRRIGATION DISTRICTS OR DITCH COMPANIES.)

YES NO

IF YES, FROM WHAT SOURCE (i.e. SURFACE OR GROUND WATER) AND UNDER WHAT AUTHORITY

Surface water from Stemilt Creek by authority of the water rights of SID

COMPLETE THIS FORM ONLY IF THIS APPLICATION INCLUDES IRRIGATION AS A USE

IN ORDER TO IMPLEMENT THE PROVISIONS OF INITIATIVE MEASURE NUMBER 59, THE FAMILY FARM WATER ACT WHICH WAS PASSED BY THE VOTERS ON NOVEMBER 3, 1977, WE MUST ASK THE FOLLOWING QUESTIONS:

DOES THE TOTAL NUMBER OF ACRES IN WHICH YOU HAVE CONTROLLING INTEREST IN THE STATE OF WASHINGTON EXCEED 2000 ACRES FOR THE FOLLOWING THREE CATEGORIES:

- 1. LANDS THAT ARE BEING IRRIGATED UNDER WATER RIGHTS ACQUIRED AFTER DECEMBER 8, 1977. YES NO
2. LANDS THAT MAY BE IRRIGATED UNDER APPLICATIONS NOW ON FILE WITH THE DEPARTMENT OF ECOLOGY. YES NO
3. LANDS THAT MAY BE IRRIGATED UNDER THIS APPLICATION. YES NO

PLEASE SIGN AND RETURN

(Signature of Landowner)

(Date)

6. DESCRIPTION OF SYSTEM PROPOSED OR INSTALLED

(FOR EXAMPLE: SIZE OF PUMP, CAPACITY OF PUMP, PUMP MOTOR HORSE POWER, PIPE DIAMETER, NUMBER OF SPRINKLERS, ETC.)

The size and capacity of the pump haven't been determined yet. The water will be delivered through the existing SID domestic line.

REMARKS

7. The SID is submitting this application because the Lower Groff Spring from which the SID and T.K. Mathison have a right to 56 GPM is now running only 18-20 GPM. We wish to make up the difference with well water.

IF 10 ACRE-FEET OR MORE OF WATER IS TO BE STORED AND/OR IF THE WATER DEPTH WILL BE 10 FEET OR MORE AT THE DEEPEST POINT, A STORAGE PERMIT MUST BE FILED IN ADDITION TO THIS PERMIT. THESE FORMS CAN BE SECURED, TOGETHER WITH INSTRUCTIONS, FROM THE DEPARTMENT OF ECOLOGY.

SIGNATURES

Stemilt Irrigation District
LEGAL LANDOWNERS NAME (PLEASE PRINT)

Gordon H. Congdon (President Irr. Dist.)
Thomas R. Mathison
APPLICANT'S SIGNATURE

5116 Bruce Slack Rd Wenatchee WA 98801
LEGAL LANDOWNER'S ADDRESS

FOR OFFICE USE ONLY

STATE OF WASHINGTON }
DEPARTMENT OF ECOLOGY } ss.


This is to certify that I have examined this application together with the accompanying maps and data, and am returning it for correction or completion as follows:

In order to retain its priority date, this application must be returned to the Department of Ecology, with corrections, on or before, 19.....

Witness my hand this..... day of....., 19.....

SECTION MAP

Sec. 5EX (6) Twp. 21N N. R. 21 E.W.M.



Scale: 1 inch = 800 feet (each small square = 10 acres)

Show by a cross (X) the location of point of diversion (surface water source) or point of withdrawal (ground water source). For ground water applications, show by a circle (O) the locations of other wells or works within a quarter of a mile.


Indicate traveling directions from nearest town in space below.

From Wenatchee take the Malaga Highway until the Stemilt Creek Road. Go up the Stemilt Creek Road approximately five miles to the Grange Hall. The well site is just southeast of the Grange Hall.


G-430828

Detach here

Fold along scale



Detach this scale at the perforation, fold excess paper under or cut off excess by cutting along the scale line. This scale corresponds to the SECTION MAP above. You can read feet directly from this scale to outline property and locate points of diversion or withdrawal on the SECTION MAP. Enclose this map along with the application and \$10.00 examination fee.



Your water right application will be processed by the Regional Office of the Department of Ecology having jurisdiction in the area in which your water works are located. **Please submit your completed application form, maps, sketches and \$10.00 examination fee to the appropriate Regional Office.**

Northwest Regional Office
 4350 150th Avenue N.E.
 Redmond, Washington 98502 - 5301
 Tel. (206) 885-1900

Central Regional Office
 3601 West Washington
 Yakima, Washington 98903 - 1164
 Tel. (509) 575-2491

Southwest Regional Office
 7272 Cleanwater Lane
 Olympia, Washington 98504 - 6811
 Tel. (206) 753-2353

Eastern Regional Office
 N. 4601 Monroe, Suite 100
 Spokane, Washington 99205 - 1295
 Tel. (509) 456-2926

The appropriate Regional Office will be happy to answer any further questions you may have.