




APPLICATION FOR PERMIT
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

SURFACE WATER GROUND WATER



\$10.00 MINIMUM STATUTORY EXAMINATION FEE REQUIRED WITH APPLICATION

(GRAY BOXES FOR OFFICE USE ONLY)

APPLICATION NO. S430251	W.R.I.A. 50	COUNTY Douglas	PRIORITY DATE 05-18-90	TIME	ACCEPTED CR
-----------------------------------	-----------------------	--------------------------	----------------------------------	------	-----------------------

APPLICANT'S NAME - PLEASE PRINT
(James S. & Betty DeJannett)

Bus. Tel. _____
Home Tel. _____
Other Tel. _____

ADDRESS (STREET) (CITY) (STATE) (ZIP CODE)
HCR BOX 100 (Orondo, Wa.) 98843

DATE & PLACE OF INCORPORATION IF APPLICANT IS A CORPORATION

1. SOURCE OF SUPPLY

IF SURFACE WATER	IF GROUND WATER
SOURCE (NAME OF STREAM, LAKE, SPRING, ETC.) (IF UNNAMED, SO STATE) (Rausch Spring)	SOURCE (WELL, TUNNEL, INFILTRATION TRENCH, ETC.)
TRIBUTARY	SIZE AND DEPTH

2. USE

USE TO WHICH WATER IS TO BE APPLIED (DOMESTIC SUPPLY, IRRIGATION, MINING, MANUFACTURING, ETC.)
(irrigation during irrigation season)

ENTER QUANTITY OF WATER REQUESTED USING UNITS OF: (2.3)	CUBIC FEET PER SECOND (CFS)	OR	GALLONS PER MINUTE (GPM) (15)	ACRE FEET PER YEAR
---	-----------------------------	----	---	--------------------

TIMES DURING YEAR WATER WILL BE REQUIRED
irrigation season

IF IRRIGATION, NUMBER OF ACRES 15	IF DOMESTIC USE, NUMBER OF UNITS BY TYPE, E.G. 1-HOME, 1-MOBILE HOME, 2-CAMPSITES, ETC.	IF MUNICIPAL USE, ESTIMATED POPULATION 20 YEARS FROM TODAY
DATE PROJECT WAS OR WILL BE STARTED July 1988	DATE PROJECT WAS OR WILL BE COMPLETED	

3. LOCATION OF POINT OF DIVERSION/WITHDRAWAL

3A. IF IN PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION) (Chelan Springs Div. 2)	SECTION 23	TOWN 27N	RANGE 23E	ALSO, PLEASE ENCLOSE A COPY OF THE PLAT AND MARK THE POINT(S) OF WITHDRAWAL OR DIVERSION Being within the NE 1/4 of SW 1/4.
-----	-------	--	----------------------	--------------------	---------------------	---

3B. IF NOT IN PLATTED PROPERTY

ON ACCOMPANYING SECTION MAPS, ACCURATELY MARK AND IDENTIFY EACH POINT OF DIVERSION. SHOW NORTH-SOUTH AND EAST-WEST DISTANCES FROM NEAREST SECTION CORNER OR PROPERTY CORNER.

ALSO, ENTER BELOW THE DISTANCES FROM THE NEAREST SECTION OR PROPERTY CORNER TO THE DIVERSION OR WITHDRAWAL.

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)	SECTION	TOWNSHIP N.	RANGE (E. OR W.) W.M.	COUNTY
---	---------	-------------	-----------------------	--------

4. DO YOU OWN THE LAND ON WHICH THIS SOURCE IS LOCATED. IF NOT, INSERT NAME & ADDRESS OF OWNER
NO Community Spring of Chelan Springs Div. 2

5. LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

ATTACH A COPY OF THE LEGAL DESCRIPTION OF THE PROPERTY (ON WHICH THE WATER WILL BE USED) TAKEN FROM A REAL ESTATE CONTRACT, PROPERTY DEED OR TITLE INSURANCE POLICY. OR, COPY CAREFULLY IN THE SPACE BELOW.

Lot 102 of Chelan Springs Division #2, according to the survey thereof recorded December 17, 1971, in Book 187, pages 494 through 502, inclusive, under Auditor's No. 162853, records of Douglas County Washington, being a portion of the Northeast quarter of the East half of Section 23, Township 27 North, Range 23, East of the Willamette Meridian, Douglas County, Washington. SUBJECT TO easements as set forth under Auditor's No. 162853, 160397, 157396 and 156968.

APPLICATION

property owner

ARE THERE ANY EXISTING WATER RIGHTS RELATED TO THE LAND ON WHICH THE WATER IS TO BE USED (INCLUDING WATER PROVIDED BY IRRIGATION DISTRICTS OR DITCH COMPANIES.)

YES

NO

IF YES, FROM WHAT SOURCE (i.e. SURFACE OR GROUND WATER) AND UNDER WHAT AUTHORITY

Spring

Water right authority

6. DESCRIPTION OF SYSTEM PROPOSED OR INSTALLED

(FOR EXAMPLE: SIZE OF PUMP, CAPACITY OF PUMP, PUMP MOTOR HORSE POWER, PIPE DIAMETER, NUMBER OF SPRINKLERS, ETC.)

is piped from Spring in 1 in. PVC pipe to a holding tank. piped from holding tank in 1 in PVC pipe to our property, which is approximately 1800 ft.

REMARKS

7. This water is absolutely necessary to the survival of our lawn, garden, fruit trees. This property has been dependant on this water since Chelan Springs has been developed.

IF 10 ACRE-FEET OR MORE OF WATER IS TO BE STORED AND/OR IF THE WATER DEPTH WILL BE 10 FEET OR MORE AT THE DEEPEST POINT, A STORAGE PERMIT MUST BE FILED IN ADDITION TO THIS PERMIT. THESE FORMS CAN BE SECURED, TOGETHER WITH INSTRUCTIONS, FROM THE DEPARTMENT OF ECOLOGY.

SIGNATURES

James S. + Betty DeJarnett
LEGAL LANDOWNERS NAME
(PLEASE PRINT)

James S DeJarnett Betty DeJarnett
APPLICANT'S SIGNATURE
James S DeJarnett Betty DeJarnett
LEGAL LANDOWNER'S SIGNATURE (OWNER OF PROPERTY DESCRIBED IN ITEM NUMBER 5)

HCR BOX 100 Orondo, Wa. 98843
LEGAL LANDOWNER'S ADDRESS

FOR OFFICE USE ONLY

STATE OF WASHINGTON }
DEPARTMENT OF ECOLOGY } SS.


JDR
5-10-90
See also
SF-29896 (Richerson)
route to Sue

This is to certify that I have examined this application together with the accompanying maps and data, and am returning it for correction or completion as follows:

In order to retain its priority date, this application must be returned to the Department of Ecology, with corrections, on or before....., 19.....

Witness my hand this.....day of....., 19.....

Sec. 23 Twp. 27 N N. R. 23 E W.M.



Scale: 1 inch = 800 feet (each small square = 10 acres)


Show by a cross (X) the location of point of diversion (surface water source) or point of withdrawal (ground water source). For ground water applications, show by a circle (O) the locations of other wells or works within a quarter of a mile.

Indicate traveling directions from nearest town in space below.


go North from Orlando, on Hwy. 97 approx. 16 mi.
 To Beebe Bridge, Turn right onto McNeil Canyon
 Rd. go approx. 4 mi. To Chelou Springs, Turn
 right there. (Grey & white mobil home) follow dirt
 Road approx 1 1/2 mi To Spring.

Detach here

Fold along scale



Detach this scale at the perforation, fold excess paper under or cut off excess by cutting along the scale line. This scale corresponds to the SECTION MAP above. You can read feet directly from this scale to outline property and locate points of diversion or withdrawal on the SECTION MAP. Enclose this map along with the application and \$10.00 examination fee.



Your water right application will be processed by the Regional Office of the Department of Ecology having jurisdiction in the area in which your water works are located. **Please submit your completed application form, maps, sketches and \$10.00 examination fee to the appropriate Regional Office.**

Northwest Regional Office
4350 150th Avenue N.E.
Redmond, Washington 98502 - 5301
Tel. (206) 867-7000

Central Regional Office
3601 West Washington
Yakima, Washington 98903 - 1164
Tel. (509) 575-2490

Southwest Regional Office
7272 Cleanwater Lane
Olympia, Washington 98504 - 6811
Tel. (206) 753-2353

Eastern Regional Office
N. 4601 Monroe, Suite 100
Spokane, Washington 99205 - 1295
Tel. (509) 456-2926

The appropriate Regional Office will be happy to answer any further questions you may have.