



APPLICATION FOR PERMIT
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON



SURFACE WATER GROUND WATER

\$10.00 MINIMUM STATUTORY EXAMINATION FEE REQUIRED WITH APPLICATION

(GRAY BOXES FOR OFFICE USE ONLY)

APPLICATION NO. G 428471	W.R.I.A. 47	COUNTY Chelan	PRIORITY DATE 5-30-84	TIME	ACCEPTED XA
APPLICANT'S NAME - PLEASE PRINT (CARL E PITMAN)				BUSINESS TEL.	HOME TEL. 525-2302
ADDRESS (STREET) Box-162		(CITY) Chelan	(STATE) WASH	(ZIP CODE) 98816	
DATE & PLACE OF INCORPORATION IF APPLICANT IS A CORPORATION					

1. SOURCE OF SUPPLY

IF SURFACE WATER	IF GROUND WATER
SOURCE (NAME OF STREAM, LAKE, SPRING, ETC.) (IF UNNAMED, SO STATE)	SOURCE (WELL, TUNNEL, INFILTRATION TRENCH, ETC.) (A well)
TRIBUTARY	SIZE AND DEPTH 1st test - 6" - 50 - 70 - 100 ft

2. USE
USE TO WHICH WATER IS TO BE APPLIED (DOMESTIC SUPPLY, IRRIGATION, MINING, MANUFACTURING, ETC.)

ENTER QUANTITY OF WATER REQUESTED USING UNITS OF: CUBIC FEET PER SECOND CFS OR GALLONS PER MINUTE **(40 GPM)** ACRE FEET PER YEAR

TIMES DURING YEAR WATER WILL BE REQUIRED
FROM APRIL 1st - TO NOVEMBER 1st
(Irrigation during Irrigation season)

IF IRRIGATION, NUMBER OF ACRES 40 +	IF DOMESTIC USE, NUMBER OF UNITS BY TYPE, E.G. 1-HOME, 1-MOBILE HOME, 2-CAMPSITES, ETC.	IF MUNICIPAL USE, ESTIMATED POPULATION 20 YEARS FROM TODAY
DATE PROJECT WAS OR WILL BE STARTED Now	DATE PROJECT WAS OR WILL BE COMPLETED	

3. LOCATION OF POINT OF DIVERSION/WITHDRAWAL

3A. IF IN PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)	SECTION 17	TOWN 28N	RANGE 23E	ALSO, PLEASE ENCLOSE A COPY OF THE PLAT AND MARK THE POINT(S) OF WITHDRAWAL OR DIVERSION
-----	-------	------------------------------------	----------------------	--------------------	---------------------	--

3B. IF NOT IN PLATTED PROPERTY

ON ACCOMPANYING SECTION MAPS, ACCURATELY MARK AND IDENTIFY EACH POINT OF DIVERSION. SHOW NORTH-SOUTH AND EAST-WEST DISTANCES FROM NEAREST SECTION CORNER OR PROPERTY CORNER.

ALSO, ENTER BELOW THE DISTANCES FROM THE NEAREST SECTION OR PROPERTY CORNER TO THE DIVERSION OR WITHDRAWAL.


LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION) (S 1/2 NW 1/4)	SECTION 17	TOWNSHIP N. 28N	RANGE (E. OR W.) W.M. 22	COUNTY Chelan
--	----------------------	---------------------------	------------------------------------	-------------------------

4. DO YOU OWN THE LAND ON WHICH THIS SOURCE IS LOCATED. IF NOT, INSERT NAME & ADDRESS OF OWNER

5. LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

ATTACH A COPY OF THE LEGAL DESCRIPTION OF THE PROPERTY (ON WHICH THE WATER WILL BE USED) TAKEN FROM A REAL ESTATE CONTRACT, PROPERTY DEED OR TITLE INSURANCE POLICY. OR, COPY CAREFULLY IN THE SPACE BELOW.

Sect 17 - Twp 28 - NR - 22 EW M



WHAT IS YOUR INTEREST IN THE PROPERTY ON WHICH THE WATER IS TO BE USED (PROPERTY OWNER, LESSEE, CONTRACT PLEASER, ETC.)

OWNER

ARE THERE ANY EXISTING WATER RIGHTS RELATED TO THE LAND ON WHICH THE WATER IS TO BE USED (INCLUDING WATER PROVIDED BY IRRIGATION DISTRICTS OR DITCH COMPANIES.)

YES

NO

IF YES, FROM WHAT SOURCE (i.e. SURFACE OR GROUND WATER) AND UNDER WHAT AUTHORITY

6. DESCRIPTION OF SYSTEM PROPOSED OR INSTALLED

(FOR EXAMPLE: SIZE OF PUMP, CAPACITY OF PUMP, PUMP MOTOR HORSE POWER, PIPE DIAMETER, NUMBER OF SPRINKLERS, ETC.)

The size of pump will depend on the amount of water I can get from the well, I hope to get water enough to irrigate 10 to 40 acres.

REMARKS

7. I want all the water this permit will allow - may if the test well shows favorably, all the 120 acres are not suitable for irrigation

IF 10 ACRE-FEET OR MORE OF WATER IS TO BE STORED AND/OR IF THE WATER DEPTH WILL BE 10 FEET OR MORE AT THE DEEPEST POINT, A STORAGE PERMIT MUST BE FILED IN ADDITION TO THIS PERMIT. THESE FORMS CAN BE SECURED, TOGETHER WITH INSTRUCTIONS, FROM THE DEPARTMENT OF ECOLOGY.

SIGNATURES

Carl E Pitman

APPLICANT'S SIGNATURE

CARL E PITMAN

LEGAL LANDOWNERS NAME (PLEASE PRINT)

Carl E Pitman

LEGAL LANDOWNER'S SIGNATURE

9509-49th NE-Seattle WASH

LEGAL LANDOWNER'S ADDRESS

Box-162 Shelton WASH 98816-

98115

FOR OFFICE USE ONLY

STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

SS.


This is to certify that I have examined this application together with the accompanying maps and data, and am returning it for correction or completion as follows:

In order to retain its priority date, this application must be returned to the Department of Ecology, with corrections, on or before....., 19.....

Witness my hand this.....day of....., 19.....

Department of Ecology

Sec. 17 Twp. 28 N. R. 22 E W M




Scale: 1 inch = 800 feet (each small square = 10 acres)

Show by a cross (X) the location of point of diversion (surface water source) or point of withdrawal (ground water source); For ground water applications, show by a circle (O) the locations of other wells or works within a quarter of a mile. Indicate traveling directions from nearest town in space below.


NORTH of MANSON WASHINGTON 3 Miles.
AND EAST ONE MILE EAST OFF IVAN MORIS ROAD

Detach here

Fold along scale



Detach this scale at the perforation, fold excess paper under or cut off excess by cutting along the scale line. This scale corresponds to the SECTION MAP above. You can read feet directly from this scale to outline property and locate points of diversion or withdrawal on the SECTION MAP. Enclose this map along with the application and \$10.00 examination fee.



Your water right application will be processed by the Regional Office of the Department of Ecology having jurisdiction in the area in which your water works are located. Please submit your completed application form, maps, sketches and \$10.00 examination fee to the appropriate Regional Office.

Northeast Regional Office
4350 150th Avenue N.E.
Redmond, Washington 98052
Tel. (206) 885-1900

Central Regional Office
3601 West Washington
Yakima, Washington 98903
Tel. (509) 575-2800

Southwest Regional Office
7272 Cleanwater Lane
Olympia, Washington 98504
Tel. (206) 753-2309

Eastern Regional Office
103 East Indiana Avenue
Spokane, Washington 99207
Tel. (509) 456-2926

The appropriate Regional Office will be happy to answer any further questions you may have.