Attn: Suzanne Blakeney

Eberhart well water used.

260.453 Acre feet

seperated out by permit

#'s. for you.

Permit #	flow meter start	flow meter end	cubic ft. used	Acre ft. used
Total used	323.899 Ac. ft.	584.352 Ac ft		260.453
G4-32995	(22 truckloads x 5,000/trk. = 110,000 gals.)			.34
G4-32993	022.5000 Ac ft.	034.1372 Ac ft		11.6372
G4-32991	206,182 cub. ft.	451,378 cb. ft.	1,245,196	28.59
G4-32992	034.071 Ac ft.	090.382 Ac ft		56.311
G4-32994				10.80
G4-29526				
				152.78

STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

15 West Yakima Avenue, Suite 200 • Yakima, Washington 98902-3452 • (509) 575-2490

November 16, 2001

Urban Eberhart
Columbia Cascade Land Company
PO Box 597
Ellensburg WA 98926

RE: Application No(s). G4-32995 (Columbia Cascade), G4-32994 (Eberhart Associates, Inc.), G4-32993 (Highline Orchards), G4-32991 (Kittitas Fruit Co.), G4-32992 (Rimland Co.)

Earlier this year, the Department of Ecology issued an Emergency Drought Authorization under the above-referenced application number for the use of emergency wells in the Yakima River basins to supplement reduced deliveries during this irrigation season. In some cases new wells were approved for this purpose.

One of the provisions of the authorizations was that a flow meter must be installed, water use monitored, and the water use records submitted to the department at the end of the irrigation season. At this time, I am writing to request the metering reports on these wells. If you did not drill a well that was authorized, or did not use water that was authorized, please let us know.

My staff will be conducting end of irrigation season field visits in the near future. Your meter records and information on the completion of new wells is greatly appreciated.

If you have questions, please call Suzanne Blakeney at (509) 454-7294.

Sincerely,

Phil Crane

Phil Crane, Unit Supervisor
Water Resources Program

SB:PC:gg
011110a



Department of Ecology
Permit Enforcement
15 W. Yakima Ave
Yakima, WA
98902

DEPT. OF ECOLOGY
Received
OCT 30 2001
CENTRAL REGION OFFICE

902/3452
© USPS 1989

Question: Urban Eberhart 1601 Lawrence Rd., McDowell Rd, Vanderbilt Rd.
Eberhart Associates, Ellensburg WA. Drought Permits
Aug. Sept. 2001 orchards!

1. Hauled water to trees south end Lawrence Rd.
2. 3 wells - 1 a permit kept on power lines
2 - no permits, took off power lines, used generators.
3. Without permits, does DOE approve?
Urban Eberhart, a Kittitas Reclamation District Director. Is he immune from investigation?
4. Amount of fuel delivered to generators.
5. Neighbors observed the unusual actions.

STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

15 West Yakima Avenue, Suite 200 • Yakima, Washington 98902-3452 • (509) 575-2490

May 22, 2001

To: Carroll Palmer, Yakama Nation

Re: Emergency Drought Permit G4-32991, G4-32992, G4-32993, G4-32994, G4-32995)

Enclosed are copies of the Department of Ecology's Emergency Drought Change Authorization(s), which constitutes our determination and order regarding the above-referenced application(s). If you have any questions or concerns about any of this information, please call Carol Mortensen of the Department of Ecology at (509) 575-2597.

This Order may be appealed pursuant to RCW Chapter 43.21B. The person to whom this Order is issued must file an appeal with the Pollution Control Hearings Board **within thirty (30) days of receipt of this Order**. Send the appeal to: Pollution Control Hearings Board, P.O. Box 40903, Olympia, Washington 98504-0903. At the same time, a copy of the appeal **must** be sent to: Department of Ecology, Fiscal Office, P.O. Box 47615, Olympia, Washington 98504-7615. All others receiving notice of this Order must file an appeal with the Pollution Control Hearings Board **within thirty (30) days of the date the Order was mailed** in the same manner described above.

Sincerely,

Robert F. Barwin, Section Manager
Water Resources Program

RFB:gg
010562a
Enclosures: Emergency Drought Change Authorization(s)

f-1oth.doc