J & J Bosma Dairy

DEPT OF ECOLOGY
Received
NOV 21 2001
CENTRAL REGION OFFICE

1291 Kellum Road • Outlook • WA • 98938 • Phone: (509)837-2896 • Fax: (509)837-8896

November 20, 2001

Mr. Phil Crane
Water Resources Program
Department of Ecology
15 West Yakima Ave, Suite 200
Yakima, WA 98902-3452

Re: Application No(s). G4-32982 and G4-32983

Gentlemen,

In accordance with your request and the requirements of the above referenced Emergency Drought Authorizations, we submit the following readings taken from the flow meters of the respective wells as indicated.

Date of Reading	G4-32982	G4-32983
June 4, 2001	84079400	00757300
June 22, 2001	98089400	11128600
July 7, 2001	106662900	17407800
July 19, 2001	109525700	21007300
August 15, 2001	110366100	26603400
August 31, 2001	111206500	32199500
September 19, 2001	122789000	32199500
October 1, 2001	123422000	32199500
October 15, 2001	123422000	32199500
November 2, 2001	123422000	32199500

All of the readings were taken when the wells were not being used and the rate of withdrawal was not observed. However, the rate of withdrawal authorized for each of the wells exceeds the capacity of the pump.

Please let me know if anything further is needed.

Sincerely,

John Bosma

John Bosma

STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

15 West Yakima Avenue, Suite 200 • Yakima, Washington 98902-3452 • (509) 575-2490

November 16, 2001

John Bosma
1291 Kellum Rd
Outlook WA 98938

RE: Application No(s). G4-32982, G4-32983

Earlier this year, the Department of Ecology issued an Emergency Drought Authorization under the above-referenced application number for the use of emergency wells in the Yakima River basins to supplement reduced deliveries during this irrigation season. In some cases new wells were approved for this purpose.

One of the provisions of the authorizations was that a flow meter must be installed, water use monitored, and the water use records submitted to the department at the end of the irrigation season. At this time, I am writing to request the metering reports on these wells. If you did not drill a well that was authorized, or did not use water that was authorized, please let us know.

My staff will be conducting end of irrigation season field visits in the near future. Your meter records and information on the completion of new wells is greatly appreciated.

If you have questions, please call Suzanne Blakeney at (509) 454-7294.

Sincerely,

Phil Crane

Phil Crane, Unit Supervisor
Water Resources Program

SB:PC:gg
011110a

STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

15 West Yakima Avenue, Suite 200 • Yakima, Washington 98902-3452 • (509) 575-2490

June 4, 2001

To: Carroll Palmer, Yakama Nation

RE: Emergency Drought Change Authorizations re:
G4-32982, G4-32983, G4-32973, G4-32978, G4-32961

Enclosed are copies of the Department of Ecology's Emergency Drought Authorization(s), which constitutes our determination and order regarding the above-referenced application(s). If you have any questions or concerns about any of this information, please call Carol Mortensen of the Department of Ecology at (509) 575-2597.

This Order may be appealed pursuant to RCW Chapter 43.21B. The person to whom this Order is issued must file an appeal with the Pollution Control Hearings Board **within thirty (30) days of receipt of this Order**. Send the appeal to: Pollution Control Hearings Board, P.O. Box 40903, Olympia, Washington 98504-0903. At the same time, a copy of the appeal must be sent to: Department of Ecology, Fiscal Office, P.O. Box 47615, Olympia, Washington 98504-7615. All others receiving notice of this Order must file an appeal with the Pollution Control Hearings Board **within thirty (30) days of the date the Order was mailed** in the same manner described above.

Sincerely,

Robert F. Barwin, Section Manager
Water Resources Program

RFB:gg
010607a
Enclosures: Emergency Drought Change Authorization(s)

f-1oth.doc

STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

15 West Yakima Avenue, Suite 200 • Yakima, Washington 98902-3452 • (509) 575-2490

May 7, 2001

To: Carroll Palmer, Yakama Nation

RE: Emergency Drought Permit re: John Bosma (G4-32983)

Enclosed is a copy of the Department of Ecology's Emergency Drought Permit, which constitutes our determination and order regarding the above-referenced application. If you have any questions or concerns about any of this information, please call Carol Mortensen of the Department of Ecology at (509) 575-2597.

This Order may be appealed pursuant to RCW Chapter 43.21B. The person to whom this Order is issued must file an appeal with the Pollution Control Hearings Board **within thirty (30) days of receipt of this Order**. Send the appeal to: Pollution Control Hearings Board, P.O. Box 40903, Olympia, Washington 98504-0903. At the same time, a copy of the appeal **must** be sent to: Department of Ecology, Fiscal Office, P.O. Box 47615, Olympia, Washington 98504-7615. All others receiving notice of this Order must file an appeal with the Pollution Control Hearings Board **within thirty (30) days of the date the Order was mailed** in the same manner described above.

Sincerely,

Robert F. Barwin, Section Manager
Water Resources Program

RFB:gg
010508a
Enclosures: Emergency Drought Permit

f-1oth.doc