



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

15 W Yakima Ave, Ste 200 • Yakima, WA 98902-3452 • (509) 575-2490

April 15, 2014

Gary Cotter
11 Dry Rock Court
Kettle Falls, WA 99141

Re: Water Right No. S3-30695

Dear Mr. Cotter:

Enclosed is your Permit to be retained for your records. Please read the enclosed information sheet, as well as your entire Permit.

This permit authorizes you to construct your project and put water to use.

We are enclosing a *Construction Notice* form. Once you begin construction, complete and submit the form to this office. **If you cannot begin your project by December 1, 2014, you must contact this office to apply for an extension.**

If you have any questions, please contact Anita Waterman at (509) 329-3541.

Sincerely,

Amanda Hoisington
Office of Columbia River


140315

Enclosures: *Permit*
Construction Notice
Important Information About Your Water Right Permit
Water Service Contract

CC: Lois Trevino, Colville Confederated Tribes

FILE COPY





State of Washington
Department of Ecology
Office Of Columbia River
Water Right Permit for Lake Roosevelt
Incremental Storage Releases Program

File NR S3-30695
WR Doc ID 5886059

PRIORITY DATE
8/22/2013

PERMIT NUMBER
S3-30695P

MAILING ADDRESS
 Gary Cotter
 11 Dry Dock Court
 Kettle Falls, WA 99141

SITE ADDRESS (IF DIFFERENT)

Quantity Authorized for Diversion

DIVERSION RATE	UNITS	ANNUAL QUANTITY (AF/YR)
0.07	CFS	10

Purpose

PURPOSE	DIVERSION RATE		UNITS	ANNUAL QUANTITY (AF/YR)		PERIOD OF USE (mm/dd)
	ADDITIVE	NON-ADDITIVE		ADDITIVE	NON-ADDITIVE	
Single domestic supply and non-agricultural irrigation of 3 acres	0.07		CFS	10		01/01 - 12/31

Source Location

COUNTY	WATERBODY	TRIBUTARY TO	WATER RESOURCE INVENTORY AREA
FERRY	FRANKLIN D ROOSEVELT LAKE	COLUMBIA RIVER	58-MIDDLE LAKE ROOSEVELT

SOURCE FACILITY/DEVICE	PARCEL	TWP	RNG	SEC	QQ Q	LATITUDE	LONGITUDE
A pump	NA	35N	36E.W.M.	20	NWNE	TBD	TBD

Place of Use

PARCELS (NOT LISTED FOR SERVICE AREAS)

7-35-20-50-00130-00

LEGAL DESCRIPTION OF AUTHORIZED PLACE OF USE

A Tract of Land located in Government Lot 3, Section 20, T. 35 N., R. 37E.W.M. described as follows: Commencing at the Northwest corner of Govt. Lot 3; thence east to the west boundary of the Columbia River Reservoir; thence southwest 55 feet more or less to a Government marker, the point of beginning; thence N 89 30' west 230 feet; southwest to a point which is 15 East 116 feet from the southwest corner of Tract: thence south 15 West 116 feet to the southwest corner; thence south 89 30' east 401.0 feet to the westerly boundary of the Columbia River Reservoir; thence north 31 east 20 feet more or less to the Reservoir Corner; thence 5 15" west to the point of beginning.

And including that portion of Lot 13 and 14 Martin Creek Tree Farms according to plat recorded in Volume 2 of Plats page 25 records of Ferry County lying below the access road.

Proposed Works

A pump in the lake diverting to a small pond, then to hoses and sprinklers.

Development Schedule

BEGIN PROJECT	COMPLETE PROJECT	PUT WATER TO FULL USE
December 1, 2014	December 1, 2016	December 1, 2018

Measurement of Water Use

How often must water use be measured?	Bi-weekly (Every two weeks)
How often must water use data be reported to Ecology?	Upon Request by Ecology
What volume should be reported?	Total Annual Volume in ac-ft
What rate should be reported?	Annual Peak Rate of Withdrawal in cfs

Provisions

Water Service Contract

Use of water under this permit or certificate is contingent upon the applicant's compliance with a water service contract with the Department of Ecology (Ecology) for recovery of costs associated with the Lake Roosevelt Incremental Storage Releases Program. Failure to comply with the terms of the water service contract will result in cancellation of the permit or revocation of the certificate.

Measurements, Monitoring, Metering and Reporting

An approved measuring device must be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", WAC 173-173, which describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition Ecology for modifications to some of the requirements.

Recorded water use data shall be submitted via the Internet. To set up an Internet reporting account, contact the Central Regional Office. If you do not have Internet access, you can still submit hard copies by contacting the Central Regional Office for forms to submit your water use data.

Department of Fish and Wildlife Requirement(s)

The intake(s) shall be screened in accordance with Department of Fish and Wildlife screening criteria (pursuant to RCW 77.57.010, RCW 77.57.070, and RCW 77.57.040). Contact the Department of Fish and Wildlife, 600 Capitol Way N, Olympia, WA 98501-1091. Attention: Habitat Program, Phone: (360) 902-2534 if you have questions about screening criteria. <http://wdfw.wa.gov/about/contact/>.

Easement and Right-of-Way

The water source and/or water transmission facilities are not wholly located upon land owned by the applicant. Issuance of a water right change authorization by this Department does not convey a right of access to, or other right to use, land which the applicant does not legally possess. Obtaining such a right is a private matter between applicant and owner of that land.

Water Use Efficiency

The water right holder is required to maintain efficient water delivery systems and use of up-to-date water conservation practices consistent with RCW 90.03.005.

Schedule and Inspections

Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the project location, and to inspect at reasonable times, records of water use, wells, diversions, measuring devices and associated distribution systems for compliance with water law.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or to give notice to Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at Yakima, Washington this 15th day of April, 2014.

Department of Ecology

by Mark C. Schuppe

Mark C. Schuppe,
Operations Manager
Office of Columbia River

OK [Signature]