

DEPARTMENT OF  
**ECOLOGY**  
State of Washington

STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

**PERMIT**

TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

<b>PRIORITY DATE</b> June 8, 2008	<b>PERMIT NUMBER</b> S3-30558
--------------------------------------	----------------------------------

<b>MAILING ADDRESS</b> William R. Renz 1101 South Adams Road Spokane Valley WA 99037	<b>SITE ADDRESS (IF DIFFERENT)</b>
---	------------------------------------

**Quantity Authorized for Diversion**

<b>DIVERSION RATE</b> 0.01	<b>UNITS</b> CFS	<b>ANNUAL QUANTITY (AF/YR)</b> 1
-------------------------------	---------------------	-------------------------------------

**Purpose of Use**

PURPOSE	DIVERSION RATE		UNITS	ANNUAL QUANTITY (AF/YR)		PERIOD OF USE (mm/dd)
	ADDITIVE	NON-ADDITIVE		ADDITIVE	NON-ADDITIVE	
Single Domestic supply (includes recreational use and irrigation of 1/2 acre)	0.01	---	CFS	1	---	1/1 to 12/31 irrigation from 5/1 to 10/1

**Source Location**

<b>COUNTY</b> PEND OREILLE	<b>WATERBODY</b> PEND OREILLE RIVER	<b>TRIBUTARY TO</b> COLUMBIA RIVER	<b>WATER RESOURCE INVENTORY AREA</b> 62-PEND OREILLE
-------------------------------	--	---------------------------------------	---

<b>SOURCE FACILITY/DEVICE</b> Pump	<b>PARCEL</b> 433733579004	<b>TWP</b> 37 N.	<b>RNG</b> 43 E.	<b>SEC</b> 33	<b>QQ Q</b> SE 1/4 NW 1/4	<b>LATITUDE</b> 48.6651272	<b>LONGITUDE</b> 117.3788844
---------------------------------------	-------------------------------	---------------------	---------------------	------------------	------------------------------	-------------------------------	---------------------------------

Datum: WGS84

**Place of Use**

<b>PARCELS (NOT LISTED FOR SERVICE AREAS)</b> 433733579004
---

<b>LEGAL DESCRIPTION OF AUTHORIZED PLACE OF USE</b> Lot 4, of Sunvale Acres First Addition, Section 33, Township 37 North, Range 43 E.W.M. Pend Oreille County, Washington
--

PERMIT

**Proposed Works**

1/3 hp pump, 1¼ inch pvc line

**Development Schedule**

BEGIN PROJECT	COMPLETE PROJECT	PUT WATER TO FULL USE
January 1, 2014	January 1, 2015	January 1, 2016

**Measurement of Water Use**

How often must water use be measured?	Weekly
How often must data be reported to Ecology?	Upon Request by Ecology
What volume should be reported?	Total Annual Volume
What rate should be reported?	Annual Peak Rate of Diversion (gpm or cfs)

**Provisions**

**Pend Oreille River Low Flow**

All irrigation shall cease when the flow of the Pend Oreille River falls below 7700 cubic feet per second at U.S. Geological Survey (U.S.G.S.) gage #12395500, Pend Oreille River at Newport, located within Section 24, Township 56 N., Range 6 W.B.M.

**Measurements, Monitoring, Metering and Reporting**

An approved measuring device shall be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", WAC 173-173.

WAC 173-173 describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.

**Department of Fish and Wildlife Requirement(s)**

The intake(s) shall be screened in accordance with Department of Fish and Wildlife screening criteria (pursuant to RCW 77.57.010, RCW 77.57.070, and RCW 77.57.040). Contact the Department of Fish and Wildlife, 600 Capitol Way N, Olympia, WA 98501-1091. Attention: Habitat Program, Phone: (360) 902-2534 if you have questions about screening criteria. <http://wdfw.wa.gov/about/contact/>

**Water Use Efficiency**

The water right holder is required to maintain efficient water delivery systems and use of up-to-date water conservation practices consistent with RCW 90.03.005.

**Proof of Appropriation**

The water right holder shall file the notice of Proof of Appropriation of water (under which the certificate of water right is issued) when the permanent distribution system has been constructed and the quantity of water required by the project has been put to full beneficial use. The certificate will reflect the extent of the project perfected within the limitations of the permit. Elements of a proof inspection may include, as appropriate, the source(s), system instantaneous capacity, beneficial use(s), annual quantity, place of use, and satisfaction of provisions.


**Schedule and Inspections**

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the project location, and to inspect at reasonable times, records of water use, wells, diversions, measuring devices and associated distribution systems for compliance with water law.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Dated this 27<sup>th</sup> day of February, 2013, at Spokane, Washington,

Department of Ecology

by   
Keith L. Stoffel, Section Manager

DATA REVIEW  
OK RT

KLS/KT:md  
W: Permits/Tusa/2013/Renz S3-30558 permit 2-13-2013.doc

U.S. Postal Service™  
**CERTIFIED MAIL™ RECEIPT**  
 (Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at [www.usps.com](http://www.usps.com)

**OFFICIAL USE**

7011 3500 0001 8626 4914

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

1/3/13

Postmark  
Here

Sent To  
 Street, Apt. No.,  
 or PO Box No.  
 City, State, ZIP+4

**MR. WILLIAM R. RENZ**  
**1101 SOUTH ADAMS ROAD**  
**SPOKANE VALLEY WA 99037**

PS Form 3800, August 2006

See Reverse for Instructions

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

**MR. WILLIAM R. RENZ**  
**1101 SOUTH ADAMS ROAD**  
**SPOKANE VALLEY WA 99037**

**COMPLETE THIS SECTION ON DELIVERY**

- A. Signature  Agent  
 Addressee
- B. Received by (Printed Name)  Date of Delivery
- C. *Cindy Renz* *1/3/13*
- D. Is delivery address different from item 1?  Yes  
 If YES, enter delivery address below:  No

3. Service Type
- Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)  Yes

2. Article Number  
 (Transfer from service lat) 7011 3500 0001 8626 4914