



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

4601 N Monroe Street • Spokane, Washington 99205-1295 • (509)329-3400

March 28, 2013

COPY

Mr. Ray Westover  
25118 North Regal Road  
Chattaroy, Washington 99003

Re: Surface Water Permit No. S3-30601

Dear Mr. Westover:

Enclosed is your permit to be retained for your records. Please read the enclosed information sheet, as well as your entire permit.

This permit authorizes you to construct your project and put water to use.

We are enclosing a *Construction Notice* form. Once you begin construction, complete and submit the form to this office. **If you cannot begin your project by January 1, 2014, you must contact this office to apply for an extension.**

If you have any questions, please contact Kevin Brown at 509-329-3422.

Sincerely,


Karen Tusa  
Water Resources Program  
Eastern Regional Office

KT:md

Enclosures: Permit

*Construction Notice*  
*Important Information About Your Water Right Permit*





STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

**PERMIT**

TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

<b>PRIORITY DATE</b> August 13, 2009	<b>PERMIT NUMBER</b> S3-30601
---	----------------------------------

<b>MAILING ADDRESS</b> Ray Westover 25118 North Regal Road Chattaroy WA 99003	<b>SITE ADDRESS (IF DIFFERENT)</b>
--	------------------------------------

**Quantity Authorized for Diversion**

<b>DIVERSION RATE</b> 0.02	<b>UNITS</b> CFS	<b>ANNUAL QUANTITY (AF/YR)</b> 0.5
-------------------------------	---------------------	---------------------------------------

**Purpose of Use**

PURPOSE	DIVERSION RATE		UNITS	ANNUAL QUANTITY (AF/YR)		PERIOD OF USE (mm/dd)
	ADDITIVE	NON-ADDITIVE		ADDITIVE	NON-ADDITIVE	
Single domestic supply	0.02	---	CFS	0.5		continuous

**Source Location**

<b>COUNTY</b> PEND OREILLE	<b>WATERBODY</b> Marshall Lake	<b>TRIBUTARY TO</b> Pend Oreille River	<b>WATER RESOURCE INVENTORY AREA</b> 62-PEND OREILLE
-------------------------------	-----------------------------------	---	---

<b>SOURCE FACILITY/DEVICE</b> Marshall Lake	<b>PARCEL</b> 453223529027	<b>TWP</b> 32 N.	<b>RNG</b> 45 E.	<b>SEC</b> 23	<b>QQ Q</b> SE¼	<b>LATITUDE</b> TBD	<b>LONGITUDE</b> TBD
--	-------------------------------	---------------------	---------------------	------------------	--------------------	------------------------	-------------------------

Datum: WGS84

**Place of Use**

**PARCELS (NOT LISTED FOR SERVICE AREAS)**  
453223529027

**LEGAL DESCRIPTION OF AUTHORIZED PLACE OF USE**

Lot 27 Magart's Lakehill Addition according to the Plat thereof recorded in Book 2 of Plats, page 65 being a part of the SE¼ of Section 23, T. 32 N. R. 45 E.W.M. Pend Oreille County, Washington

**Proposed Works**

TBD

### Development Schedule

BEGIN PROJECT	COMPLETE PROJECT	PUT WATER TO FULL USE
January 1, 2014	January 1, 2015	January 1, 2016

### Measurement of Water Use

How often must water use be measured?

Annually

How often must data be reported to Ecology?

Upon Request by Ecology

What volume should be reported?

Total Annual Volume

What rate should be reported?

Annual Peak Rate of Diversion (cfs)

### Provisions

#### Pend Oreille River Low Flow

All irrigation shall cease when the flow of the Pend Oreille River falls below 7700 cubic feet per second at U.S. Geological Survey (U.S.G.S.) gage #12395500, Pend Oreille River at Newport, located within Section 24, Township 56 N., Range 6 W.B.M.

#### Measurements, Monitoring, Metering and Reporting

An approved measuring device shall be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", WAC 173-173.

WAC 173-173 describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.

#### Department of Fish and Wildlife Requirement(s)

The intake(s) shall be screened in accordance with Department of Fish and Wildlife screening criteria (pursuant to RCW 77.57.010, RCW 77.57.070, and RCW 77.57.040). Contact the Department of Fish and Wildlife, 600 Capitol Way N, Olympia, WA 98501-1091. Attention: Habitat Program, Phone: (360) 902-2534 if you have questions about screening criteria. <http://wdfw.wa.gov/about/contact/>

#### Proof of Appropriation

The water right holder shall file the notice of Proof of Appropriation of water (under which the certificate of water right is issued) when the permanent distribution system has been constructed and the quantity of water required by the project has been put to full beneficial use. The certificate will reflect the extent of the project perfected within the limitations of the permit. Elements of a proof inspection may include, as appropriate, the source(s), system instantaneous capacity, beneficial use(s), annual quantity, place of use, and satisfaction of provisions.


#### Schedule and Inspections

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the project location, and to inspect at reasonable times, records of water use, wells, diversions, measuring devices and associated distribution systems for compliance with water law.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Dated this 28<sup>th</sup> day of March, 2013, at Spokane, Washington,

Department of Ecology

by   
Keith L. Stoffel, Section Manager

DATA REVIEW  
OK RT

KLS/KT:md  
W: Permits/Tusa/2013/Westover S3-30601 permit 3-28-2013.doc