




State of Washington
 DEPARTMENT OF ECOLOGY
 4601 N Monroe Street
 Spokane, WA 99205-1295

CERTIFIED MAIL™



7011 3500 0001 8621 8856



UNITED STATES POSTAGE

 PITNEY BOWES
 02 1M \$ 06.11⁰
 0004285354 DEC 05 2013
 MAILED FROM ZIP CODE 99205

RECEIVED

DEC 09 2013

Department of Ecology
 Eastern Regional Office

MR. STEPHEN DAVIS
 115 WALKER DRIVE
 CHENEY WA 99004

U T F

NIXIE 992 7E 1009 0012/07/13
 RETURN TO SENDER
 NOT DELIVERABLE AS ADDRESSED
 UNABLE TO FORWARD
 EC: 99205129599 *1020-82370-05-35
 99205101295

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

**MR. STEPHEN DAVIS
115 WALKER DRIVE
CHENEY WA 99004**

2. Article Number
(Transfer from service lab)

7011 3500 0001 8621 8856

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X Agent Addressee

B. Received by (Printed Name)

C. Date of Delivery

D. Is delivery address different from item 1? YesIf YES, enter delivery address below: No

3. Service Type

 Certified Mail Express Mail Registered Return Receipt for Merchandise Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee)

 Yes

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com®

OFFICIAL USE

7011 3500 0001 8621 8656

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

12/5/13
Postmark
Here

<i>Sent To</i>	
Street, Apt. No., or PO Box No.	MR. STEPHEN DAVIS
City, State, ZIP+4	115 WALKER DRIVE CHENEY WA 99004

PS Form 3800, August 2006

See Reverse for Instructions



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

4601 N Monroe Street • Spokane, Washington 99205-1295 • (509)329-3400

December 5, 2013

Mr. Stephen Davis
115 Walker Drive
Cheney WA 99004

Re: Water Right Application S3-29969

Dear Mr. Davis:

On June 24, 1996 you filed water right application S3-29969 requesting to divert water for stock watering purposes. The proposed point of diversion is located in Section 10, T. 27 N., R. 35 E.W.M. The spring location and use of the water lies within the Colville Indian Reservation. The spring rises and falls on the property and does not leave the property.

Surface waters within the Colville Reservation are subject to the federal reserve water rights of the Colville Indian Reservation.

If you wish to obtain a water right you need to contact the water right representative from the Colville Indian Tribe as it is not within our authority to issue water rights from surface water sources within the Colville Indian Reservation.

Therefore, your Water Right Application S3-29969 is REJECTED.

Your Right To Appeal

You have a right to appeal this Order to the Pollution Control Hearings Board (PCHB) within 30 days of the date of receipt of this Order. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of the Order.

File your appeal and a copy of this Order with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.


- Serve a copy of your appeal and this Order on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.



- You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel Road SW Ste 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

Signed at Spokane, Washington, this 5th day of December, 2013.



Keith L. Stoffel, Section Manager

KLS:KB:ka

Enclosure: Your Right to Be Heard

By Certified Mail 7011 3500 0001 8621 8856



COPY

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

4601 N. Monroe, Suite 202 • Spokane, Washington 99205-1295 • (509) 456-2926

August 16, 1996

Stephen Davis
115 Walker Drive
Cheney, WA 99004-1122

Dear Mr. Davis:

RE: Surface Water Application No. S3-29969

We have received your application for a water right and have assigned the application number indicated above. It would help us if you referred to it by number in future correspondence.

Due to a shortage of staff to meet the demand for service, new applications are being accepted and filed for future processing, but a public notice will not be sent at this time. Because we have approximately 5,000 pending applications for water rights, it may be some time before we can get to your application. When we begin processing your application, we'll prepare a public notice and send it to you with publication instructions. It is very important that you notify us of any change of address or ownership of the property; or, if your plans for water use change.

We are working on the oldest applications on file as quickly as we are able. We are also looking for ways to speed up decision making. Please keep in mind that filing an application for water use does not authorize use of the water. With the many complexities of water law, including issues such as senior rights, fish habitat, and instream flows, favorable permit decisions are not always possible. I regret that a decision on your application cannot be made sooner and strongly advise against investing further in your project unless you are issued a water right permit.


I apologize that this is the best we can do currently. To better manage limited staff time, we have set the following office hours:

Telephone Calls
Mondays and Wednesdays
8:00 am to 4:00 pm
(509) 456-2926

Walk-Ins
Tuesdays and Thursdays
8:00 am to 12:00 (noon)

We will respond to your questions and concerns as soon as possible. Thank you for your continued patience.


Sincerely,


Bruce F. Howard
Section Manager
Shorelands and Water Resources Program

BFH:mjw

c:\wpdocs\appform.wp





STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

4601 N. Monroe, Suite 202 • Spokane, Washington 99205-1295 • (509) 456-2926

July 2, 1996

Mr. Stephen Davis
115 Walker Drive
Cheney, WA 99004-1122

S 329969

Dear Mr. Davis:

We have received your application for a surface water permit within Ferry County.

Enclosed you will find a map of Section 10 and 11, Township 27 N, Range 35 E. In order to better assist our field staff person, please place an "x" in the approximate location of the proposed surface water withdrawal.

Some of the information on your application was incomplete. In order to process your application, the following information is needed:

1. Section 1: After requesting the source of water, which you said 'unnamed spring', the application asks what this source is tributary to. If the spring runs into a named creek, river or body of water, what is it's name? If the spring goes back into the ground, please state so.

Spring goes into ground
note: Spring is somewhat called "cotton wood springs"

2. Section 3: Enter the distances from the nearest section corner to the place of withdrawal. (For example: 1250' South and 50' West of the Northeast corner of Section 10.)

app. 1320 South of NE corner of Section 10

In order to retain your original priority date of June 24, 1996, please return the completed map and information requested within thirty (30) days from the date of this letter.

If you have any questions, please call me at (509)625-5187.

Sincerely,

Linda M. Kiefer

Linda M. Kiefer
Shorelands & Water Resources Program

LK
Enclosures

Note: Flow from Spring varies with the season.



TRUE COPY

DO NOT REMOVE

OLSON CANYON 7 1/2 QUAD MAP

LINCOLN QUADRANGLE WASHINGTON 7.5 MINUTE SERIES (TOPOGRAPHIC) UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

25' 395 2600000 FEET 118° 22' 30" 398000mE

