

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

October 5, 1992

John Friend
PO Box 2
Alderdeen, Washington 87520-0002

Dear Mr. Friend:

Re: Ground Water Application No. G 2-28551

We acknowledge receipt of your affidavit of publication of notice in connection with the above-numbered application.

The water codes require that no action be taken toward issuance of a permit earlier than thirty (30) days after the last date of publication. This period of time is allowed for filing any protests or objections.

A site investigation will be made by this office before we issue a permit decision. In light of our water right backlog, we estimate it will be about 18 months after receipt of your application before we are able to conduct the site investigation.

Sincerely,

Sheri Fox
Water Resources

SFl0(12A)

S

Affidavit of Publication

STATE OF WASHINGTON
County of Thurston

ss.

The undersigned being first duly sworn on oath deposed and says: That she is the Principal Clerk of The Olympian which is a legal newspaper printed and published in the City of Olympia, Thurston County, Washington: of general circulation in said City, County and State; that the _____

Notice of App. - Water Rights in the case of
John Friend

of which the attached is a printed copy, was published in said newspaper:


On the 5th day of August 1992;
the 12th day of August 1992;
the _____ day of _____ 1992.

that the said newspaper was generally circulated during all of said time, and has been published for more than six months prior to the dates of the publication of this legal document, and that said notice was published in the newspaper proper, and not in supplement form.

The amount of fee charged for this publication is \$
=====

Lynn A Howard
Principal Clerk

Subscribed and sworn to me this 12th day of August 1992.



Diane M Schultz
Notary Public and for the State of Washington
residing at Olympia, Thurston Country, Washington.



Legal #5962
STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY
NOTICE OF APPLICATION TO
APPROPRIATE PUBLIC WATERS
TAKE NOTICE:
That John Friend of Aberdeen, Wash-
ington on July 2, 1992 under Appli-
cation No. G2-28551 filed for permit
to appropriate public waters, subject
to existing rights, from well in the
amount of 100 gallons per minute as
needed year round each year, for mul-
tiple domestic.
The source of the proposed appropria-
tion is located within SW1/4 SW1/4 of
Section 31, Township 18 N., Range
1E W.M., in Thurston County.
Protests or objections to approval of
this application must include a de-
tailed statement of the basis for objec-
tions: protests must be accompanied
by a two dollar (\$2.00) recording fee
and filed with the Department of Ec-
ology, at the address shown below,
within thirty (30) days from August
12, 1992.
DEPARTMENT OF ECOLOGY
POST OFFICE BOX 47775
OLYMPIA WA 98504-7775
Publish: August 5, 12, 1992

*affidavit of
10/1/92
SK*

The Olympian has been appointed as a legal newspaper by order of the Superior Court of the State of Washington for Thurston County, dated July 10, 1941, in the county in which said newspaper is published in accordance with RCW 65.16.020 and RCW 65.16.040.

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

September 24, 1992

John Friend
PO Box 1
Aberdeen, Washington 98520-0001

Dear Mr. Friend:

Re: Ground Water Application No. G 2-28551

On July 23, 1992, this office sent a notice to you for publication in a newspaper within Thurston County.

We have not received the necessary Affidavit of Publication and, therefore, cannot continue to process your application.

Please reply within thirty (30) days or, if you are no longer interested in the application or obtaining a water right, please sign the statement below and return to this office.

I am no longer interested in processing the Ground Water Application No. G 2-28551 or obtaining a water right and I hereby agree to it being cancelled.

I understand that after the effective date of cancellation, any withdrawal of ground water exceeding 5000 gallons a day and irrigation of more than one-half acre is a violation in accordance with Chapters 90.03 and 90.44 RCW and is subject to enforcement action.

Signature

Sincerely,

Sheri Fox
Water Resources

SF:th(6AG)

PLEASE NOTIFY OF ADDRESS CHANGE

CHRISTINE O GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

July 23, 1992

John Friend
P.O. Box 1
Aberdeen, Washington 98520-0001

Dear Mr. Friend:

Re: Ground Water Application No. G 2-28551

Your application for the appropriation of water has been assigned the above-referenced number. Please refer to this number in future correspondence.

Enclosed is an notice of your application which must be published once a week for two consecutive weeks in a qualified legal newspaper of general circulation in the County or Counties in which the storage, diversion, and use is to be made and in other newspapers as directed. A list of these newspapers in your county is enclosed. The applicant is responsible for the payment of the publication. Please read the notice carefully to make sure it is correct. Should you find an error, please return the notice to our office for correction.

You should mail or deliver the enclosed notice to a newspaper regarding publication as soon as possible. When you receive the affidavit of publication with the news clipping from the newspaper, please forward the original to this office promptly.


Since your application is for service of more than one residence, it is considered a public water supply. Public water supply systems are required to be approved by either the local health department or the Department of Social and Health Services (DSHS), depending upon system size. If you have not already done so, I suggest that you contact your local Health Department or Department of Social and Health Services, Water Supply and Waste Section, Olympia, Washington, for further information.

S

John Friend
Page 2
July 23, 1992

A site investigation will be made by this office before we issue a permit decision. In light of our water right backlog, we estimate it will be about 18 months after receipt of your application before we are able to conduct the site investigation.

Sincerely,



Sheri Fox
Water Resources

SF:pz
Enclosure



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

NOTICE OF APPLICATION TO APPROPRIATE PUBLIC WATERS

TAKE NOTICE:

That John Friend
of Aberdeen, Washington on July 2, 1992 under
Application No. G2-28551 filed for permit to appropriate public waters, subject to existing rights,
from well
in the amount of 100 gallons per minute as needed year round
each year, for multiple domestic

The source of the proposed appropriation is located within SW $\frac{1}{4}$ SW $\frac{1}{4}$

of Section 34 Township 18 N., Range 1E W.M., in Thurston County.

Protests or objections to approval of this application must include a detailed statement of the basis for objections; protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the Department of Ecology, at the address shown below, within thirty (30) days from

.....
(Last date of publication to be entered above by publisher)

* Notice must be published once a week for two consecutive weeks.

DEPARTMENT OF ECOLOGY
POST OFFICE BOX 47775
OLYMPIA WA 98504-7775

S