

# Report of Examination Routing Slip

File No. Y:/Jill/ROE/G228430  
Letter No./Fee #20 - Approve Permit

	<u>Initial</u>	<u>Date</u>
Author	<u>dw</u>	<u>4/11/03</u>
Hydrogeologist	<u>TH</u>	<u>4/29/03</u>
Reviewers	<u>MP</u>	<u>4-30-03</u>
	<u>Q</u>	<u>5/20/03</u>
Proofed	_____	_____
Signed by Author	_____	_____
Section Supervisors Approval and Sig.	_____	_____
Tracking	_____	_____

Mail Copies of Report To: (Permit Writer list - include addresses)

Enclosure: (list)

Mailed Originals and cc's TH 5/27/03



CONTROL NUMBER	TYPE/ STAT	BUSINESS/PERSON NAME	PRIORITY DATE	WRIA CODE	COUNTY NAME	ACRE Qi	FT/YR	PURPOSES	TRS	SOURCE	QUAD
G2-00691CWRIS	CE	LARSON I L	4/15/66	11	PIERCE	350.00	140.0	IR·	T17N/R03 E-21	WELL	NW/4SW/4NW/4
G2-00733CWRIS	CE	FEARS J R	6/02/71	11	THURSTON	200.00	48.0	DM·	T18N/R01 E-21	WELL	SE/4SW/4
G2-00758CWRIS	CE	MILLER C A	1/13/70	11	PIERCE	100.00	23.0	DM·	T16N/R03 E-06	WELL	SE/4NE/4SE/4
G2-00763CWRIS	CE	BEWLEY DANFORTH E	6/01/70	11	PIERCE	5.00	1.0	DS·	T16N/R04 E-03 T16N/R04 E-03	WELL WELL	E/2NE/4SW/4 SW/4
G2-00784CWRIS	CE	HOLLAND GEORGE G	9/20/71	11	THURSTON	30.00	1.0	DS·	T17N/R02 E-18	WELL	NE/4SE/4
G2-00786CWRIS	CE	MCKENZIE MONTE M	2/08/71	11	THURSTON	20.00	2.0	DM·	T17N/R01 E-26 T17N/R01 E-26	WELL WELL	SE/4NE/4 NE/4SE/4
G2-00792AKTCWRIS	CE	MCMONIGLE A H & J P	7/30/68	11	THURSTON	250.00	153.0	ST·IR·DM·	T17N/R02 E-32	WELL	SW/4SE/4SW/4
G2-00792CBKTWRIS	CE	Zinski	7/03/68	11	THURSTON	550.00	265.0	ST·IR·DM·	T16N/R02 E-05 T17N/R02 E-32 T N/R -	WELL WELL WELL	
G2-00815CWRIS	CE	CARSON JACK & IRMA	3/31/71	11	PIERCE	20.00	9.0	ST·IR·DS·	T17N/R04 E-03	WELL	
G2-00820CWRIS	CE	SANDOVAL CAROLINA	3/09/70	11	THURSTON	60.00	18.0	DM·	T18N/R01 E-21	WELL	
G2-00851CWRIS	CE	SCENIC PROPERTIES IN	1/07/69	11	THURSTON	50.00	30.0	DM·	T16N/R02 E-21	WELL	
G2-00886CWRIS	CE	HARRISON GLADYS	11/01/68	11	THURSTON	60.00	30.0	DM·CI·	T18N/R01 E-07	WELL	
G2-00934CWRIS	CE	SOUTH SOUND UTIL CO	10/14/70	11	THURSTON	90.00	25.0	DM·	T18N/R01 E-31	WELL	NW/4SW/4
G2-00942CWRIS	CE	THOMPSON JOHN A	4/27/71	11	THURSTON	30.00	24.0	DM·	T18N/R01 E-06	WELL	
G2-00980CWRIS	CE	CARLSON THERON A	10/01/70	11	PIERCE	10.00	.5	DS·	T17N/R04 E-35	WELL	



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

November 23, 1998

Pat Wiles  
Stroh Water Company  
3408 Hunt Street  
Gig Harbor, WA 98335-2038

Dear Ms. Wiles:

Re: Stroh Water's Pending Application No.'s G2-28125, G2-28376 & G2-28430

Thanks for speaking with me last week regarding Stroh Water's three pending water right applications. As we discussed, I would like to begin reviewing these applications, but have questions regarding what your company is requesting.

Here's a brief summary of which application are pending, and my questions:

- On December 5, 1991 Stroh Water submitted application G2-28376 from a well. The well was described as being constructed with a 6-inch casing and drilled to a depth of 318 feet. (This well is located in the same location as Well 5, and it has been Ecology's understanding that this application was filed for additional water from Well 5 - except that Well 5 should have an 8-inch casing, and the application states that the well was constructed in 1959.) A withdrawal rate of 150 gpm was requested for supply of 1,000 connections. So, I need to know - 1) is this application for Well 5, or some different well, 2) If it is for Well 5 does Stroh Water intend to increase the withdrawal rate from Well 5 from 300 to 450 gpm?, 3) What does the well currently produce and have pump tests been conducted to support the increased withdrawal?
- On March 11, 1992 Stroh Water submitted application G2-28430 for what also appears to be Well 5, (same location as above and described as being an 8-inch casing drilled to 300 feet deep). This application requests 300 gpm, for supply of 600 homes. Again, is this another application for Well 5, and what is the intent?
- Application G2-28125 was filed on April 29, 1991 for a proposed Well 8. Ecology issued a preliminary permit, including an extension, so that Stroh could drill and test the production well. If this well was constructed, Stroh needs to submit an aquifer test and well log as detailed in the preliminary permit.

To continue processing these applications I will need to get the following:

- An explanation of which pending applications are intended for which wells, and what the proposal to appropriate more water actually is.
- A copy of your most recent Water System Plan that includes updated Demand Forecasting figures that demonstrate projected future water needs, a service area map and production data from the last few years - ideally total quantities of water pumped from each well.



November 23, 1998  
Page 2

Also, in reviewing your water rights, I noticed that certificate G2-23344 was originally issued to Harbor Water Company, and if this well is interconnected with the rest of your system you should file an *Application for Change* to change legal service area.

I would be happy to meet with you to sort out these questions, feel free to call me at (360) 407-0274 if you have any questions, or to set up a time for us to meet.

Sincerely,



Jill Walsh  
Water Resources Program  
Southwest Regional Office

JW:th

Cc: Dave Matz



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

AMENDED

NOTICE OF APPLICATION TO APPROPRIATE PUBLIC WATERS

TAKE NOTICE:

That Stroh Water Company  
of Gig Harbor, Washington on March 11, 1992 under  
Application No. G 2-28430 filed for permit to appropriate public waters, subject to existing rights,  
from a well  
in the amount of 300 gallons per minute as needed year round  
each year, for multiple domestic supply

The source of the proposed appropriation is located within NE 1/4 SE 1/4  
of Section 18, Township 21 N., Range 2E W.M., in Pierce County.

*Protests or objections to approval of this application must include a detailed statement of the basis for objections; protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the Department of Ecology, at the address shown below, within thirty (30) days from*

(Last date of publication to be entered above by publisher)

\* Notice must be published once a week for two consecutive weeks.

Dept. of Ecology  
P.O. Box 47775  
Olympia, wa 98504-7775

NOTICE

CHRISTINE O. GREGOIRE  
Director



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

January 27, 1993

Stroh Water Company  
3408 Hunt Street  
Gig Harbor, Washington 98335-2038

Dear Sir or Madame:

Re: Ground Water Application No. G 2-28430

Your amended application for the appropriation of water has been assigned the above referenced number. Please refer to this number in future correspondence.

Enclosed is a notice of your amended application which must be published once a week for two consecutive weeks in a qualified legal newspaper of general circulation in the County or Counties in which the storage, diversion, and use is to be made and in other newspapers as directed. A list of these newspapers in your county is enclosed. The applicant is responsible for the payment of the publication. Please read the notice carefully to make sure it is correct. Should you find an error, please return the notice to our office for correction.

You should mail or deliver the enclosed notice to a newspaper regarding publication as soon as possible. When you receive the affidavit of publication with the news clipping from the newspaper, please forward the original to this office promptly. Further processing of the application will not be made until the affidavit is returned.

Since your amended application is for service of more than one residence, it is considered a public water supply. Public water supply systems are required to be approved by either the Local Health Department or the State Department of Health, depending upon system size. If you have not already done so, I suggest that you contact your Local Health Department or DOH, Drinking Water Section, Olympia, Washington, for further information.

Sincerely,

Sheri Fox  
Water Resources  
SF:lo Enclosures

# Affidavit of Publication

STATE OF WASHINGTON, } S.S.  
COUNTY OF PIERCE }

Donna Gebo being first duly sworn,

an oath deposes and says that he/she is the Bookkeeper of THE PENINSULA GATEWAY, a weekly newspaper. That said newspaper is a legal newspaper and it is now and has been for more than six months prior to the date of the publication hereinafter referred to, published in the English language continually as a weekly newspaper in Gig Harbor, Pierce County, Washington, and it is now and during all of said time was printed in an office maintained at the aforementioned place of publication of said newspaper.

That the annexed is a true copy of a \_\_\_\_\_  
Water application

as it was published in regular issues (and not in supplement form) of said newspaper once each week for a period of Two (2) consecutive weeks, commencing on the 17th day of February, 1993, and ending on the 24th day of February, 1993, both dates inclusive,

and that such newspaper was regularly distributed to its subscribers during all of said period.

That the amount of the fee charged for the foregoing publication in the sum of \$ 46,80 which amount has been paid in full, or billed, at the legal rate according to RCW 65,16.090.

Donna Gebo

Subscribed to and sworn before me this 25th day of February, 1993.

Darlene R Taylor  
Notary Public in and for the State of Wahsington.  
Residing at Gig Harbor

**Water application**  
STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY  
A M E N D E D  
NOTICE OF APPLICATION TO APPROPRIATE PUBLIC WATERS

TAKE NOTICE:  
That Stroh Water Company of Gig Harbor, Washington on March 11, 1992 under Application No. G2-28430 filed for permit to appropriate public waters, subject to existing rights, from a well in the amount of 300 gallons per minute as needed year round each year, for multiple domestic supply. The source of the proposed appropriation is located within NE1/4 SE1/4 of Section 18, Township 21 N., Range 2E, W.M., in Pierce County.

Protests or objections to approval of this application must include a detailed statement of the basis for objections; protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the Department of Ecology, at the address shown below, within thirty (30) days from February 24, 1993.

Department of Ecology, P.O. Box 47775, Olympia, WA 98504-7775. 7.8



*affidavit OK*  
*3/9/93*  
*TH*

06 FEB 93 3:35 PM



# Affidavit of Publication

STATE OF WASHINGTON, } S.S.  
COUNTY OF PIERCE

Thomas C Taylor being first duly sworn,

on oath deposes and says that he is the Publisher  
of THE PENINSULA GATEWAY, a weekly newspaper. That  
said newspaper is a legal newspaper and it is now and has  
been for more than six months prior to the date of the  
publication hereinafter referred to, published in the English  
language continually as a weekly newspaper in Gig Harbor,  
Pierce County, Washington, and it is now and during all of  
said time was printed in an office maintained at the  
aforementioned place of publication of said newspaper.

That the annexed is a true copy of a \_\_\_\_\_

Water application

as it was published in regular issues (and not in supplement  
form) of said newspaper once each week for a period of

Two (2) consecutive weeks, commencing on the

29th day of April, 1992 and ending on

the 6th day of May, 1992, both dates inclusive,

and that such newspaper was regularly distributed to its  
subscribers during all of said period.

That the full amount of the fee charged for the foregoing

publication in the sum of \$ 42.12 which amount has  
been paid in full, or billed, at the legal rate according to RCW  
65,16.090.

Thomas C Taylor

Subscribed to and sworn before me this 11<sup>th</sup> day of

May, 1992.

Darlene R. Taylor

Notary Public in and for the State of Washington.

Residing at Gig Harbor


## Water application NOTICE OF APPLICATION TO APPROPRIATE PUBLIC WATERS

TAKE NOTICE:  
That Stroh Water Company of Gig Harbor, Washington on March 11, 1992 under  
Application No. G228430 filed for permit to appropriate public waters, subject to  
existing rights, from a well in the amount of 250 gallons per minute as needed year  
round each year, for community domestic supply. The source of the proposed  
appropriation is located within NE1/4 SE1/4 of Section 18, Township 21 N., Range  
2E W.M., in Pierce County.

Protests or objections to approval of this application must include a detailed  
statement of the basis for objections; protests must be accompanied by a two dollar  
(\$2.00) recording fee and filed with the Department of Ecology, at the address shown  
below, within thirty (30) days from May 6, 1992.

Department of Ecology, MS-7775, P.O. Box 47775, Olympia, WA 98504-7775.  
18,19

*affidavit ok*  
*6/10/92*  
*SF*



CHRISTINE O. GREGOIRE  
Director



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

June 1, 1992

Stroh Water Company  
3408 Hunt Street  
Gig Harbor, Washington 98335-2038

Re: Ground Water Application No. G 2-28430

Dear Sir or Madame:

On March 26, 1992, this office sent a notice to you for publication in a newspaper within Pierce County.

We have not received the necessary Affidavit of Publication and, therefore, cannot continue to process your application.

Please reply within thirty (30) days or, if you are no longer interested in the application or obtaining a water right, please sign the statement below and return to this office.

I am no longer interested in processing the Ground Water Application No. G 2-28430 or obtaining a water right and I hereby agree to it being cancelled.

I understand that after the effective date of cancellation, any withdrawal of ground water exceeding 5000 gallons a day and irrigation of more than one-half acre is a violation in accordance with Chapters 90.03 and 90.44 RCW and is subject to enforcement action.

\_\_\_\_\_  
Signature

Sincerely,

Sheri Fox  
Water Resources

SF:th(6AG)

PLEASE NOTIFY OF ADDRESS CHANGE

CHRISTINE O. GREGOIRE  
Director



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

June 10, 1992

Stroh Water Company  
3408 Hunt Street  
Gig Harbor, Washington 98335-2038

Re: Ground Water Application No. G 2-28430

Dear Sir or Madame :

We acknowledge receipt of your affidavit of publication of notice in connection with the above-numbered application.

The water codes require that no action be taken toward issuance of a permit earlier than thirty (30) days after the last date of publication. This period of time is allowed for filing any protests or objections.

A site investigation will be made by this office before we issue a permit decision. In light of our water right backlog, we estimate it will be about 18 months after receipt of your application before we are able to conduct the site investigation.

Sincerely,

Sheri Fox  
Water Resources

SF:pz(12A)

CHRISTINE O. GREGOIRE  
Director



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

March 26, 1992

STROH WATER COMPANY  
3408 HUNT ST  
GIG HARBOR WA 98335-2038

Re: Ground Water Application No. G 2-28430

Your application for the appropriation of water has been assigned the above-referenced number. Please refer to this number in future correspondence.

Enclosed is a notice of your application which must be published once a week for two consecutive weeks in a qualified legal newspaper of general circulation in the County or Counties in which the storage, diversion, and use is to be made and in other newspapers as directed. A list of these newspapers in your county is enclosed. The applicant is responsible for the payment of the publication. Please read the notice carefully to make sure it is correct. Should you find an error, please return the notice to our office for correction.

You should mail or deliver the enclosed notice to a newspaper regarding publication as soon as possible. When you receive the affidavit of publication with the news clipping from the newspaper, please forward the original to this office promptly.

Since your application is for service of more than one residence, it is considered a public water supply. Public water supply systems are required to be approved by either the local health department or the Department of Social and Health Services (DSHS), depending upon system size. If you have not already done so, I suggest that you contact your local health department or DSHS, Water Supply and Waste Section, Mail Stop LD-11, Olympia, Washington 98504, for further information.

Sincerely,

Sheri Fox  
Water Resources

SF:ra  
Enclosure



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

NOTICE OF APPLICATION TO APPROPRIATE PUBLIC WATERS

TAKE NOTICE:

That Stroh Water Company  
of Gig Harbor, Washington on March 11, 1992 under  
Application No. **G 228430** filed for permit to appropriate public waters, subject to existing rights,  
from a well  
in the amount of 250 gallons per minute as needed year round  
each year, for Community domestic supply

The source of the proposed appropriation is located within NE 1/4 SE 1/4  
of Section 18, Township 21 N., Range 2 E. W.M., in Pierce County.

*Protests or objections to approval of this application must include a detailed statement of the basis for objections; protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the Department of Ecology, at the address shown below, within thirty (30) days from*

*(Last date of publication to be entered above by publisher)*

\* Notice must be published once a week for two consecutive weeks.

Dept of Ecology  
JUN 11  
PO Box 47775  
Olympia, wa 98504-7775

