

Note to File

The original Report of Examination is being amended following a telephone conversation with Mr. Christenson on May 16, 2001. Mr. Christenson feels that the water-quality and water-level monitoring requirements are too onerous for this water system.

I discussed the possibility of reducing the monitoring requirements with Chris Neumiller. She believes that there is sufficient hydraulic head in the aquifer that Well #3 is completed in, such that we could reduce the monitoring requirement to annually, in the month of August, rather than twice a year. The "upper" Qc Aquifer that back-up wells No. 1 and No.2 are completed in could be monitored for the first three years in Well #2, by which time this aquifer should show recovery from seawater intrusion (the upper aquifer will be used for emergency back-up supply only).

Chris feels that static water level measurements could be reduced to annually, in the month of August. We will reserve the right to request more frequent monitoring if justified by a consistent decline of water levels.



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

May 11, 2001

CERTIFIED MAIL

Edgewater Beach Water Company
2831 Schirm Loop NW
Olympia WA 98502

Dear Sir or Madame:


Re: Ground Water Application No. G2-29874

The Department of Ecology has reviewed your request for a permit of water rights, and your request has been approved. A copy of our Report of Examination is enclosed. This report constitutes our determination and order regarding the above referenced application. Please read this report carefully.

A permit will be issued in accordance with the enclosed Report of Examination and your fee of \$20.00. Make your check payable to the Department of Ecology.

This order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days of the date this decision was mailed. At the same time your appeal must be sent to the Department of Ecology c/o Appeal Coordinator, PO Box 47600, Olympia, WA 98504-7600. Your appeal alone will not stay the effectiveness of the Order. These procedures are consistent with Chapter 43.21B RCW.

Sincerely,



J. Mike Harris
Water Resources Supervisor
Southwest Regional Office

JMH:th(exam2)
Enclosure



P 583 901 331

US Postal Service
Receipt for Certified Mail

No Insurance Coverage Provided.

Do not use for International Mail (See reverse)

Sent to	
Edgewater Beach Water Co	
Street & Number	
G2-29874	
Post Office, State, & ZIP Code	
Postage	\$
Certified Fee	
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to Whom & Date Delivered	
Return Receipt Showing to Whom, Date, & Addressee's Address	
TOTAL Postage & Fees	\$
Postmark or Date	

Form 3800, April 1995

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

EDGEWATER BEACH WATER COMPANY
2831 SCHIRM LOOP NW
OLYMPIA WA 98502

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly)	B. Date of Delivery
02/01 RSN	5-17-8
C. Signature	
X <i>LW Christensen</i>	
<input type="checkbox"/> Agent	<input type="checkbox"/> Addressee
D. Is delivery address different from item 1? <input type="checkbox"/> Yes	
If YES, enter delivery address below: <input type="checkbox"/> No	

3. Service Type

<input checked="" type="checkbox"/> Certified Mail	<input type="checkbox"/> Express Mail
<input type="checkbox"/> Registered	<input type="checkbox"/> Return Receipt for Merchandise
<input type="checkbox"/> Insured Mail	<input type="checkbox"/> C.O.D.

4. Restricted Delivery? (Extra Fee) Yes

2. Article Number (Copy from service label)

P 583 901 331 SWRO/WR G2-29874