

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

REPORT OF EXAMINATION
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

- Surface Water (Issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology.)
- Ground Water (Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology.)

PRIORITY DATE February 17, 1977	APPLICATION NUMBER G 2-24428	PERMIT NUMBER	CERTIFICATE NUMBER
------------------------------------	---------------------------------	---------------	--------------------

NAME ELLIOT K. CLARK			
ADDRESS (STREET) Rt. 3 Box 210 <i>209</i>	(CITY) Sequim	(STATE) Washington	(ZIP CODE) 98302

PUBLIC WATERS TO BE APPROPRIATED

SOURCE well		
TRIBUTARY OF (IF SURFACE WATERS)		
MAXIMUM CUBIC FEET PER SECOND	MAXIMUM GALLONS PER MINUTE 1000	MAXIMUM ACRE-FEET PER YEAR 200
QUANTITY, TYPE OF USE, PERIOD OF USE 200 acre-feet per year	irrigation of 100 acres	April 15 to Sept. 15

LOCATION OF DIVERSION/WITHDRAWAL

APPROXIMATE LOCATION OF DIVERSION-WITHDRAWAL
1100 feet west and 1350 feet south from Northeast corner of Section 35.

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION) E $\frac{1}{2}$ NE $\frac{1}{4}$	SECTION 35	TOWNSHIP N. 31	RANGE, (E. OR W.) W.M. 4 W	W.R.I.A. 18	COUNTY Clallam
---	---------------	-------------------	-------------------------------	----------------	-------------------

RECORDED PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)
-----	-------	------------------------------------

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

E $\frac{1}{2}$ NE $\frac{1}{4}$ and Government Lot 4 ALL in Section 35, T. 31 N., R. 4 W.W.M..
ALSO that part of Government Lot 5 LYING east of Clark Road.

S

BUREAU OF EXAMINATION

DESCRIPTION OF PROPOSED WORKS

14" x 200'

DEVELOPMENT SCHEDULE

BEGIN PROJECT BY THIS DATE:	COMPLETE PROJECT BY THIS DATE:	WATER PUT TO FULL USE BY THIS DATE:
December 1, 1978	December 1, 1979	December 1, 1980

PROVISIONS

This application was made for the purpose of obtaining a water right for irrigation waters to be used as a supplemental supply to rights enjoyed under the Cline Irrigation District.

The water requirement for irrigation in this climatic region is approximately 24 inches or 2 acre-feet per acre annually, (which includes a 30% application loss).

For the 100 acres found feasible under this application, the annual amount that is required is 200 acre-feet.


Therefore, this application may be approved for 1000 gpm from April 15 to September 15 and 200 acre-feet annually as a supplemental supply for irrigation of 100 acres, provided; that "Any water utilized from the Cline Irrigation District for the irrigation of the lands herein before described shall be deducted from the total annual quantity of 200 acre-feet as herein authorized."

The installation of an access port as described in attached Ground Water Bulletin No. 1 shall be required prior to issuance of final certificate of water right. The applicant may for his own convenience, wish to install an airline and gage in addition to the access port.

"All water wells constructed within the state shall meet the minimum standards for construction and maintenance as provided under Chapter 18.104 RCW (Washington Water Well Construction Act of 1971) and Chapter 173-160 WAC (Minimum Standards for Construction and Maintenance of Water Wells)."

Owing to the proximity of neighboring wells, the applicant is reminded of his responsibility toward same and advised that he may be required to regulate his withdrawal and pumping rate if existing rights are injuriously affected.

Signed at Olympia, Washington,
 this 27 day of December, 1977.


 Richard S. Carter
 Department of Ecology

100