



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

February 15, 2007

Robert Clark
322 Clark Road
Sequim, WA 98382

Re: Water Permit No. G2-24428

Dear Mr. Clark:

We are pleased to let you know that your extension request for this water right permit has been granted. Your new deadline to put the water to **full beneficial use** and send a completed Proof of Appropriation form is **December 1, 2009**.

Reasons for granting extension:

- Nature and scope of the project as pertaining to replacing the 75 horsepower pump with a 50 horsepower pump at the wellhead.
- Financial problems encountered by permit holder and ability to afford operating a 75 horsepower pump with current Clallam County electricity rates.

By statute (RCW 90.03.320), projects under permit must be pursued with due diligence and completed in a reasonable period. Extension of a permit can only be considered when we receive a written request and extension fee. Any future requests should address the following:

- The reason(s) for needing the extension.
- A description of efforts made since the permit was issued or the last extension was granted.
- A proposed schedule for completing the development.
- An extension fee of \$50.00.

When you return the completed Proof of Appropriation form to us, be sure that:

- It is **notarized**.
- You have written in the **parcel number** for the point of diversion/withdrawal for where your project is located (and the place of use, if different). Parcel numbers can be found on property tax statements or obtained through the assessor's office.

Upon receipt of your Proof of Appropriation form, we will review the information and may come out to inspect your project. Once we are confident that all of the terms and provisions of your permit have been met, we will notify you by mail to request the certificate recording fees for the state and county.



Your right to appeal -

You have the right to appeal this Order to the Pollution Control Hearings Board. Pursuant to chapter 43.21B RCW, your appeal must be filed with the Pollution Control Hearings Board, and served on the Department of Ecology, within thirty (30) days of the date of your receipt of this document. To appeal this action or decision, your notice of appeal must contain a copy of the Ecology order, action, or decision you are appealing.

Mail your appeal to:

Pollution Control Hearings Board
PO Box 40903
Lacey, Washington 98504-0903

OR

Deliver your appeal to:

Pollution Control Hearings Board
4224 - 6th Ave SE Rowe Six, Bldg 2
Lacey, Washington 98504-0903

AND MAIL TO BOTH ADDRESSES BELOW

Mail your appeal to:

Department of Ecology
Appeals Coordinator
PO Box 47608
Lacey, Washington 98504-7608

AND

Mail your appeal to:

Tom Loranger
Department of Ecology
PO Box 47775
Lacey, Washington 98504-7775

If we can provide further assistance, please contact us at (360) 407-6300.

Sincerely,



Thomas Loranger
Water Resources Section Manager

TL:AB:th

January 29, 2007

Department of Ecology
Southwest Regional Office
P. O. Box 47775
Olympia, WA 98504-7775

RECEIVED

JAN 29 2007

Washington State
Department of Ecology

Att'n: Abby Brown, Water Resources

Re- Water Right Permit No. G2-24428

Dear Abby Brown:

I am writing this letter, which I intend to hand deliver to you in your office in Olympia. It is written in response to your notification, dated December 21, 2006, in which it was stated that a Proof of Appropriation form had not been submitted to your department by December 1, 2006. In December, 2001 I was granted a five-year extension, which I requested, in hopes of obtaining a reduction in electrical rates for operating my 75 horse power pump on the irrigation well. During that five year period that did not happen.

Since receiving your letter I met with Mr. Dave Mower, a P.U.D. service representative, who at my request had researched the rate schedules for 50 horsepower or less irrigation pumps as opposed to the 75 horsepower pump now installed at the wellhead of my well. After reviewing the schedules, I have decided that my best course of action will be to exchange the 75 horsepower pump for a 50 horsepower pump. Unfortunately this will take time, as there are not many dealers in this size of pumps and most of them are in Eastern Washington, or out of state. I am enclosing copies of the schedules that Mr. Mower gave to me, for your records.

I am also enclosing my check in the amount of \$50.00, as an extension fee, as I will need more time to put the water to beneficial use. My farm is the oldest continually operated family farm in the State of Washington and I would hate to lose the water source that will maintain it into the future for my son, grandsons and great grandsons. I am the 4th generation and they are the 5th, 6th, and 7th. In closing, I want to thank you for your patience and consideration of this request. No one on this earth wants to see this well operating more than I do.

2/12/07

Extension approved
until 12/1/09.

alysa

Encl: 5

Robert J. Clark
Robert J. Clark
322 Clark Road
Sequim, WA 98382-7351



Mr. Clark expects to resolve the issue
within the next 2 years -

dkh

PUBLIC UTILITY DISTRICT NO. 1 OF CLALLAM COUNTY

SCHEDULE E-4 SEASONAL IRRIGATION

AVAILABILITY

This rate applies to seasonal irrigation customers for connected loads of 50 horsepower or less or total connected loads of 100 kW or less.

RATE

BASIC CUSTOMER CHARGE

- Single Phase 31.2¢ per day
- Three Phase 62.4¢ per day

ENERGY CHARGE

- All Energy 5.6 ¢ per kWh

RULES AND REGULATIONS

Service under this schedule is subject to the Rules and Regulations of the District.

1. Seasonal irrigation accounts will be read during the months of April, June, August, and September.
2. Accounts will be placed on inactive status, not physically disconnected, during the period from the September reading to the April reading.
3. All accounts under this rate schedule will be billed 30 days basic customer charge with the April meter reading.
4. All accounts under this rate schedule will be billed the basic customer charge during the April through September period.

EFFECTIVE April 1, 2006

S

PUBLIC UTILITY DISTRICT NO. 1 OF CLALLAM COUNTY

SCHEDULE E-5 LARGE POWER SERVICE

AVAILABILITY

This Schedule applies to customers for connected motor loads exceeding 50 horsepower or total connected loads exceeding 100 kW. Any customer purchasing power under this rate schedule which has all or a portion of its load designated a "New Large Single Load," or has all or a portion of its load monitored to determine if it should be so designated, shall be ineligible to purchase power under this rate schedule for that portion of its load which has been designated as, or is being monitored for designation as a "New Large Single Load."

The Board of Commissioners specifies that a "New Large Single Load" is any load associated with a new facility, an existing facility, or an expansion of an existing facility -

- a. which is not contracted for, or committed to, as determined by the Bonneville Power Administrator, by the District prior to September 1, 1979, and
- b. which will result in an increase in power requirements of such customer of ten average megawatts and/or more in any consecutive twelve month period.

This definition conforms with the definition of "New Large Single Load" contained in §3(13) of the Regional Power Act (P.L. 96-501) and in the District's power supply contract with Bonneville, Contract No. 96MS-94953. Any and all costs, in addition to those contained in the rates set forth below, which the District must pay as a result of any new or existing customer being monitored for determination or determined to be a "New Large Single Load," including but not limited to monitoring, backbilling, metering, billing and penalties, shall be directly charged to that customer above and beyond the rates set forth below. These additional costs charged directly to the customer may also include increased power costs for any preceding period during which power was supplied, to that customer, during which the customer was retroactively determined to be a "New Large Single Load."



PUBLIC UTILITY DISTRICT NO. 1 OF CLALLAM COUNTY

SCHEDULE E-5 LARGE POWER SERVICE

STANDARD DEMAND RATE:

- BASIC CUSTOMER CHARGE - \$2.13 per day.
- ENERGY CHARGE - All energy at 3.61¢ per kWh.
- DEMAND CHARGE - \$4.86 per kW of Recorded Demand.
- POWER FACTOR CHARGE - See description below.

RECORDED DEMAND:

The Recorded Demand under this schedule shall be the larger of the following demand factors:

- a. The Contract Demand, if any.
- b. The highest 15-minute demand during the month as determined by demand meter.

POWER FACTOR CHARGE:

When the measured average Power Factor (P.F.) is less than 95% lagging, the Power Factor charge will be computed as follows:

$$\text{Power Factor Charge} = [(.95 \div \text{P.F.}) - 1] \times \text{Demand Charge}$$

MINIMUM CHARGE:

\$1.00 per kW of connected load per month.

PRIMARY SERVICE:

Service may be taken at the available primary distribution voltage, and a discount from the above rates granted if provided for by contract.

RULES AND REGULATIONS

Service under this schedule is subject to the Rules and Regulations of the District.

EFFECTIVE January 1, 2006

PUBLIC UTILITY DISTRICT NO. 1 OF CLALLAM COUNTY
SCHEDULE E-5 LARGE POWER SEASONAL IRRIGATION

STANDARD DEMAND RATE:

- BASIC CUSTOMER CHARGE - \$2.13 per day.
ENERGY CHARGE - All energy at 3.61¢ per kWh.
DEMAND CHARGE - \$4.86 per kW of Recorded Demand.
POWER FACTOR CHARGE - See description below.

RECORDED DEMAND:

The Recorded Demand under this schedule shall be the larger of the following demand factors:

- a. The Contract Demand, if any.
- c. The highest 15-minute demand during the month as determined by demand meter.

RULES AND REGULATIONS

Service under this schedule is subject to the Rules and Regulations of the District.

1. Seasonal E-5 irrigation accounts will be read monthly April through September.
2. Accounts will be placed on inactive status, not physically disconnected, during the period from the September reading to the April reading.
3. All accounts under this rate schedule will be billed 30 days basic customer charge, along with kWh and kW charges, with the April meter reading.
4. All accounts under this rate schedule will be billed the normal billing determinants for this rate schedule during the May through September period.

EFFECTIVE November 1, 2006

3



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

P.O. Box 47600 • Olympia, Washington 98504-7600
(360) 407-6000 • TDD Only (Hearing Impaired) (360) 407-6006

December 21, 2006

Robert Clark
322 Clark Road
Sequim, WA 98382

RE: Water Right Permit No. **G2-24428 - OVERDUE NOTICE**

Dear Mr. Clark:

In reviewing your files, I noticed we have not received your Proof of Appropriation form. This letter is to remind you that the development schedule of your water right permit required that water be at beneficial use and the Proof of Appropriation form submitted by **December 1, 2006**.

There are a number of possible steps you may need to take in order to bring your permit back into good standing, depending on the status of your project. Please refer to the following chart:

If this is the case:	You need to do this within thirty (30) days of the date of this letter:
You have put the water to full beneficial use .	Complete and submit the Proof of Appropriation form. The form must be <u>notarized</u> , and include the parcel number for the point of withdrawal/diversion. Please include evidence that shows you have installed an approved measuring device, as well as <u>data that you have collected on this permit</u> .
You need more time to put the water to beneficial use.	1. Submit a written request for an extension (refer to enclosed fact sheet for instructions). 2. Submit extension fee (\$50.00).
You no longer intend to develop your project.	Notify Ecology's Southwest Regional office in writing.
You need more information.	Contact our office at (360) 407-6300.

Failure to respond to this letter within 30 days may result in the cancellation of your permit.



If you have questions, please contact me at (360) 407-6918 or at abro461@ecy.wa.gov. Thank you for your attention to this matter.

Sincerely,

Abby Brown
Water Resources
Southwest Regional Office

Enclosures (2)
Proof of Appropriation of Water Form
Focus on Extensions for Water Right Permits Fact Sheet



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

September 4, 2001

Robert Clark
322 Clark Road
Sequim WA 98382

Dear Mr. Clark:

Re: Water Right Permit No. G2-24428

In compliance with your request, you are hereby granted an extension of time to put the water to full beneficial use and file notice of such action under the above mentioned permit.

As a condition of this permit extension, we are now requiring that your water source(s) be metered. An approved metering device shall be installed and maintained in accordance RCW 90.03.360, RCW 90.44.450 and WAC 508-12-030. Meter readings shall be recorded at least monthly. You will be required to submit meter readings to the Department of Ecology prior to issuance of your final water right certificate. Your final certificate will be provisioned for continued metering, and you may be required to continue the submittal of that data to the Department of Ecology.

Please submit the following when the actual water has been put to full beneficial use:

- Proof of Appropriation form filled out and notarized
- \$9.00 check payable to the Clallam County Auditor's Office
- \$5.00 check payable to the Department of Ecology

Please send both checks to the Department of Ecology and we will forward the Auditor check along with your Certificate to the County Auditor's Office for recording. **Also, the County Auditor is requiring that we have the parcel number for your property added to your Certificate. Please provide the parcel number for the point of withdrawal/diversion and the place of use.**

If you do not expect to have the water put to full beneficial use by **December 1, 2006**, you should request further extensions, as needed. To request additional extensions, you will need to submit a letter explaining why an extension is needed, including how many more connections are proposed on this water system. You may extend for more than one year at a time at a rate of \$5.00 per year.

This order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days of the date this Order was mailed by the Department of Ecology. At the same time a copy of your appeal must be sent to the Department of Ecology, c/o Appeal Coordinator, PO Box 47600, Olympia, WA 98504-7600. Your appeal alone will not stay the effectiveness of this order. Stay requests must be submitted in accordance with RCW 43.21B.320. These procedures are consistent with Chapter 43.21B RCW.

If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or Deb Hunemuller at (360) 407-0290.

Sincerely,


J. Mike Harris
Water Resources Supervisor

JMH:th

Enclosure: Amended Permit G2-24428



Printed By: Dawn Merryman
Ori: 08/10/2001 At: 09:48 am

RECEIPT

Receipt Number 02-002510

Department of Ecology (4610)
PO Box 5128
Lacey, WA 98509-5128
(360) 407-7095



Current Document Number 461G0188CJ Date 08/13/2001 FM 02

Remitter Name CLARK, ROBERT J Receipt Name

Check/Draw Number 2004
Document Amount \$30.00
Method of Payment Check
Comment Description WATER RIGHTS

Ref Doc	Ref Doc	Inv Nr	Id Nr	Prgm Cd	T C	R	Fund	Maj Grp	Maj Src	Sub Src	Cnty	Work Cls	PIC	AI	Org	Pri	Sub Prj	Prj Phs	Sub Obj	Sub Sub Obj	Var GL	Sub Sid Dr	Sub Sid Cr	Alloc Amt
	Sfx			H00	001		001	02	85	000010														\$30.00

2/15/2001
PA extension fee OK 12/1/2006
extend PA to
extend provision
add making level monitoring
add water-level provision
add provision
add memo provisions
with memo provisions

RECEIPT

WASHINGTON STATE

129610

DEPARTMENT OF ECOLOGY

Jan 10, 19⁸⁴

RECEIVED FROM Elliot K. Clark


ten and 00/100 DOLLARS 10⁰⁰

FUND: General Rec. Rev. Basic Data Other Cash

SOURCE: Water Code Publications Adjudications Refunds Check

Per. and Lic. Investments Registration Other M.O.

Extension fee on G2-24428P



RECEIPT 205195

DATE 1/29/07

RECEIVED FROM ROBERT J CLARK FARM ACCOUNT

FIFTY DOLLARS DOLLARS 50.00

FUND: General UST WWD Other Cash

LOCATION: SWRD Check # 2144

PURPOSE: EXTEND MO #

By Maura Garrett

Thank You