STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

SUPERSEDING PERMIT
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

☐ Surface Water (Issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology.)

☒ Ground Water (Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology.)

PRIORITY DATE	APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER
February 14, 1980	G2-25490	G2-25490	

NAME
Rainier View Water Company

ADDRESS (STREET)	(CITY)	(STATE)	(ZIP CODE)
PO Box 44427	Tacoma	Washington	98444

The applicant is pursuant to the Report of Examination which has been accepted by the applicant, hereby granted a permit to appropriate the following public waters of the State of Washington, subject to existing rights and to the limitations and provisions set herein.

PUBLIC WATERS TO BE APPROPRIATED

SOURCE
6 Wells (Southwood System)

TRIBUTARY OF (IF SURFACE WATERS)

MAXIMUM CUBIC FEET PER SECOND	MAXIMUM GALLONS PER MINUTE	MAXIMUM ACRE FEET PER YEAR
	2500	616

QUANTITY, TYPE OF USE, PERIOD OF USE		
616 Acre-feet per year	Multiple domestic supply	Year-round, as needed

LOCATION OF DIVERSION/WITHDRAWAL

APPROXIMATE LOCATION OF DIVERSION--WITHDRAWAL
Well 1: 830 feet East and 850 feet North of the South quarter corner of Section 12.
Well 2: 1230 feet West and 530 feet North of the East quarter corner of Section 11.
Well 3: 890 feet East and 850 feet North of the South quarter corner of Section 12.
Well 4: 930 feet East and 850 feet North of the South quarter corner of Section 12.
Well 5: 800 feet East of the South quarter corner of Section 13.
Well 6: 200 feet South and 850 feet West of the North quarter corner of Section 8.

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)	SECTION	TOWNSHIP N.	RANGE, (E. OR W.) W.M.	W.R.I.A.	COUNTY
		18	3E	11 & 12	Pierce

RECORDED PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

The area served by Rainier View Water Company as described in a Department of Health approved water system plan located within Townships 18, 19 & 20 North, Ranges 3, 4 & 5 E.W.M., Pierce County, Washington.

S

DESCRIPTION OF PROPOSED WORKS

Southwood #1, Southwood #2 (Bethel Ridge), Southwood #3, Southwood #4, Sally Hubert (#5), Spiritwood (#6).

DEVELOPMENT SCHEDULE

BEGIN PROJECT BY THIS DATE:	COMPLETE PROJECT BY THIS DATE:	WATER PUT TO FULL USE BY THIS DATE:
Started	February 1, 2002 2/1/2004	February 1, ~~2003~~ 2011

PROVISIONS

Installation and maintenance of an access port as described in Chapter 173-160 is required. An air line and gauge may be installed in addition to the access port.

The permittee is advised that the quantity of water allocated by this permit may be reduced at the time of final certification to reflect system capacity and actual usage.

All wells constructed in the State shall meet the construction requirements of Chapter 173-160 WAC entitled "Minimum Standards for the Construction and Maintenance of Wells" and Chapter 18-104 RCW entitled "Water Well Construction, Act (1971)."

Water-pumpage, well-monitoring, and static-water-level data, along with a summary and analysis of the data, shall be submitted annually, or more frequently upon request, to Ecology's Southwest Regional Office Water Resources Program. The data shall be submitted in digital format (ASCII) and shall include the following elements:

For Water Use Reporting:

1. Measurement method (totaling meter, acoustic meter, etc.) for each well
2. Total volume pumped from each well by month in thousands or millions of gallons
3. Unique Well ID number

The permittee is advised that notice of Proof of Appropriation of water (under which the final certificate of water right is issued) should not be filed until the permanent distribution system has been constructed and that quantity of water allocated by the permit to the extent water is required, has been put to full beneficial use.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at Olympia, Washington,

this 23rd *day of* July, *2001.*

Department of Ecology

ENGINEERING DATA
OK W

by
J. Mike Harris, Section Supervisor