



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

December 8, 2008

Elizabeth Hogan
112 Carr Road
Cook, WA 98605

Re: Water Right No. **S2-27329**

Dear Ms. Hogan:

In response to your request, you are hereby granted an extension to put the water to full beneficial use for the reasons below:

- Good faith, due diligence, and good cause has been shown by the permit holder by the installation of the electrical system and progress on the irrigation design.
- Nature and scope of the project.

The new deadline to submit your *Proof of Appropriation* is **July 1, 2010**.

You have a right to appeal this decision. To appeal this you must:

- File your appeal with the Pollution Control Hearings Board within 30 days of the “date of receipt” of this document. Filing means actual receipt by the Board during regular office hours.
- Serve your appeal on the Department of Ecology within 30 days of the “date of receipt” of this document. Service may be accomplished by any of the procedures identified in WAC 371-08-305(10). “Date of receipt” is defined at RCW 43.21B.001(2).

Be sure to do the following:

- Include a copy of this document that you are appealing with your *Notice of Appeal*.
- Serve and file your appeal in paper form; electronic copies are not accepted.



1. To file your appeal with the Pollution Control Hearings Board

Mail appeal to:

The Pollution Control Hearings Board
PO Box 40903
Olympia WA 98504-0903

OR Deliver your appeal in person to:

The Pollution Control Hearings Board
4224 – 6th Ave SE Rowe Six, Bldg 2
Lacey WA 98503

2. To serve your appeal on the Department of Ecology

Mail appeal to:

The Department of Ecology
Appeals Coordinator
P.O. Box 47608
Olympia WA 98504-7608

OR Deliver your appeal in person to:

The Department of Ecology
Appeals Coordinator
300 Desmond Dr SE
Lacey WA 98503


3. And send a copy of your appeal to:

Thomas Loranger
Department of Ecology
PO Box 47775
Olympia, WA 98504-7775

*For additional information visit the Environmental Hearings Office Website:
<http://www.eho.wa.gov> . To find laws and agency rules visit the Washington State
Legislature Website: <http://www1.leg.wa.gov/CodeReviser> .*

If you have any questions, please contact Charlotte Lattimore at (360) 407-0274 or by
email at clat461@ecy.wa.gov.

Sincerely,



Thomas Loranger
Section Manager
Water Resources Program

Enclosures: *Proof of Appropriation
Your Right to Be Heard*

RECEIVED

NOV 24 2008

Washington State
Department of Ecology

ELIZABETH K HOGAN
112 CARR ROAD
COOK, WASHINGTON 98605
(509) 538-2555



November 20, 2008

State of Washington
Department of Ecology
PO Box 47775
Olympia, WA 98504-7775


Re: Permit number S2-27329

To Whom It May Concern:

I need to request additional time to complete the irrigation and pump system portion of the Permit. Our schedule continues to be very busy. The wet spring caused projects to be postponed. I had to spend the summer assisting my disabled sister. We recently had to replace our home heating system. I did meet with an irrigation designer and outlined the system and equipment needed. The electrical source for the in-stream pump has been completed. Next summer the ditches; power line conduit and water lines will be completed. I expect the project to be completed and put to use no later than October 2009.

I have enclosed a check for \$50.00. Thank you for your patience and consideration during this development.

Sincerely,


Beth Hogan

12/05/08
OK to extend PA.
to July 1, 2009
Chubb

USE OF WATER FOR:

1. Irrigation (Please include map of all irrigated lands):

TYPE OF SYSTEM		NUMBER OF SPRINKLERS OR EMMITERS	SPRINKLER/EMMITER MAKE	MODEL & RATED DISCHARGE
SIZE NOZZLE/EMMITER OPENINGS	AVERAGE PRESSURE AT SPRINKLER/EMMITER HEADS	NUMBER OF ACRES DEVELOPED		TYPE OF CROP(S)

2. Municipal or Domestic Supply

NUMBER OF DOMESTIC UNITS CURRENTLY SERVED:	NUMBER OF DOMESTIC UNITS TO BE SERVED	POPULATION CURRENTLY SERVED
--	---------------------------------------	-----------------------------

ALSO, provide the following information, if applicable:

- Department of Health public water system identification number.
- Map of the delivery system (provide copy if water system is done)
- Map of present service area and lots presently using water (Non-Municipal Users).
- If platted property, provide copy of the file plat map or file reference number Non-Municipal Users).
- Other incidental beneficial uses associated with the domestic supply (Non-Municipal Users).

3. Industrial or Commercial

TYPE OF INDUSTRY OR COMMERCIAL PROCESS
--

If a waste discharge permit is required for the facility, include a reference to the permit number _____

4. Other Use of Water (describe): _____

WATER USE AND *MEASUREMENT

IS A FLOW METER OR MEASURING DEVICE INSTALLED? <input type="checkbox"/> Yes <input type="checkbox"/> No	LOCATION OF METER(S) OR MEASURING DEVICE(S)		
MAKE	SERIAL NUMBER	INSTALLATION DATE	INSTALLED BY:
METER READING	DATE		

*Include copy of meter specifications

Actual amount withdrawn or diverted from permanent system on an instantaneous and annual basis. Please include meter data or describe method used to estimate annual volume.

CUBIC FEET PER SECOND	ACRE FEET PER YEAR	GALLONS PER MINUTE	TOTAL GALLONS PER YEAR
-----------------------	--------------------	--------------------	------------------------

If the existing water use as indicated by meter data, etc., is less than you anticipate to be the full extent of the water right which you are reporting through submission of this form, please explain on a separate sheet.

I, _____, do certify that I have completed appropriation of water under Water Right Permit or approved water right change number, _____. This notice and attached documents are true and accurate statements and describe and support my assertion that I have satisfied the terms of the permit/change in compliance with the law.

Permittee(s) Signature

Date

State of Washington
County of _____

Signed and sworn to (or affirmed) before me on _____ by _____

Seal
or
Stamp

(Signature)

(Title)

My appointment expires _____



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

August 12, 2008

Elizabeth Hogan
112 Carr Road
Cook, WA 98605

Re: Water Right No. S2-27329

Dear Ms. Hogan:

Your development schedule required you to submit a *Proof of Appropriation* by **July 1, 2008**. If you have fully developed your project, please fill out the *Proof of Appropriation*, for the quantity of water used, and return it within **30 days**.

If you have not fully developed your project, you must obtain an extension or your permit may be cancelled. **Your request must be in writing and include the following information:**

- A description of the efforts you have made to put the water to full use and what remains to be done.
- A schedule for fully developing the project.
- Reasons why the project has not been fully developed.
- Any additional information that will assist us in evaluating your request for an extension.
- A **non-refundable fee of \$50.00**.

If requesting an extension, mail your request together with your check or money order to:

Department of Ecology
Cashiering Section
PO Box 47611
Olympia, WA 98504-7611

If you have any questions, please call Charlotte Lattimore at (360) 407-0274 or clat461@ecy.wa.gov.

Sincerely,

Charlotte Lattimore
Water Resources Program

Enclosures: *Proof of Appropriation*
Extensions for Water Right Permits





STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

May 8, 2007

Elizabeth Hogan
112 Carr Road
Cook, WA 98605

Re: Water Permit No. **S2-27329**

Dear Ms. Hogan:

We are pleased to let you know that your extension request for this water right permit has been granted. Your new deadline to put the water to **full beneficial use** and send a completed Proof of Appropriation form is **July 1, 2008**.

Reasons for granting extension:

- Progress on construction of the water system relative to the scope of the project.
- Engineering problems and project complexity delaying completion of the irrigation system.

As a condition of this extension, the Department of Ecology is adding metering provisions to update your permit according to the most recent metering statute, Chapter 173-173 WAC. Please review the new metering provisions located on the back of your water right permit.

When you return the completed Proof of Appropriation form to us, be sure that:

- It is **notarized**.
- You have written in the **parcel number** for the point of diversion/withdrawal for where your project is located (and the place of use, if different). Parcel numbers can be found on property tax statements or obtained through the assessor's office.
- You have attached additional data in evidence of meeting provisions included on the original permit.

Upon receipt of your Proof of Appropriation form, we will review the information and may come out to inspect your project. Once we are confident that all of the terms and provisions of your permit have been met, we will notify you by mail to request the certificate recording fees for the state and county.

Your right to appeal

You have the right to appeal this Order to the Pollution Control Hearings Board. Pursuant to chapter 43.21B RCW, your appeal must be filed with the Pollution Control Hearings Board, and served on the Department of Ecology, within thirty (30) days of the date of your receipt of this document. To appeal this decision, your notice of appeal must contain a copy of the Ecology decision you are appealing.



Mail your appeal to:
Pollution Control Hearings Board
PO Box 40903
Olympia, Washington 98504-0903

OR

Deliver your appeal to:
Pollution Control Hearings Board
4224 - 6th Ave SE Rowe Six, Bldg 2
Lacey, Washington 98503

AND MAIL TO BOTH ADDRESSES BELOW


Mail your appeal to:
Department of Ecology
Appeals Coordinator
PO Box 47608
Olympia, Washington 98504-7608

AND

Mail your appeal to:
Tom Loranger
Department of Ecology
PO Box 47775
Olympia, Washington 98504-7775

If we can provide further assistance, please contact us at (360) 407-6300.

Sincerely,



Thomas Loranger
Water Resources Section Manager

Enclosure: Amended Permit