



State of Washington
**DRAFT PROTESTED
 REPORT OF EXAMINATION
 FOR WATER RIGHT CHANGE**

File NR CG1-030294CL
 WR Doc ID 5600979

Changed Place of Use
 Added or Changed Point of Withdrawal/Diversion
 Added Irrigated Acres

PRIORITY DATE August 1938	WATER RIGHT NUMBER G1-030294CL
-------------------------------------	--

MAILING ADDRESS ENFIELD FARMS INC 1064 BIRCH BAY LYNDEN ROAD LYNDEN WA 98264	SITE ADDRESS (IF DIFFERENT)
--	------------------------------------

Total Quantity Authorized for Withdrawal or Diversion		
WITHDRAWAL OR DIVERSION RATE 200	UNITS GPM	ANNUAL QUANTITY (AF/YR) 30.6

Total withdrawals or diversions from all sources must not exceed the total quantity authorized for withdrawal or diversion listed above.

PURPOSE	WITHDRAWAL OR DIVERSION RATE			ANNUAL QUANTITY (AF/YR)		PERIOD OF USE (mm/dd)
	ADDITIVE	NON- ADDITIVE	UNITS	ADDITIVE	NON-ADDITIVE	
Irrigation	200		GPM	30.6	0	05/01 - 10/1

IRRIGATED ACRES		PUBLIC WATER SYSTEM INFORMATION	
ADDITIVE	NON-ADDITIVE	WATER SYSTEM ID	CONNECTIONS
28.9	232.2		

Source Location			
COUNTY	WATERBODY	TRIBUTARY TO	WATER RESOURCE INVENTORY AREA
WHATCOM	GROUNDWATER		1-NOOKSACK

SOURCE FACILITY/DEVICE	PARCEL	WELL TAG	TWP	RNG	SEC	QQ Q	LATITUDE	LONGITUDE
HW-1	400222136219	BHN668	40N	02E	22	NW SW	48.94107	-122.54688
HW-3	400221456167	BHN678	40N	02E	21	NE SE	48.93962	-122.55488
HW-4	400222065318	BHE777	40N	02E	22	SW NW	48.94410	-122.54657
HW-6	400222210076	BHN667	40N	02E	22	SE SW	48.93788	-122.54681
IW-1	400222021162	BHN673	40N	02E	22	NW SW	48.94041	-122.55118

IW-2	400221460037	BHN666	40N	02E	21	SE SE	48.93597	-122.55593
IW-3	400221460037	BHE776	40N	02E	21	SE SE	48.93693	-122.55598
Future Well	400221522186	NA	40N	02E	21	NE SE	-	-
Future Well	400221469097	NA	40N	02E	21	NE SE	-	-
Future Well	40022206332	NA	40N	02E	22	SE NW	-	-
Future Well	400222077282	NA	40N	02E	22	SW NW	-	-
Future Well	400222015202	NA	40N	02E	22	NW SW	-	-
Future Well	400222021162	NA	40N	02E	22	NW SW	-	-
Future Well	400222136219	NA	40N	02E	22	NE SW	-	-
Future Well	400222210076	NA	40N	02E	22	NE SW	-	-

Datum: NAD83/WGS84

Place of Use (See Attached Map)

PARCELS

400221456167, 400221522186, 400221469097, 400221460037, 400222334134, 40022206332, 400222136219, 400222015202, 400222021162, 400222210076, 400222065318, 400222077282, 400222200400, and 400227282462

LEGAL DESCRIPTION OF AUTHORIZED PLACE OF USE

Section 21, Township 40 North, Range 2 East

- S ½ NE ¼ SE ¼, Section 21, Township 40 North, Range 2 East W.M.; EXCEPT a tract beginning at the NE corner of the described property and running west 297 feet, thence south 110 feet, thence east 297 feet to the section line and thence north 110 feet to the point of beginning; AND EXCEPT a tract beginning at the NE corner of the described property thence south 230 feet to the true point of beginning, thence west 317 feet, thence south 206 feet, thence east 317 feet to the section line, thence north 206 feet to the true point of beginning.
- N ½ SE ¼ SE ¼, Section 21, Township 40 North, Range 2 East W.M.; EXCEPT the east 299.5 feet of the south 728 feet.
- S ½ SE ¼ SE ¼, Section 21, Township 40 North, Range 2 East W.M.; EXCEPT the east 299.5 feet; AND EXCEPT a tract beginning at the southeast corner of the section thence west 299.5 feet to the true point of beginning, thence 220.5 feet west, thence 520 feet north, thence 299.5 feet east, thence 520 feet south to the true point of beginning.

Section 22, Township 40 North, Range 2 East

- N ½ SW ¼, Section 22, Township 40 North, Range 2 East W.M.
- NW ¼ SE ¼, Section 22, Township 40 North, Range 2 East W.M.
- N ½ S ½ SW ¼ NW ¼, Section 22, Township 40 North, Range 2 East W.M.; EXCEPT south 182.26 feet of west 239 feet.
- S ½ S ½ SW ¼ NW ¼, Section 22, Township 40 North, Range 2 East W.M.; EXCEPT north 188 feet of west 463.41 feet
- SW ¼ SE ¼, Section 22, Township 40 North, Range 2 East W.M.; EXCEPT 1 acre in the SE corner southerly of Bertrand Creek; ALSO EXCEPT a tract described as follows, beginning at the south quarter corner thence running east along section line 350 feet to the true point of beginning, thence north 208.7 feet, thence east 208.7 feet, thence south 208.7 feet, thence west along the section line 208.7 feet to the true point of beginning.
- SE ¼ SW ¼, Section 22, Township 40 North, Range 2 East W.M.; EXCEPT the west 100 feet of the north 310 feet; AND EXCEPT the west 400 feet of the south 300 feet; AND EXCEPT the east 427 feet of the south 371.25 feet.
- East 130 feet of the south 290 feet of the N ½ SW ¼ SW ¼, Section 22, Township 40 North, Range 2 East W.M.
- Beginning at the northwest corner of the SE ¼ NW ¼, thence north 44 feet thence east 1320 feet more or less to a point on the east line of the NE ¼ NW ¼ which lies 38 feet north of the northeast corner of the SE ¼ NW ¼ thence south 38 feet to the northeast corner of SE ¼ NW ¼ thence west 1320 feet more or less to the point of beginning.

Section 27, Township 40 North, Range 2 East

- Lot 1 Maberry Short Plat as recorded in book 3 short plats page 149 within the NW ¼ NE ¼, Section 27, Township 40 North, Range 2 East W.M.

ALL except roads.

Proposed Works

Three infiltration trenches (HW-1, HW-3, and HW-6), three wells (IW-1, IW-2, and IW-3), and one horizontal well (HW-4) that are less than 50 feet deep and completed in the Sumas Outwash aquifer. The irrigation system consists of 4 to 8-inch mainlines with 3 to 4-inch sub-mains serving approximately 20 irrigation zones covering a total of 261 irrigated acres. Two pumphouse facilities contain sand filters for particle removal and a meter for fertigation. Water is delivered to berries using drip irrigation. When crops are irrigated with travelling big gun sprinklers, the reels are connected to the mainlines with flexible hoses.

Development Schedule

BEGIN PROJECT	COMPLETE PROJECT	PUT WATER TO FULL USE
Started	April 1, 2015	December 31, 2019

Measurement of Water Use

How often must water use be measured?	Weekly
How often must water use data be reported to Ecology?	Annually (Jan 31)
What volume should be reported?	Total Annual Volume
What rate should be reported?	Annual Peak Rate of Withdrawal (gpm)

Provisions

Relationship to Other Water Rights

SWC 1384, SWC 4435, SWC 9177, GWC 1300, GWC 3986(C), G1-00502C, G1-20922C, G1-21213C, G1-21356C, and water right claim G1-030294CL are authorized for a combined total of 1,589.82 gpm and 293.4 af/yr (277.0 af/yr for the irrigation of 261 acres and 16.4 af/yr for industrial use) within the same place of use.

Wells, Well Logs and Well Construction Standards

All wells constructed in the state must meet the construction requirements of Chapter 173-160 WAC titled "Minimum Standards for the Construction and Maintenance of Wells" and Chapter 18.104 RCW titled "Water Well Construction". Any well which is unusable, abandoned, or whose use has been permanently discontinued, or which is in such disrepair that its continued use is impractical or is an environmental, safety or public health hazard must be decommissioned.

All wells must be tagged with a Department of Ecology unique well identification number. If you have an existing well and it does not have a tag, please contact the well-drilling coordinator at the regional Department of Ecology office issuing this decision. This tag must remain attached to the well. If you are required to submit water measuring reports, reference this tag number.

Installation and maintenance of an access port as described in WAC 173-160-291(3) is required.

REQUESTED Water Right Attributes

Applicant Name:	Enfield Farms, Inc.
Date of Application:	1/7/2013
Place of Use	<p>Section 21, Township 40 North, Range 2 East</p> <ul style="list-style-type: none"> • S ½ NE ¼ SE ¼, Section 21, Township 40 North, Range 2 East W.M.; EXCEPT a tract beginning at the NE corner of the described property and running west 297 feet, thence south 110 feet, thence east 297 feet to the section line and thence north 110 feet to the point of beginning; AND EXCEPT a tract beginning at the NE corner of the described property thence south 230 feet to the true point of beginning, thence west 317 feet, thence south 206 feet, thence east 317 feet to the section line, thence north 206 feet to the true point of beginning. • N ½ SE ¼ SE ¼, Section 21, Township 40 North, Range 2 East W.M.; EXCEPT the east 299.5 feet of the south 728 feet. • S ½ SE ¼ SE ¼, Section 21, Township 40 North, Range 2 East W.M.; EXCEPT the east 299.5 feet; AND EXCEPT a tract beginning at the southeast corner of the section thence west 299.5 feet to the true point of beginning, thence 220.5 feet west, thence 520 feet north, thence 299.5 feet east, thence 520 feet south to the true point of beginning. <p>Section 22, Township 40 North, Range 2 East</p> <ul style="list-style-type: none"> • N ½ SW ¼, Section 22, Township 40 North, Range 2 East W.M. • NW ¼ SE ¼, Section 22, Township 40 North, Range 2 East W.M. • N ½ S ½ SW ¼ NW ¼, Section 22, Township 40 North, Range 2 East W.M.; EXCEPT south 182.26 feet of west 239 feet. • S ½ S ½ SW ¼ NW ¼, Section 22, Township 40 North, Range 2 East W.M.; EXCEPT north 188 feet of west 463.41 feet. • SW ¼ SE ¼, Section 22, Township 40 North, Range 2 East W.M.; EXCEPT 1 acre in the SE corner southerly of Bertrand Creek; ALSO EXCEPT a tract described as follows, beginning at the south quarter corner thence running east along section line 350 feet to the true point of beginning, thence north 208.7 feet, thence east 208.7 feet, thence south 208.7 feet, thence west along the section line 208.7 feet to the true point of beginning. • SE ¼ SW ¼, Section 22, Township 40 North, Range 2 East W.M.; EXCEPT the west 100 feet of the north 310 feet; AND EXCEPT the west 400 feet of the south 300 feet; AND EXCEPT the east 427 feet of the south 371.25 feet. • East 130 feet of the south 290 feet of the N ½ SW ¼ SW ¼, Section 22, Township 40 North, Range 2 East W.M.; • Beginning at the northwest corner of the SE ¼ NW ¼, thence north 44 feet thence east 1320 feet more or less to a point on the east line of the NE ¼ NW ¼ which lies 38 feet north of the northeast corner of the SE ¼ NW ¼ thence south 38 feet to the northeast corner of SE ¼ NW ¼ thence west 1320 feet more or less to the point of beginning. <p>Section 27, Township 40 North, Range 2 East</p> <ul style="list-style-type: none"> • Lot 1 Maberry Short Plat as recorded in book 3 short plats page 149 within the NW ¼ NE ¼, Section 27, Township 40 North, Range 2 East W.M. <p>All except roads.</p>

County	Waterbody	Tributary To	WRIA
Whatcom	Groundwater		1-Nooksack

Purpose	Rate	Unit	Af/yr	Begin Season	End Season
Irrigation	200	GPM	80	April 15	October 1

Source Name	Parcel	Well Tag	Twp	Rng	Sec	QQ Q	Latitude	Longitude
HW-1	400222136219	BHN668	40N	02E	22	NW SW	48.94107	-122.54688
HW-2	400222334134	BHN677	40N	02E	22	SW SE	48.93631	-122.53764
HW-3	400221456167	BHN678	40N	02E	21	NE SE	48.93962	-122.55488
HW-4	400222065318	BHE777	40N	02E	22	SW NW	48.94410	-122.54657
HW-5	400222334134	BHE773	40N	02E	22	SW SE	48.93801	-122.53616
HW-6	400222210076	BHN667	40N	02E	22	SE SW	48.93788	-122.54681
IW-1	400222021162	BHN673	40N	02E	22	NW SW	48.94041	-122.55118
IW-2	400221460037	BHN666	40N	02E	21	SE SE	48.93597	-122.55593
IW-3	400221460037	BHE776	40N	02E	21	SE SE	48.93693	-122.55598
IW-4	400222334134	BHE774	40N	02E	22	SW SE	48.93605	-122.53884
IW-5	400222334134	BHE775	40N	02E	22	SW SE	48.93583	-122.53906
IW-6	400222334134	ACB994	40N	02E	22	SW SE	48.93808	-122.53561
Future Well	400221522186	NA	40N	02E	21	NE SE	NA	NA
Future Well	400221469097	NA	40N	02E	21	SE SE	NA	NA
Future Well	400222206332	NA	40N	02E	22	SE NW	NA	NA
Future Well	400222075251	NA	40N	02E	22	NW SW	NA	NA
Future Well	400222200400	NA	40N	02E	22	SE NW	NA	NA
Future Well	400222077282	NA	40N	02E	22	SW NW	NA	NA
Future Well	400227282462	NA	40N	02E	27	NW NE	NA	NA

GPM = Gallons per minute; Af/yr = Acre-feet per year; Sec. = Section; QQ Q = Quarter-quarter of a section; WRIA = Water Resource Inventory Area; W.M. = Willamette Meridian; Datum in NAD83/WGS84; NA = Not Available.

Legal Requirements for Requested Change

The following is a list of requirements that must be met prior to authorizing the proposed change in the point of withdrawal, the place of use, and the number of irrigated acres.

Public Notice

RCW 90.03.280 requires that notice of a water right application be published once a week, for two consecutive weeks, in a newspaper of general circulation in the county or counties where the water is to be stored, diverted and used. Notice of this application was published in *THE BELLINGHAM HERALD* on May 13 and May 20, 2013.

Consultation with the Department of Fish and Wildlife

The Department must give notice to the Department of Fish and Wildlife (WDFW) of applications to divert, withdraw or store water. On September 10, 2013, Andrew B. Dunn of RH2 Engineering notified Mr. Steven Boessow of WDFW of the 8 pending water right change applications related to the Enfield

Farms Home Fields properties. Mr. Boessow was provided with the applications and supporting documents. On March 10, 2014 a summary of the proposed decision was provided to Mr. Boessow and on April 2, 2014, he provided a letter stating that WDFW does not oppose the approval of this and the related change applications related to the Enfield Home Fields properties. The letter emphasizes the importance of fish in Bertrand Creek and in the Nooksack River downstream and acknowledges that these changes will not increase the quantity of water being used nor will it change the impacts on stream flows and fish that result from this irrigation. The letter also expresses support for the transparency to the water use by requiring metering and reflecting the actual acreage irrigated.

Consultation with the Lummi Nation and Nooksack Tribe

The Lummi Nation and Nooksack Tribe were notified of the water right change applications by Ecology. The Lummi Indian Business Council (LIBC) sent a letter dated January 29, 2013. In that letter the LIBC identified that it was concerned about the existing and future potential impacts on instream flows in Bertrand Creek. It indicated that all withdrawals within WRIA-1 have the capacity to adversely impact the rights of the Lummi Nation. The Nooksack Tribe did not provide comments.

State Environmental Policy Act (SEPA)

A water right application is subject to a SEPA threshold determination (i.e., an evaluation of whether there are likely to be significant adverse environmental impacts) if any one of the following conditions are met.

- (a) It is a surface water right application for more than 1 cubic foot per second, unless that project is for agricultural irrigation, in which case the threshold is increased to 50 cubic feet per second, so long as that irrigation project will not receive public subsidies;
- (b) It is a groundwater right application for more than 2,250 gallons per minute;
- (c) It is an application that, in combination with other water right applications for the same project, collectively exceed the amounts above;
- (d) It is a part of a larger proposal that is subject to SEPA for other reasons (e.g., the need to obtain other permits that are not exempt from SEPA);
- (e) It is part of a series of exempt actions that, together, trigger the need to do a threshold determination, as defined under WAC 197-11-305.

Because this application does not meet any of these conditions, it is categorically exempt from SEPA and a threshold determination is not required.

Water Resources Statutes and Case Law

RCW 90.03.380(1) states that a water right that has been put to beneficial use may be changed. The point of diversion, place of use, and purpose of use may be changed if it would not result in harm or injury to other water rights.

The Washington Supreme Court has held that Ecology, when processing an application for change to a water right, is required to make a tentative determination of extent and validity of the claim or right. This is necessary to establish whether the claim or right is eligible for change. *R.D. Merrill v. PCHB* and *Okanogan Wilderness League v. Town of Twisp*.

RCW 90.44.100 allows Ecology to amend a ground water permit to (1) allow the user to construct a replacement or additional well at a new location outside of the location of the original well, or to (2) change the manner or place of use of the water, if:

- (a) The additional or replacement well taps the same body of public ground water as the original well. RCW 90.44.100(2)(a),
- (b) Where a replacement well is approved, the user must discontinue use of the original well and properly decommission the original well. RCW 90.44.100(2)(b),
- (c) Where an additional well is constructed, the user may continue to use the original well, but the combined total withdrawal from all wells shall not enlarge the right conveyed by the original permit or certificate. RCW 90.44.100(2)(c),
- (d) Other existing rights shall not be impaired. RCW 90.44.100(2)(d).

When changing or adding points of withdrawal to groundwater rights (RCW 90.44.100), or when consolidating exempt wells with an existing permit or certificate (RCW 90.44.105), the wells must draw from the *same body of public groundwater*. Indicators that wells tap the *same body of public groundwater* include:

- (a) Hydraulic connectivity.
- (b) Common recharge (catchment) area.
- (c) Common flow regime.
- (d) Geologic materials that allow for storage and flow, with recognizable boundaries or effective barriers to flow.

RCW 90.03.380(1) states that the acreage irrigated under a water right may be enlarged if the annual consumptive quantity is not increased. The annual consumptive quantity is the average of the highest two years, of the most recent five-year period of ongoing beneficial use of the water right.

Cost Reimbursement Processing

This application is being processed under a Cost Reimbursement Agreement between the applicant and the Department of Ecology. The applicant selected RH2 Engineering, Inc. to process its applications on Ecology's behalf. These change applications are being processed without requiring processing of previously filed water right change applications, as allowed under RCW 90.03.265, since the transfers will not diminish the water available to earlier pending applicants for changes or transfers from the same source of supply.

INVESTIGATION

Site Visit/Site Description

On September 18, 2013, Mr. Andrew B. Dunn from RH2 and Mr. Tom Buroker from Ecology met with Mr. Andy Enfield and Mr. Dan Lambert from Enfield Farms and Mr. Chuck Lindsay their consultant from Associated Earth Sciences, Inc. (AESI) to perform the site visit. Before traveling to the proposed place of use, we met at their office and discussed general and specific farm operations and the proposed transfers.

Mr. Enfield confirmed that over the past two irrigation seasons (2012 and 2013), which occurred after submittal of the change application and associated supporting documentation prepared by AESI (2013), only raspberries and blueberries have been grown on the Home Fields property. Raspberries had been

recently removed from a number of the fields and wheat had been planted as part of the farm's planned crop rotation. At the time of the site visit, the wheat had sprouted and was just starting to emerge from the soil.

With respect to crop rotation, Mr. Enfield indicated that raspberries are often grown on a field for 5 to 10 years before being removed. After removal, the fields are usually planted with either potatoes or wheat for one to three seasons before being replanted in raspberries. In the past, Enfield Farms has also planted strawberries in the rotation, but it has not done that since the mid-1990s. Enfield Farms also grows blueberries on this farm and these plants can remain commercially viable for as long as 60 years. When wheat is grown, it does not need to be irrigated. When potatoes are grown, they are irrigated with traveling big gun sprinklers. When strawberries were grown, they were irrigated with traveling big gun, but they might use drip tape if planted in the future. Blueberries are irrigated primarily with hanging drip tape, but there are a few acres irrigated with overhead impact sprinklers.

Mr. Enfield provided RH2 with a map showing the pumphouses, mainlines, lines feeding the drip systems, and the approximately 20 irrigation zones on the property. Piping on the farm ranges from 8-inch to 3-inch diameter. In addition to the pumps associated with the 14 points of withdrawal/diversion, there are also 4 pumphouses that contain sand filters for particle removal, plumbing to allow for introduction of fertilizer into the irrigation system (fertigation), and some contain water flow meters. Mr. Enfield also provided RH2 a map showing the layout of the industrial packing plant area.

All of the points of diversion/withdrawal that serve water to this farm can be turned on or off to meet the irrigation need and demand. The irrigation season is weather dependent, but is typically from May through September, although this also depends on water right limitations. However, they have started irrigation in April and continued into October when weather conditions have dictated. Enfield Farms utilizes staff with soil moisture probes to determine when each field needs to be irrigated. Enfield Farms also employs a full-time irrigation specialist and a full-time agronomist that visit each acre being irrigated approximately twice a week during the irrigation season to check soil moisture and to look for system leaks. All irrigation is demand-based as opposed to simply being on a regular schedule. No irrigation was occurring during the site visit due to recent rains.

For all raspberries on this property, water is delivered through drip irrigation. The placement of the drip tape depends on which cultivar of raspberry is being grown in a particular field. For fields with the Meeker cultivar, T-tape is buried and drip irrigation is provided subsurface. This irrigation method is easier to install and more protected than hanging drip tape. However, for fields with the newer Wakefield cultivar, hanging drip tape is utilized because the roots are so aggressive they will infiltrate into and clog the drip system if it is buried. Enfield Farms is moving toward planting all fields with Wakefield raspberries and so hanging drip tape will be the water delivery method in the near future.

One older, small, field of blueberries is irrigated with fixed overhead impact sprinklers. This field had turf between the rows that would also utilize the provided irrigation water. The remaining blueberry fields were irrigated with hanging drip line.

Each proposed well, infiltration trench, and surface water diversion was visited to confirm the location and establish GPS coordinates. Depth to water measurements were taken at all wells during the site visit using a water level probe. The measurements obtained are discussed in the hydrogeology section of this investigation. Rows are typically spaced at 10-foot centers to allow for mechanical harvesting.

One of the two processing plants was toured to better understand water use within the facilities. Water within these facilities is used exclusively for washdown within the plant with water from the city of Lynden used for all berry-contact and domestic water. Enfield Farms operates one seasonal processing plant and one year round plant. Most of the processing plant water comes from IW-4, IW-5, IW-6, and HW-5. Originally, the plant operated under the groundwater permit exemption for industrial use but, over the years, water use has grown beyond the 5,000 gpd maximum. Washdown water from the plants is routed to a holding tank and then land applied to a neighboring property. A septic system is used for disposal of the domestic portion of the wastewater.

Homes located within the proposed place of use have their own private wells, some of which appear to be identified through water right claims and some of which are permit-exempt for residential use.

History of Water Use

Information on the history of water use under this water right was pieced together from a variety of sources including two affidavits, pump curves, aerial photos, Landsat imagery, irrigation guides, the site visit, and weather records.

Since the place of use for G1-21213C is completely contained within the place of use for G1-030294CL, and both water rights are identified as being for irrigation, the discussion in this section will be considering both water rights so that the water use is not double-counted.

Affidavits

Two affidavits relating to knowledge of farming and irrigation practices on the Home Fields under water right G1-21213C and G1-030294CL were provided with the change application. One affidavit, by Mr. Marvin Enfield, was signed and notarized on December 27, 2012. In that affidavit, Mr. Enfield indicates that he has been familiar with the farming operations on the property associated with this water right since the mid to late 1960's. The second affidavit, by Mr. Andy Enfield, was signed and notarized on December 27, 2012. In that affidavit, Mr. Enfield indicates that he has been familiar with the farming operations on the property associated with this water right since the early 1980's. Both affidavits state that the information provided in the AESI reports dated December 28, 2012, regarding the farming, irrigation, and general water use practices associated with this water right, is true and correct to the best of their knowledge.

Instantaneous Rate

AESI (2013) indicates that infiltration trench HW-3, which is the point of withdrawal for G1-21213C has two 7.5 hp centrifugal pumps installed on a floating platform (Berkeley B2TPMS). The pump curve indicates that, at their highest efficiency, the pumps will each produce 192 gpm at 105 feet of total dynamic head, for a combined rate of 384 gpm from HW-3.

HW-3 is also the current *de facto* point of withdrawal for water right G1-030294CL, which has an instantaneous pumping rate of 200 gpm. Since the instantaneous rate for water right G1-21213C is 180 gpm, the combined instantaneous limit of the two water rights is 380 gpm. The pumping rate that can be achieved from HW-3 is 384 gpm, which is in excess of the 380 gpm authorized under the two water rights associated with this point of withdrawal.

Therefore, it is reasonable to conclude that the full instantaneous rate under this water right has been maintained through beneficial use from infiltration trench HW-3 and is available for transfer.

Irrigated Acres

The existing place of use for G1-030294CL covers not only two parcels owned by Enfield Farms (Parcel No. 400221456167 and 400221522186), but also parcels owned by Gary L. Hawkins (Parcel No. 400221521200) and a parcel owned by Michael Haveman (Parcel No. 400221521174). Only irrigated acres falling within the Enfield Farms-owned parcels have been counted toward G1-030294CL. The owners of both non-Enfield Farms parcels signed the change application suggesting that they are informed about the proposed changes and not opposed to the proposed place of use not including their parcels.

The place of use for G1-21213C is fully contained within the place of use identified on water right claim G1-030294CL (Gray). This water right claim is for irrigation of 20 acres. Given that the water right claim indicates that it is senior to this certificate, the water right claim place of use includes the entire place of use of G1-21213C, and the water duty claimed is higher than the duty granted under the certificate, all irrigated acres within the place of use will be considered primary under G1-030294CL and non-additive under G1-21213C, so that the acres are not double-counted.

Aerial photos of the Enfield Farms Home Fields property were provided with the application packet. These aerial photos were labeled with the following dates: 1951, 1961, 1975, 07/15/1998, 07/15/2004, 07/31/2005, 09/6/2006, 06/25/2009, and 09/25/2011. The aerial photos from 1998 to present were viewed using Google Earth™.

Landsat imagery was spot-checked for the following dates: 08/01/1986, 08/04/1987, 08/12/1990, 07/27/1996, 08/02/1998, 08/21/2005, 07/10/2007, and 07/05/2011. The Landsat imagery shows different colors of red through the irrigation season and from year to year, which suggests that crops are rotated on the farm. This is consistent with the observed aerial photos and discussion with Mr. Andy Enfield, as well as his affidavit. Vigorous plant growth shows as bright red when viewed in color infrared (band 4-3-2).

The claim indicates that the date of first use was 1938, which predates the ground water code. The same acreage appears to be irrigated in the 1951, 1961, and 1975 aerial photos. Besides the area being irrigated, there are structures located in the west central portion of the property. The certificate was applied for in 1974 and certificated in 1976, so we assume that 18 acres was being irrigated at that time since that was the number of acres identified under the certificate. From the 1975 aerial photo to present, the infiltration trench is visible. The infiltration trench was not present during the earlier 1961 aerial photo. In the 1998 through 2011 aerial photos agricultural irrigation covers the land owned by Enfield Farms, including the plant and tissue nursery. Over the years, the buildings associated with the plant and tissue nursery have expanded.

Geographic Information Systems (GIS) was used to measure the area where crops were grown and where the nursery buildings were located. This irrigated area was calculated as 18 acres, which is consistent with the acreage on the certificate. Review of the water right record, aerial photos, and Landsat imagery supports that 18 acres has been consistently farmed and irrigated within the place of use for both G1-030294CL and G1-21213C.

Annual Volume

Based on review of the aerial photos and Landsat imagery, it is determined that 18 acres has been irrigated under this G1-030294CL and G1-21213C.

Historically, crops such as strawberries, raspberries, and blueberries have been grown on this property. However, blueberries have been grown on the property since at least 2006 using micro drip irrigation methods (AESI, 2013). The plant and tissue nursery is focused on raspberry and blueberry plants. **Table 1** lists the crops grown and irrigation method used for the most recent 5-year period of 2009 through 2013.

Table 1. Crops Grown and Irrigation Method Under G1-030294CL and G1-21213C

Irrigation Season	Crop	Irrigation Method
2009	Blueberries	Trickle/Drip
2010	Blueberries	Trickle/Drip
2011	Blueberries	Trickle/Drip
2012	Blueberries	Trickle/Drip
2013	Blueberries	Trickle/Drip
<ul style="list-style-type: none"> • Crops grown and irrigation method provided by Mr. Andy Enfield • Crops grown confirmed through aerial photos when available. 		

There are currently no water meters installed on the point of withdrawal. Therefore, we relied on the Washington Irrigation Guide (WIG, 1985), older irrigation guides (1982 and 1969), weather data, and Water Resources Guidance GUID-1210 to estimate the highest annual volume of water pumped under this water right.

The first thing to be determined is the crop irrigation requirement (CIR). This is the amount of water that the crop would need to not experience any stress due to water availability. AESI (2012) proposed averaging the crop irrigation requirements for the two closest stations (Blaine and Clearbrook) since the Home Fields are approximately equidistant between them. We agree that this is a reasonable assumption. We also consider the blueberry crop irrigation requirement to be the same as for raspberries and use them interchangeably in this report. The average of the data from the WIG (1985) suggests that, with a 2-year return interval, the crop irrigation requirement for a blueberry or raspberry crop is 16.53 inches and for a strawberry crop is 1.99 inches. From the WIG data, it is apparent that the highest water use crops grown within the place of use are blueberries and raspberries.

The WIG (1985) CIR estimates are for an average year and are based on almost 30 years of weather data collected from 1951 to 1980. The University of Washington – Climate Impacts Group has predicted that over the next 10 to 30 years, average air temperatures in the Pacific Northwest will be 2 to 3 degrees Fahrenheit higher than the 1970 to 1999 averages and that less precipitation will occur during the summer months due to global climate changes in Washington State. The available weather data shows that the period of May through September was on average 1.6 degrees Fahrenheit warmer from 2009 through 2013, than the average temperature from the Blaine and Clearbrook stations provided in the WIG (**Table 2**). Therefore, it is apparent that, because the WIG values are based on weather data from 1951 to 1980, utilizing the WIG estimated CIR would result in underestimating the amount of irrigation water an irrigator has actually been using over at least the last five years.

Station Circular 512 (Irrigation Water Requirements Estimates for Washington, November 1969) and EB1513 (Irrigation Requirements for Washington Estimates and Methodology, 1982) show that, for the Bellingham station (closest location to the site), the crop irrigation requirement will increase as the

return period increases. These documents show an increase of 1 to 3 inches going from the 2-year to the 5-year and 10-year return intervals.

Table 2. Weather Comparison of WIG Averages to Actual Data

Irrigation Season	Temperature (degrees F)			Precipitation (inches)		
	WIG Average	Actual	Difference (Actual - WIG)	WIG Average	Actual	Difference (Actual - WIG)
2009	58.65	61.01	2.36	10.42	8.02	-2.40
2010		59.37	0.72		14.35	3.93
2011		59.23	0.58		11.05	0.63
2012		59.91	1.26		8.64	-1.78
2013		61.90	3.25		11.70	1.28

- Irrigation season is considered to be May through September.
- Annual data is average of the Clearbrook and Blaine weather stations.
- Weather data from 2007 through 2011 was provided with the change applications (AESI, 2013) and data for the 2012 and 2013 irrigation seasons was obtained from www.wrcc.dri.edu

Publication EB1513 presents CIR estimates for various crops (based on average weather data from 1948 through 1973) and 2-, 5-, 10-, and 20-year return intervals to account for climatic variability. Publication EB1513 states that the CIR 2-year return period values will be adequate on the average, once each 2 years. Similarly, the 5-year CIR values, 10-year CIR values and 20-year CIR values will be adequate on the average, 4 of 5 years, 9 of 10 years and 19 of 20 years, respectively. Again, it should be noted that these CIR values and return periods are based on weather data collected from 1948 through 1973 and, as discussed above, likely underestimate the current CIR values and return interval time periods due to ongoing global climate change.

Publication EB1513 indicates that, for Bellingham (closest location to site), the blueberry CIR increased by approximately 17 percent going from the 2-year to the 10-year return interval. Increasing the WIG blueberry CIR by 17 percent results in a 19.34 inch CIR for blueberries. RH2 has assumed that increasing the WIG values to represent the anticipated 10-year return interval for the crop is a reasonable way to estimate the actual CIR over the past five years.

Ecology guidance document 1210 indicates that the efficiency of the trickle/drip micro-irrigation methods utilized by Enfield Farms to irrigate blueberries ranges between 70 percent and 95 percent, with an average of 88 percent. Guidance document 1210 indicates that farmers that operate systems near the higher end of the range often exhibit the following:

- Newer system infrastructure
- Active maintenance program
- Knowledge of seasonal crop evapotranspiration rates
- Scheduling irrigation in response to crop demand
- Ground-truthing of soil moisture.

Enfield Farms is a family-owned business that has been in operation in Whatcom County for over 40 years. Their system exhibits each of these characteristics. They replace their irrigation system infrastructure on a routine schedule or when they observe signs of wear that could lead to a loss of

water. They operate a research facility and routinely develop new strains of raspberries and other crops that require less water and are more resistant to disease. They are recognized experts regarding farming practices in Whatcom County. For these reasons, the efficiency of trickle/drip micro-irrigation systems used in the Enfield Farms fields is assumed to be average to high.

Since the irrigation method used for the blueberry irrigation is trickle/drip irrigation, it is assumed that the application efficiency averages 88 percent and the consumptive use averages 93 percent (Ecology Guidance 1210). The irrigation method and application efficiency used in the calculations are provided in **Table 3**.

Table 3. Total Irrigation Requirement and Consumptive Use Variables Utilized

Crop	Irrigation Method	Application Efficiency	Percent Consumptive Use
Blueberries	Trickle/Drip	88%	93%
<ul style="list-style-type: none"> Application efficiency and percent consumptive use equal to the average values provided in Ecology Guidance 1210. 			

Based on the crop grown and irrigation pattern, irrigation use would have been the same for each year between 2009 and 2013, when 18 acres was planted in blueberries and all irrigation was occurring using the trickle/drip method. Dividing the blueberry CIR of 19.34 inches by 88 percent calculates to a total irrigation requirement (TIR) of 21.98 inches (1.83 feet). Therefore, the TIR for blueberries is 1.83 feet multiplied by 18 acres, which is equal to 33 af/yr.

Since the water right claim G1-030294CL indicated a duty of 4 feet, which is higher than the duty identified under G1-21213C and what has been identified here as being reasonable, it is assumed that the annual volume attributed to the claim will be primary and the annual volume attributed to the certificate will be non-additive. It is reasonable to conclude that the primary annual volume of 33 af/yr has been used under G1-030294CL and G1-21213C and not lost due to non-use without sufficient cause.

Proposed Use

The overall goal of this water right change application is to change the water right Place of Use (POU), to increase the number of irrigated acres, and to add several additional points of withdrawal. The proposed POU for G1-030294CL is the same area as the proposed POU for Change Applications associated with nine other water rights (G1-21356C, G1-00502C, S1-*17211C, G1-*05902C(C), G1-20922C, S1-*09876C, S1-*05117C, G1-21213C, and G1-*02351C), which are also owned by Enfield Farms Inc. The primary purposes of these Enfield Farms Change/Transfer Applications is to consolidate the water rights onto agricultural property owned by Enfield Farms and to make the existing points of withdrawal common to the water rights.

The proposed POU is comprised of 14 parcels, all owned by representatives of Enfield Farms. The proposed POU is approximately 305 acres in size and includes roughly 261 acres of irrigable land as indicated in **Table 4**.

Table 4. Parcels Requested for Inclusion in the Place of Use

Parcel No.	Parcel Owner	Gross Acres	Approximate Irrigable Acres
400221456167	M. Enfield	18.52	17.50
400221522186	Enfield Farms, Inc.	0.80	0.50

400221469097	M. Enfield	13.87	13.30
400221460037	M. Enfield	11.97	11.50
400222334134	M. Enfield	77.24	57.00
400222206332	M. Enfield	40.00	36.40
400222136219	Enfield Family LLC	65.25	59.00
402222015202	Enfield Family LLC	0.96	0.30
400222021162	M. Enfield	5.07	2.50
400222210076	Enfield Family LLC	42.94	40.00
400222200400	M. Enfield	1.33	1.25
400222065318	Enfield Family II LLC	8.77	8.50
400222077282	Enfield Family II LLC	7.78	7.50
400227282462	M. Enfield	10.49	5.75
Totals		305	261

The primary commercial crops to be grown will be raspberries and blueberries with the occasional crop rotation of potatoes, wheat, and strawberries. The berries will be irrigated using trickle/drip irrigation methods and the potatoes and wheat will be irrigated using traveling big gun irrigation. The lawns and grass in the buffer area, which is currently being irrigated under another water right, will still be irrigated using the same irrigation methods after the change. This water right change application is being proposed in conjunction with nine other water right change applications that will also include spreading their available annual quantity of water over the available irrigable land. The applicant plans to use deficit irrigation methods.

Annual Consumptive Quantity (ACQ)

A change in the place of use, point of diversion, and or purpose of use of a water right to enable irrigation of additional acreage or the addition of new uses may be permitted if the change results in no increase in the annual consumptive quantity of water used under the water right (See RCW 90.03.380).

Annual Consumptive Quantity means the estimated or actual amount of water diverted in a year, allowed under a water right, reduced by the estimated annual amount of return flows. This quantity is then averaged using the greatest two years of use within the most recent five-year period of continuous beneficial use of the water right.

The ACQ analysis for this change application will be performed on the 2009 through 2013 irrigation seasons. Based on the data available, it is reasonable to use 2012 and 2013 to represent the years when the crops grown and weather conditions would require application of the most irrigation water. Therefore, based on this data, these two years will be used as the two highest years of use within the last five years of consecutive water use.

As was discussed in the history of water use section of this report of examination, blueberries were grown on 18 acres during the 2012 and 2013 irrigation seasons (**Table 1**).

Table 5. Annual Consumptive Quantity Calculation

Year	Estimated CIR (inches)	Actual CIR (feet)	WR Limit (feet)	Application Efficiency (%)	Cons. Use Efficiency (%)	Actual Cons. Use (feet)	TIR (af/yr)	Cons. Use (af/yr)	Return Flow (af/yr)
------	------------------------	-------------------	-----------------	----------------------------	--------------------------	-------------------------	-------------	-------------------	---------------------

2012	19.34	1.61	4.0	88	93	1.70	33.0	30.6	2.4
2013	19.34	1.61	4.0	88	93	1.70	33.0	30.6	2.4
Average							33.0	30.3	2.4

Estimated CIR = Washington irrigation guide (average of Blaine and Clearbrook stations) multiplied by 117% to account for current climatic conditions.

CIR = Crop irrigation requirement

WR Limit = Additive annual volume of 80 af/yr divided by 20 acres

Application Efficiency from Ecology GUID-1210

af/yr = acre-feet per year

Cons. = Consumptive

Crop Grown: Blueberries (assumed to have the same crop requirements as raspberries)

Area: 18 acres

Irrigation Method: Trickle/drip

Cons. Use Efficiency = Application Efficiency + 5% Total Evaporated from Ecology GUID-1210.

Actual Cons. Use = WR Limit x Cons. Use Efficiency

Table 5 shows that based on the irrigation requirement for 2012 and 2013, the consumptive use to irrigate 18 acres of blueberries is 30.6 af/yr, which is less than the combined water right limit of 80 af/yr and less than the historic beneficial use of 33 af/yr.

The proposed use requests to increase the number of irrigated acres. In his affidavit (dated December 27, 2012), Mr. Andy Enfield acknowledged that if the change is approved, Enfield Farms will be deficit irrigating its crops (applying less water than the crop can consume) and that the deficit irrigation practices are reasonable and adequate for growing the crops they plan to grow on these fields.

Therefore, only the consumptive portion of 30.6 af/yr will be allowed to be changed under G1-030294CL and G1-21213C.

Period of Use

Claim G1-030294CL identifies the period of use for irrigation as May 1 to October 1. The change application requests that the period of use be extended to April 15 to October 1. Extension of the period of use by approximately 2 weeks would allow Enfield Farms, Inc., to irrigate earlier in the season. However, this change in period of use has the potential of changing the timing of impact to surface water bodies connected to the aquifer. Therefore, the period of use change is not allowed and the period of use of the claim will remain as originally issued (May 1 to October 1).

Other Rights Appurtenant to the Place of Use

Relying on Ecology's Water Resources Explorer (accessed in December 2013), we have identified the following water right as being appurtenant to both the original and proposed place of use, in addition to G1-030294CL and G1-21213C.

Permit S1-28116P

Name: City of Lynden

Instantaneous Rate: 0.57 cfs

Annual Quantity: 70 af/yr

Purpose: Domestic Supply

Source: Nooksack River

This water right is for domestic use and not related to the agricultural irrigation occurring under the water right being changed. In addition to the 10 water right change applications currently being processed for Enfield Farms, the following 13 water rights are appurtenant to the proposed place of use.

Water Right Claim G1-002744CL

Name: Winfred Maberry
Quantity of Water Claimed: 20 gpm
Annual Quantity Claimed: 2 af/yr
Date of First Putting Water to Use: 1945
Purpose for Which Water is Used: Domestic

Water Right Claim G1-020987CL

Name: Grant Chilton
Quantity of Water Claimed: 20 gpm
Annual Quantity Claimed: 16 af/yr
Date of First Putting Water to Use: June 1949
Purpose for Which Water is Used: Domestic

Water Right Claim G1-030293CL

Name: Charles Gray
Quantity of Water Claimed: 10 gpm
Annual Quantity Claimed: 2 af/yr
Date of First Putting Water to Use: June 1952
Purpose for Which Water is Used: Domestic

Water Right Claim G1-033405CL

Name: Robert and Lorette Bauman
Quantity of Water Claimed: 10 gpm
Annual Quantity Claimed: 1 af/yr
Date of First Putting Water to Use: Prior to 1892
Purpose for Which Water is Used: Domestic, Garden/Lawn, Livestock

Water Right Claim G1-033406CL

Name: Robert and Lorette Bauman
Quantity of Water Claimed: 10 gpm
Annual Quantity Claimed: 1 af/yr
Date of First Putting Water to Use: Prior to 1892
Purpose for Which Water is Used: Domestic, Garden/Lawn, Livestock

Water Right Claim S1-034684CL

Name: Mike Harmon
Quantity of Water Claimed: NA
Annual Quantity Claimed: NA
Irrigation Acres Claimed: NA
Date of First Putting Water to Use: NA
Purpose for Which Water is Used: Irrigation (lawn and garden)
Source: West Bertrand Creek or Bertrand Slough

Water Right Claim G1-034685CL

Name: Mike Harmon
Quantity of Water Claimed: NA
Annual Quantity Claimed: NA
Date of First Putting Water to Use: NA
Purpose for Which Water is Used: Domestic

Water Right Claim G1-065512CL

Name: Dale Sheets
Quantity of Water Claimed: NA
Annual Quantity Claimed: NA
Date of First Putting Water to Use: NA
Purpose for Which Water is Used: Domestic

Water Right Claim G1-074659CL

Name: J. B. Wakefield
Quantity of Water Claimed: NA
Annual Quantity Claimed: NA
Irrigation Acres Claimed: NA
Date of First Putting Water to Use: NA
Purpose for Which Water is Used: Domestic and Irrigation (lawn and garden)

Water Right Claim G1-080973CL

Name: Juan and Virginia Perez
Quantity of Water Claimed: NA
Annual Quantity Claimed: NA
Irrigation Acres Claimed: NA
Date of First Putting Water to Use: NA
Purpose for Which Water is Used: Domestic

Water Right Claim G1-090542CL

Name: Blanche Brockmeyer – (Earl Brockmeyer)
Quantity of Water Claimed: NA
Annual Quantity Claimed: NA
Irrigation Acres Claimed: NA
Date of First Putting Water to Use: NA
Purpose for Which Water is Used: Domestic, Stockwatering, and Irrigation (lawn and garden)

Water Right Claim G1-301104CL

Name: Marvin Enfield
Quantity of Water Claimed: 100 gpm
Annual Quantity Claimed: 25 af/yr
Irrigation Acres Claimed: 5
Date of First Putting Water to Use: May 1925
Purpose for Which Water is Used: Irrigation, Domestic, and Ag accessory

Water Right Claim G1-301118CL

Name: Marvin Enfield
Quantity of Water Claimed: 200 gpm
Annual Quantity Claimed: 80 af/yr
Irrigation Acres Claimed: 20
Date of First Putting Water to Use: August 1938
Purpose for Which Water is Used: Irrigation

Water right claim G1-301104CL submitted by Marvin Enfield appears to identify irrigation water use that is covered by ground water certificate GWC 1300-A (G1-*02351C) and also industrial and domestic use that is covered under the groundwater permit-exemption. In an e-mail dated December 31, 2013, Enfield Farms confirmed that this was correct. Therefore, all beneficial use will be assigned to the groundwater certificate and permit-exemption and the quantities under the claim will not be considered to be additive.

Water right claim G1-301118CL submitted by Marvin Enfield appears to be a duplication of water right claim G1-030294CL submitted by Charles Gray, the latter of which is one of the water rights being changed by Enfield Farms. In an e-mail dated December 31, 2013, Enfield Farms confirmed that this was correct. For this reason, water right claim G1-301118CL has been tentatively determined to not represent an additional water right beyond what may have been established and maintained through beneficial use under G1-030294CL.

The remainder of the water right claims identified appear to be for residential domestic, stockwatering, and lawn and garden irrigation use as opposed to agricultural irrigation. Therefore, these additional water rights within the proposed place of use are not pertinent when reviewing beneficial use under the water rights being changed since the uses are different.

Hydrologic/Hydrogeologic Evaluation

A separate hydrogeologic memorandum was prepared by Andrew B. Dunn, L.G., L.H.G., focusing on the same body of public groundwater test and impairment (RH2 Engineering Technical Memorandum, January 15, 2014). A summary of that memorandum is presented here and more detail can be obtained from the memorandum, located in the water right file.

The points of withdrawal and place of use involved in these water right changes lie near the southwestern extent of the geographic feature commonly referred to as the Lynden Terrace. The Lynden Terrace is a slightly elevated but gently sloping region located in northern Whatcom County to the north of the Nooksack River Lowland

All of the existing and proposed points of withdrawal fall within the Bertrand subbasin as defined by the Water Resources Inventory Area (WRIA) 1 Initiating Governments (2002), except for a small portion of the parcels located in Section 21, Township 40 North, Range 2 East, W.M. that lie within the South Fork Dakota subbasin (**Figure 1**). All wells, infiltration trenches, and horizontal wells are completed within the Sumas outwash aquifer. The Sumas outwash aquifer at this location is composed of sand that ranges from 20 to 50 feet thick. Deeper sediments (Everson Glaciomarine Drift) are fine-grained and do not yield water in sufficient quantities, or of high enough quality, to be used for irrigation supply. Recharge to the Sumas outwash aquifer is almost exclusively through vertical infiltration of precipitation. The water table is from 5 to 20 feet below ground surface in the late summer and fluctuates by

approximately 3 to 4 feet over the course of the year due to changes in recharge and groundwater use. The Sumas outwash aquifer is directly connected to the many ditches and tributaries associated with Bertrand Creek.

While groundwater in the Sumas outwash aquifer flows generally from north to south toward the Nooksack River, local conditions cause it to deviate from this north to south flow pattern to converge on the mainstem and tributaries of Bertrand Creek (**Figure 2**). The groundwater elevations and interpreted groundwater level contours and flow directions measured during the site visit match well with the earlier work done by Cox and Kahle (1999).

Pumping Impacts on Surface Water Bodies

Most, but not all, of the proposed points of withdrawal tap the aquifer in an area where the water pumped would naturally discharge into the West Branch Bertrand Creek. The dividing line on the Home Fields property, based upon groundwater flow contours and directions, has been determined to be a line running north-south through the center of Section 22, Township 40 North, Range 2 East W.M. (**Figure 1**). For this reason it has been determined that there are two bodies of public groundwater beneath the Home Fields place of use (West Branch Bertrand and Mainstem Bertrand) and proposed points of withdrawal must stay within the same body of public groundwater as the original point of withdrawal.

DRAFT




Figure 1. Original and Proposed Points of Withdrawal with Groundwater Flow.

(Groundwater elevations and flow directions based on September 18, 2013, water level measurements. WRIA 1 subbasin boundaries delineated through the WRIA 1 Watershed Management Project, 2002.)




Figure 2. Potentiometric Surface Map from Cox and Kahle (1999)

(Figure shows approximate location of the Enfield Farms project with groundwater contours with elevation in feet. Flow direction arrows were added in the vicinity of the project for clarity.)

Same Body of Public Groundwater

The original points of withdrawal for this water right originally withdrew groundwater associated with the West Branch Bertrand Creek. Therefore, this water right must continue to withdraw water from points of withdrawal (whether existing or future) that are located within this same source of supply. Based on the groundwater contours available, the boundary between the Mainstem and West Branch Bertrand Creek sources on the Home Fields property is a line running north-south through the center of Section 22, Township 40 North, Range 2 East W.M. (Figure 1).

On September 10, 2013, Ecology was asked if it had received any complaints from well owners near the Home Fields Farm related to declining water levels, excessive seasonal drawdowns, and wells pumping air. On September 11, 2013, Ms. Kasey Cykler, Ecology WRIA 1 Watermaster, responded that Ecology had not received any complaints in that area. On September 24, 2013, Mr. Buck Smith, Ecology Senior Hydrogeologist, responded that he was also not aware of any complaints in that area.

Public Interest Considerations

The changes proposed by the applicant will not be detrimental to the public welfare.

Consideration of Protests and Comments

The January 29, 2013, protest letter from the Lummi Indian Business Council indicates that all of the change applications are for points of withdrawal located within the WRIA 1/Bertrand Creek/Nooksack River watershed. The protest is based on concerns over current and future potential impacts on instream flows. However, these are change applications and not applications for new (consumptive) water use. Because the quantities of water involved will remain unchanged and because each of the sources pumps from the same body of public water, no additional or new impacts are associated with the changes being recommended for approval. The pumping of water from any of the subject wells will not change stream flows from current conditions.

On April 2, 2014, WDFW provided a letter stating they do not oppose the approval of this and the related change applications related the Enfield Home Fields properties. The letter emphasizes the importance of fish in Bertrand Creek and in the Nooksack River downstream and acknowledges that these changes will not increase the quantity of water being used nor will it change the impacts on stream flows and fish that result from this irrigation. The letter also expresses support for the transparency to the water use by requiring metering and reflecting the actual acreage irrigated.

Therefore, the protest and comments do not justify denial of the change application.

Conclusions

The changes requested will not impair existing rights nor be detrimental to the public welfare. Given that comments from the Lummi Indian Business Council have been addressed and WDFW has stated that it does not oppose the approval of this and the related applications, the change should be approved as recommended below.

Summary

Table 6 contains a summary of all of the Enfield Farms – Home Fields water rights, after the current batch of change applications are processed. From this table it can be seen that there will be 277 af/yr of water available to irrigate 261 acres, which is equal to a total of 1.061 feet or 12.74 inches. This depth is lower than the crop irrigation requirement and that is because only the consumptive portion was able to be carried through the change application process for the future irrigation use. The additive irrigated acres for each water right was determined by dividing the amount of additive water carried through the annual consumptive quantity test for irrigation use by 1.061 feet or 12.74 inches (for this water right 30.6 af/yr divided by 1.061 feet equals 28.9 acres).

**Table 6. Summary of Recommended Water Right Change Decisions,
Enfield Farms, Home Fields**

Water Right	Qi (gpm)	Total Qa (af/yr)	Additive Irrigated Acres	Industrial Use (af/yr)	Irrigation Use (af/yr)	Season of Use	Place of Use	Points of Withdrawal
G1-030294CL (Gray)	200	30.6	28.9	0	30.6	05/01 - 10/01	Home Fields	IW-1, IW-2, IW-3, HW-1, HW-3, HW-4, HW-6, and future wells in West Branch Bertrand Body of Public Groundwater
G1-21213C (Chilton)	180	9 NA	0	0	9 NA	04/15 - 10/01		
G1-00502C (Chilton)	250	67	63.1	0	67	06/15 - 09/15		
G1-21356C (Perez)	50	12	11.3	0	12	04/15 - 10/01		
SWC 4435 (Wakefield)	45	14.5	13.7	0	14.5	04/15 - 10/01		
GWC 3986 Record C (Enfield Family LLC)	54.82	16.92	15.9	0	16.92	04/15 - 10/01		
SWC 9177 (Brockmeyer)	90	29.28 + 16.92 NA	27.6	0	29.28 + 16.92 NA	04/15 - 10/01		
G1-20922C (Bauman)	100	20.4	19.2	0	20.4	04/15 - 10/01		
GWC 1300 (Maberry)	320	16.4 + 86.3 NA	0	16.4	86.3 NA	04/15 - 10/01		
SWC 1384 (Brown)	300	86.3	81.3	0	86.3	04/15 - 10/01	SD-1 (Mainstem Bertrand Creek)	
Total	1,589.82	293.4	261	16.4	277			

NA = Non-additive

Table 7 summarizes the breakdown of the cumulative instantaneous pumping rate authorized at the Home Fields over the course of the year. The difference in the pumping rate allowed at different times throughout the year is based on slightly different definitions for the period of use on the original water rights. No changes to any water right's period of use was made through this batch of change applications.

Table 7. Summary of Cumulative Peak Instantaneous Rate of Water Rights in Table 6 Based on Period of Use, Enfield Farms, Home Fields

Date Range	Combined Pumping Rate (gpm)
January 1 through April 14	0
April 15 through April 30	1,139.82
May 1 through June 14	1,339.82
June 15 through September 14	1,589.82
September 15 through September 30	1,339.82
October 1 through December 31	0

RECOMMENDATIONS

Based on the above investigation and conclusions included in this Report of Examination, RH2 recommends that this request for a water right change be approved in the amounts and within the limitations listed below and subject to the provisions listed above

Purpose of Use and Authorized Quantities

The amount of water recommended is a maximum limit and the water user may only use that amount of water within the specified limit that is reasonable and beneficial:

200 gpm
 30.6 af/yr (non-additive)
 Irrigation of 28.9 acres (additive) and 232.2 acres (non-additive)
 May 1 to October 1

Points of Withdrawal

IW-1 - NW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 22, Township 40 North, Range 2 E.W.M.
 IW-2 - SE $\frac{1}{4}$ SE $\frac{1}{4}$, Section 21, Township 40 North, Range 2 E.W.M.
 IW-3 - SE $\frac{1}{4}$ SE $\frac{1}{4}$, Section 21, Township 40 North, Range 2 E.W.M.
 HW-1 - NW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 22, Township 40 North, Range 2 E.W.M.
 HW-3 - NE $\frac{1}{4}$ SE $\frac{1}{4}$, Section 21, Township 40 North, Range 2 E.W.M.
 HW-4 - SW $\frac{1}{4}$ NW $\frac{1}{4}$, Section 22, Township 40 North, Range 2 E.W.M.
 HW-6 - SE $\frac{1}{4}$ SW $\frac{1}{4}$, Section 22, Township 40 North, Range 2 E.W.M.
 Future wells may be located within the following parcels (as they existed at the time of report issuance) identified as falling within the West Branch Bertrand Source located within the E $\frac{1}{2}$ SE $\frac{1}{4}$, Section 21 and the W $\frac{1}{2}$, Section 22, of Township 40 North, Range 2 East, W.M., as shown on the **Attachment**:

- 400221456127 (only that portion located within the Bertrand subbasin)
- 400221460037 (only that portion located within the Bertrand subbasin)
- 400221469097 (only that portion located within the Bertrand subbasin)
- 400221514028
- 400221522186
- 400221524086
- 400222015202
- 400222021162
- 400222065318 (only that portion located within the Bertrand subbasin)
- 400222077282
- 400222136219
- 400222200400
- 400222206332
- 400222210076

Place of Use

As described on Page 2 and 3 of this Report of Examination.

Report by: _____

Jim Bucknell – RH2 Engineering, Inc.

_____ Date

Report by: _____

Andrew B. Dunn, L.G., L.HG., CWRE – RH2 Engineering, Inc.

_____ Date

Reviewed by: _____

Buck Smith, L.G., L.HG. - Water Resources Program

_____ Date

If you need this publication in an alternate format, please call Water Resources Program at (360) 407-6600. Persons with hearing loss can call 711 for Washington Relay Service. Persons with a speech disability can call 877-833-6341.

DRAFT

ATTACHMENT

