



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

Northwest Regional Office • 3190 160th Ave SE • Bellevue, WA 98008-5452 • 425-649-7000  
711 for Washington Relay Service • Persons with a speech disability can call 877-833-6341

**FEB 23 2012**

Kathy Hernandez-Bell  
Board of Trustees  
Seattle Skeet & Trap  
P.O. Box 58458  
Renton, WA 98058

Dear Ms. Hernandez-Bell:

**Re: Your request for a revised SHORT TERM AUTHORIZATION under Water Right Application G1-28709**

This letter serves as a revised **Short Term Authorization** for the withdrawal of up to 30 gallons per minute, from a well, for a water-based process to reclaim and recycle spent lead shot at the Seattle Skeet & Trap (SST) facility in Ravensdale. **READ THIS LETTER CAREFULLY.** This Short Term Authorization is being issued for a four month period, beginning on April 4, 2012, and expiring on August 3, 2012. **This authorization supersedes the authorization issued on July 6, 2011.** Failure to comply with the terms and conditions of this Short Term Authorization will result in immediate cancellation.

The Department of Ecology (Ecology) received the subject application, signed by you, a trustee of SST, on June 9, 2011. You requested a Short Term Authorization to allow your contractor to withdraw up to 30 gallons per minute from an 8 inch x 140 foot well (Ecology ID # ACT 185) located on a parcel owned by King County. This parcel is leased by your organization from the King County Department of Executive Services/Facilities Management (DES/FM). Appropriately, the subject application was also signed by Robert Thompson of King County DES/FM.

Your requested point of withdrawal and place of use are within the NE $\frac{1}{4}$  of Section 29, Township 22 North, Range 7 East, in King County. The site address is 26520 292nd Avenue SE #3, Ravensdale, WA. The parcel number for this site is 292207-9001.

Your contractor is going to reclaim lead shot deposited on the property from shotgun shooting sports. A "water-based" system for separating the lead shot from the soil materials will be used. Water will be stored in large holding tanks (approximately 25,000 gallons total) and pumped into the machine that separates the lead shot from the soil materials. Every attempt will be made to recycle as much water into the holding tanks as possible to reduce usage, but there will be some water loss during the process requiring the holding tanks to be refilled. All soil materials will be pre-screened to  $\frac{1}{2}$ " size using a dry screen box process, prior to loading into the lead separation



machine where the water is used. The recovered lead shot will then be sent to a recycling facility.

Exact dates water will be needed depends on allowable SST work dates. If your contractor is provided 100% access to the SST facility, it is expected that the processing activity will take place in a time window from early-April 2012 to early-August 2012, involving approximately 4 weeks of actual water usage, 5 to 6 days a week, up to 10 hours per day. However, the processing will be less intense than this because the SST club will require the contractor to conduct work during days and times the club is not open, so actual water usage will be broken up in incremental periods (i.e., 5 to 11 am and/or 6 to 9 pm) per day. Based on a maximum of 10 hours of daily pumping, for 6 days a week, over the course of 4 weeks, approximately 432,000 gallons (1.33 acre feet) of water will need to be pumped. Actual pumpage from the well will be something less, because as much water as possible will be recycled.

Seattle Skeet & Trap is hereby granted a **Short Term Authorization** to proceed with the withdrawal and beneficial use of water as described above, subject to the following terms and conditions:

1. This Short Term Authorization becomes effective on April 4, 2012.
2. This Short Term Authorization shall remain in effect through August 3, 2012, unless revoked sooner by Ecology if SST (or their contractor) fails to comply with these terms and conditions. If SST desires to terminate this Short Term Authorization prior to August 3, 2012, please do so in a written request to Ecology's Northwest Regional Office.
3. This authorization to make use of public waters of the state is subject to existing rights, including any existing rights held by the United States for the benefit of Tribes under treaty or settlement.
4. There is limited development and water use in the area of the SST facility, so impairment of other water rights is not anticipated. However, if impairment of other rights does occur, SST will be required to diminish or cease pumping.
5. Department of Ecology personnel, upon presentation of proper credentials, shall have access to the project location to inspect the SST water works for compliance with this Short Term Authorization.

You have a right to appeal this action to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this document. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

**To appeal, you must do the following within 30 days of the date of receipt of this document:**

- File your appeal and a copy of this document with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.

- Serve a copy of your appeal and this document on Ecology in paper form - by mail or in person. (See addresses below). Email is not accepted.


You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk P.O. Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board Environmental Hearings Office 1111 Israel Road SW, Suite 301 Tumwater, WA 98501	Pollution Control Hearings Board P.O. Box 40903 Olympia, WA 98504-0903

For additional information visit the Environmental Hearings Office Website:  
<http://www.eho.wa.gov>

To find laws and agency rules visit the Washington State Legislature Website:  
<http://www1.leg.wa.gov/CodeReviser>

Signed at Bellevue, Washington, this 23<sup>rd</sup> day of February 2012.

  
 \_\_\_\_\_  
 Jacqueline Klug  
 Section Manager  
 Water Resources Program

Enclosure: Your Right to be Heard

By certified mail: 7010 3090 0000 1910 1392

cc: Robert Thompson, King County DES/FM

7010 3090 0000 1910 1392

U.S. Postal Service™  
**CERTIFIED MAIL™ RECEIPT**  
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at [www.usps.com](http://www.usps.com).

**OFFICIAL USE**

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

FEB 23 2012  
Here

Sent To  
 Street, Apt. No.;  
 or PO Box No.  
 City, State, ZIP+4

KATHY HERNANDEZ-BELL  
 BOARD OF TRUSTEES  
 SEATTLE SKEET AND TRAP  
 PO BOX 58458  
 RENTON WA 98058

PS Form 3800, August 2006

Instructions

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to: WR:BS  
G 1-28709

KATHY HERNANDEZ-BELL  
 BOARD OF TRUSTEES  
 SEATTLE SKEET AND TRAP  
 PO BOX 58458  
 RENTON WA 98058


2. Article Number  
(Transfer from service label)

7010 3090 0000 1910 1392

PS Form 3811, February 2004

Domestic Return Receipt

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature   Agent  
 Addressee

B. Received by (Printed Name) C. Date of Delivery  
 2-24-12

D. Is delivery address different from item 1?  Yes  
 If YES, enter delivery address below:  No

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)  Yes

102595-02-M-1540