

DEPARTMENT OF
ECOLOGY
State of Washington

File NR S2-30601
WR Doc ID 5405005

State of Washington
WATER RIGHT PERMIT

PRIORITY DATE 8/30/2012	WATER RIGHT NUMBER S2-30601
-----------------------------------	---------------------------------------

MAILING ADDRESS CINDY REANDEAU 3503 WEST SEQUIM BAY ROAD SEQUIM WA 98382	SITE ADDRESS (IF DIFFERENT) 282 NANSEN ANDERSON RD FORKS WA 98331-9358
--	---

Quantity Authorized for Withdrawal or Diversion		
WITHDRAWAL OR DIVERSION RATE	UNITS	ANNUAL QUANTITY (AF/YR)
0.02	CFS	0.34

Purpose						
PURPOSE	WITHDRAWAL OR DIVERSION RATE			ANNUAL QUANTITY (AF/YR)		PERIOD OF USE (mm/dd)
	ADDITIVE	NON-ADDITIVE	UNITS	ADDITIVE	NON-ADDITIVE	
Domestic single (in house use only)			CFS	0.34		01/01 - 12/31

Source Location			
COUNTY	WATERBODY	TRIBUTARY TO	WATER RESOURCE INVENTORY AREA
JEFFERSON	HOH RIVER		20-SOL DUC-HOH

SOURCE FACILITY/DEVICE	PARCEL	WELL TAG	TWP	RNG	SEC	QQ Q	LATITUDE	LONGITUDE
HOH RIVER	612051013	N/A	26N	12W	05	SE NE	47.7888	-124.2711

Datum: NAD83/WGS84

Place of Use
PARCELS (NOT LISTED FOR SERVICE AREAS) 612051009
LEGAL DESCRIPTION OF AUTHORIZED PLACE OF USE Tax 4 Parcel 4 Survey 11/269

Proposed Works
Water will be pumped directly from the river to a water tank secured to a small truck. The truck will transport the water to an RV where it will be used for in-house use only.

Development Schedule		
BEGIN PROJECT	COMPLETE PROJECT	PUT WATER TO FULL USE
July 1, 2014	October 1, 2014	October 1, 2015

Measurement of Water Use

How often must water use be measured?	Monthly
How often must water use data be reported to Ecology?	Upon Request by Ecology
What volume should be reported?	Total Annual Volume
What rate should be reported?	Annual Peak Rate of Withdrawal (gpm or cfs)

Provisions

Measurements, Monitoring, Metering and Reporting

An approved measuring device shall be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", WAC 173-173.

WAC 173-173 describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.

Department of Fish and Wildlife Requirement(s)

The intake shall be screened in accordance with Department of Fish and Wildlife screening criteria (pursuant to RCW 77.57.010, RCW 77.57.070, and RCW 77.57.040). Contact the Department of Fish and Wildlife, 600 Capitol Way N, Olympia, WA 98501-1091. Attention: Habitat Program, Phone: (360) 902-2534 if you have questions about screening criteria. <http://wdfw.wa.gov/about/contact/>

Proof of Appropriation

The water right holder shall file the notice of Proof of Appropriation of water (under which the certificate of water right is issued) when the permanent distribution system has been constructed and the quantity of water required by the project has been put to full beneficial use. The certificate will reflect the extent of the project perfected within the limitations of the permit. Elements of a proof inspection may include, as appropriate, the source(s), system instantaneous capacity, beneficial use(s), annual quantity, place of use, and satisfaction of provisions.

Schedule and Inspections


Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the project location, and to inspect at reasonable times, records of water use, wells, diversions, measuring devices and associated distribution systems for compliance with water law.


This Permit Subject to Cancellation

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or to give notice to the Department of Ecology on forms provided by the Department documenting such compliance.

Given under my hand and the seal of this office at Olympia, Washington this 13th day of May, 2014.

Department of Ecology

OK 

by 
Michael J. Gallagher
Section Manager