

State of Washington
**REPORT OF EXAMINATION
 FOR WATER RIGHT APPLICATION**

PRIORITY DATE
 OCTOBER 8, 2015

WATER RIGHT NUMBER
 S3-30745

NAME & ADDRESS
 Thomas and Debra Franklin
 PO Box 2433
 Issaquah, WA 98027

Quantity Authorized for Diversion

DIVERSION RATE	UNITS	ANNUAL QUANTITY (AF/YR)
0.09	CFS	0.50

Purpose

PURPOSE	DIVERSION RATE		ANNUAL QUANTITY (AF/YR)		PERIOD OF USE (mm/dd)
	ADDITIVE	UNITS	ADDITIVE	NON-ADDITIVE	
Single domestic supply (includes 1/3 acre of lawn irrigation)	0.09	CFS	0.50	---	01/01 - 12/31

IRRIGATED ACRES		PUBLIC WATER SYSTEM INFORMATION	
ADDITIVE	NON-ADDITIVE	WATER SYSTEM ID	CONNECTIONS
1/3			

Source Limitations

SOURCE FACILITY/DEVICE	DIVERSION RATE (CFS)	ANNUAL QUANTITY (AF/YR)	PERIOD OF USE (mm/dd)
PEND OREILLE RIVER	0.09	0.50	01/01 - 12/31

Source Location

COUNTY	WATERBODY	TRIBUTARY TO				WATER RESOURCE INVENTORY AREA	
PEND OREILLE	PEND OREILLE RIVER	COLUMBIA RIVER				62-PEND OREILLE	

SOURCE FACILITY/DEVICE	PARCEL	TWP	RNG	SEC	QQ	LATITUDE	LONGITUDE
PEND OREILLE RIVER	443532519012	35 N.	44 E.	32	SE1/4	48.48640°N	117.26717°W

Datum: WGS84

Place of Use (See Attached Map)

PARCELS (NOT LISTED FOR SERVICE AREAS)

Parcel No. 443532519012

LEGAL DESCRIPTION OF AUTHORIZED PLACE OF USE

Lot 12, Block 1 of Pend Oreille Paradise, Pend Oreille River Shore Lots in Sec. 32, T. 35 N. R. 44 E.W.M., All in Pend Oreille County, WA

Proposed Works

Pump, pressure tank and filtration system

Development Schedule

BEGIN PROJECT	COMPLETE PROJECT	PUT WATER TO FULL USE
Begun	Complete	In Use

Measurement of Water Use

How often must water use be measured?	Monthly
How often must data be reported to Ecology?	Upon Request by Ecology
What volume should be reported?	Total Annual Volume
What rate should be reported?	Annual Peak Rate of Diversion (cfs)

Provisions

This authorization to make use of public waters of the State is subject to existing rights, including any existing rights held by the United States for the benefit of Indians under treaty or otherwise.

Nothing in this authorization shall be construed as satisfying other applicable federal, state, or local statutes, ordinances, or regulations.

Pend Oreille River Low Flow

All irrigation shall cease when the flow of the Pend Oreille River falls below 7700 cubic feet per second at U.S. Geological Survey (U.S.G.S.) gage #12395500, Pend Oreille River at Newport, located within Section 24, Township 56 N., Range 6 W.B.M.

Measurements, Monitoring, Metering and Reporting

An approved measuring device shall be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", WAC 173-173.

WAC 173-173 describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.

Department of Fish and Wildlife Requirement(s)

The intake(s) shall be screened in accordance with Department of Fish and Wildlife screening criteria (pursuant to RCW 77.57.010, RCW 77.57.070, and RCW 77.57.040). Contact the Department of Fish and Wildlife, 600 Capitol Way N, Olympia, WA 98501-1091. Attention: Habitat Program, Phone: (360) 902-2534 if you have questions about screening criteria. <http://wdfw.wa.gov/about/contact/>

Easement and Right-of-Way

The water source and/or water transmission facilities are not wholly located upon land owned by the applicant. Issuance of a water right authorization by this department does not convey a right of access to, or other right to use, land which the applicant does not legally possess. Obtaining such a right is a private matter between applicant and owner of that land.

Water Use Efficiency

The water right holder is required to maintain efficient water delivery systems and use of up-to-date water conservation practices consistent with RCW 90.03.005.

Schedule and Inspections

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the project location, and to inspect at reasonable times, records of water use, wells, diversions, measuring devices and associated distribution systems for compliance with water law.

Findings of Facts

Upon reviewing the investigator's report, I find all facts, relevant and material to the subject application, have been thoroughly investigated. Furthermore, I concur with the investigator that water is available from the source in question; that there will be no impairment of existing rights; that the purpose(s) of use are beneficial; and that there will be no detriment to the public interest.

Therefore, I ORDER approval of Application No. S3-30745, subject to existing rights and the provisions specified above.

Your Right To Appeal

You have a right to appeal this Order to the Pollution Control Hearings Board (PCHB) within 30 days of the date of receipt of this Order. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of the Order.

File your appeal and a copy of this Order with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.

- Serve a copy of your appeal and this Order on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.
- You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel Road SW Suite 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

Signed at Spokane, Washington, this 16th day of December, 2015.



Keith L. Stoffel, Section Manager

For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.

INVESTIGATOR'S REPORT

Application for Water Right -- Franklin
 Water Right Control Number S3-30745
 Gene Drury, Department of Ecology

BACKGROUND

This report serves as the written findings of fact concerning Water Right Application Number S3-30745.

Table 1 Summary of Requested Water Right

Applicant Name:	Thomas and Debra Franklin
Date of Application:	October 8, 2015
Place of Use	Lot 12, Block 1 of Pend Oreille Paradise, Pend Oreille River Shore Lots in Sec. 32, T. 35 N. R. 44 E.W.M., All in Pend Oreille County, WA

County	Waterbody	Tributary To	WRIA
Pend Oreille	Pend Oreille River	Columbia River	62-Pend Oreille

Purpose	Rate	Unit	Ac-ft/yr	Begin Season	End Season
Single domestic supply (includes 1/3 acre of lawn irrigation)	0.09	CFS	0.50	01/01	12/31

Source Name	Parcel	Twp	Rng	Sec	QQ	Latitude	Longitude
Pend Oreille River	443532519012	35 N.	44 E.	32	SE1/4	48.48640°N	117.26717°W

CFS = Cubic Feet per Second; Ac-ft/yr = Acre-feet per year; Sec. = Section; QQ Q = Quarter-quarter of a section; WRIA = Water Resource Inventory Area; E.W.M. = East of the Willamette Meridian; Datum: WGS84.

Public Notice

RCW 90.03.280 requires that notice of a water right application be published once a week, for two consecutive weeks, in a newspaper of general circulation in the county or counties where the water is to be stored, diverted and used. Notice of this application was published in the Newport Miner on October 21 and 28, 2015.

State Environmental Policy Act (SEPA)

A water right application is subject to a SEPA threshold determination (i.e., an evaluation whether there are likely to be significant adverse environmental impacts) if any one of the following conditions are met.

- (a) It is a surface water right application for more than 1 cubic foot per second, unless that project is for agricultural irrigation, in which case the threshold is increased to 50 cubic feet per second, so long as that irrigation project will not receive public subsidies;
- (b) It is a groundwater right application for more than 2,250 gallons per minute;
- (c) It is an application that, in combination with other water right applications for the same project, collectively exceed the amounts above;


- (d) It is a part of a larger proposal that is subject to SEPA for other reasons (e.g., the need to obtain other permits that are not exempt from SEPA);
- (e) It is part of a series of exempt actions that, together, trigger the need to do a threshold determination, as defined under WAC 197-11-305.

Because this application does not meet any of these conditions, it is categorically exempt from SEPA and a threshold determination is not required.

INVESTIGATION

A site visit was conducted by Gene Drury on October 21, 2015. The project site is located approximately 14 miles from Usk, Washington off Riverview Drive on the west side of the Pend Oreille River. The site address is 171 Riverview Drive.

Section 32, Township 35 North, Range 44 E.W.M.



USGS 7.5 Minute (Topographic Map) - "Jared"

The point of diversion is located just below the applicant's existing cabin at a removable dock on the Pend Oreille River. The pump and pressure tank are located within the basement of the cabin. The cabin was constructed in 1963 and has used water from the river since this time. No permit was ever authorized for this use. The Franklins purchased the property in the 1990's.

The surface water system consists of ¾ horsepower pump, pressure tank and 1.5 inch poly pipe buried 3 feet from the river to the cabin. Water is used for domestic supply for the cabin and lawn irrigation for recreational use. There is approximately 1/3 acre which can be watered on the lot. The applicant has requested 40 gallons per minute (0.09 cubic feet per second) to divert from the river to the cabin.



Beneficial Use

Single domestic supply and irrigation are beneficial uses of water.

Water Availability

An analysis of water availability must take into account not only the physical limitations on the source of supply, but the legal availability as well.

Hydrogeologic Analysis: The Department of Ecology has not closed the Pend Oreille River to further consumptive appropriations, however all diversions shall cease when the flow of the Pend Oreille River falls below 7700 cfs at U.S. Geological Survey (U.S.G.S.) gage #12395500. This low-flow is a recommendation from the Washington State Department of Fish and Wildlife (WDF&W) and applies to surface and ground water in hydraulic continuity with the Pend Oreille River since October 18, 1999.

Therefore, water is available for appropriation as long as irrigation ceases when the Pend Oreille River falls below the low flow recommendation from the Washington State Department of Fish and Wildlife.

Impairment Considerations

A review of Ecology records was conducted for existing water rights, permits, and claims on or near the applicants project located within the SE¼ of Sec. 32, T. 35 N., R. 44 E.W.M. The search found one water right adjacent to this property on Lot 13, Block 1 of Pend Oreille Paradise recorded under S3-27922C. This right was issued to L. Karol Wilson with priority of December 14, 1984 for diversion from the Pend Oreille River in the amount of 0.01 cfs for continuous domestic supply. There are some other rights and claims south of the property in the Pend Oreille Paradise subdivision. There are no other rights appurtenant to the applicant's property.

Public Interest Considerations

There has been no public expression of protest or concern regarding the subject proposal, and no findings through this investigation indicate that there would be any detrimental impact to the public welfare through issuance of the proposed appropriation. The approval of this application for this quantity and use will not be detrimental to the public interest.

Consideration of Protests and Comments

No protests were filed against this application.

Conclusions

Under Chapter 90.03.290 RCW, an application for permit may be approved if water is available for appropriation, and the proposed use would be a beneficial use, would not impair existing water rights, and would not be detrimental to the public welfare.

It is the conclusion of this examiner that public surface water, from the Pend Oreille River, is available for single domestic supply and irrigation. This appropriation is considered a beneficial use and will not impair existing water rights or be detrimental to the public welfare.

RECOMMENDATIONS

Based on the above investigation and conclusions, I recommend that this request for a water right be approved in the amounts and within the limitations listed below and subject to the provisions listed above


The amount of water recommended is a maximum limit and the water user may only use that amount of water within the specified limit that is reasonable and beneficial:

Quantities and Purpose of Use:

0.09 cubic foot per second; 0.50 acre-feet per year for continuous single domestic supply (includes $\frac{1}{3}$ acre lawn irrigation).

Point of Diversion and Place of Use:

Lot 12, Block 1 of Pend Oreille Paradise, Pend Oreille River Shore Lots in Sec. 32, T. 35 N. R. 44 E.W.M., All in Pend Oreille County, WA. (Pend Oreille County Parcel No. 443532519012)





Gene Drury, Report Writer

12-16-15

Date

If you need this publication in an alternate format, please call the Water Resources Program at (360) 407-6600. Persons with hearing loss can call 711 for Washington Relay Service. Persons with a speech disability can call 877-833-6341.

Thomas & Debra Franklin
 S3-30745
 T35N/R44E



Basemap - (ESRI US Topographic Maps)

Legend

-  Authorized Place of Use
-  Townships
-  Sections

 Authorized Point of Diversion
 (Source locations may vary in their accuracy and precision as stated within the body of the report.)

0 330 660 1,320 Feet

Basemap - (NAIP 2013 1m color)



Map Date: 12/15/2015



Comment:

Place of use and source locations are as defined within the Report of Examination cover sheet for the document identified in the header above.