



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

July 14, 2014

Pattison Water Company  
Attn: James S. Casebolt, President  
PO Box 3374  
Lacey, WA 98509-3374

Re: Water Right Change Authorization No. CG2-27772

Dear Mr. Casebolt:

In response to your request, you are hereby granted an extension to put the water to full beneficial use for the reasons below:

- Due diligence is shown in development of this project. The full instantaneous quantity of 450 gpm has been developed and 78% of the annual quantity is in use.
- Additional time is needed to develop full beneficial use of water due to the magnitude of this project for municipal supply purposes.

The new deadline to submit *Proof of Appropriation of Water* is **September 1, 2019**.

Change Authorization No. CG2-27772 requires you to record and report the total monthly and annual volumes and maximum rate of withdrawal under this water right. Data is now due through Calendar Year 2013. Please also include the previous four years of data collected. You must also complete and file the enclosed *Meter Form 1* for each source.

***In order to keep this water right in good standing, you must submit the metering forms and data to our office within 60 days.*** To set up an electronic meter data reporting account, please contact our Southwest Regional Office metering coordinator, Eva Richards, at (360) 407-6643 or [eric461@ecy.wa.gov](mailto:eric461@ecy.wa.gov).

#### **YOUR RIGHT TO APPEAL**

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this decision:



- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

**ADDRESS AND LOCATION INFORMATION**

Street Addresses	Mailing Addresses
<p><b>Department of Ecology</b>            Attn: Appeals Processing Desk            300 Desmond Drive SE            Lacey, WA 98503</p>	<p><b>Department of Ecology</b>            Attn: Appeals Processing Desk            PO Box 47608            Olympia, WA 98504-7608</p>
<p><b>Pollution Control Hearings Board</b>            1111 Israel RD SW            STE 301            Tumwater, WA 98501</p>	<p><b>Pollution Control Hearings Board</b>            PO Box 40903            Olympia, WA 98504-0903</p>

For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov> . To find laws and agency rules visit the Washington State Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.

If you have any questions, please contact Marie Peter at (360) 407-0279 or [mpet461@ecy.wa.gov](mailto:mpet461@ecy.wa.gov) .

Sincerely,



Michael J. Gallagher  
 Section Manager  
 SWRO Water Resources

MJG:MP:th

Enclosures: *Proof of Appropriation of Water*  
*Metering forms (2)*  
*Your Right to Be Heard*

BY CERTIFIED MAIL: 7012 2210 0002 6581 2823