



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

April 28, 2015

Grays Harbor County
Attn: Kevin Varness
100 W Broadway, Ste 31
Montesano, WA 98563

Re: Water Right No. G2-29172 for Sea View Water System

Dear Mr. Varness:

In response to your request, you are hereby granted an extension to put the water to full beneficial use for the reasons below:

- Due diligence is shown in development of this permit. The water system is actively serving approximately 50 lots.
- Additional time is needed to develop full beneficial use of water due to local economic conditions and the magnitude of this project for municipal water supply purposes.

Enclosed is *Meter Form 1-Measuring Device Information* which you must complete and file with our office. Permit G2-29172 also requires you to test Well #2 (AGF035) for chloride concentrations annually and to submit the test results to this office upon request.

You must submit annual chloride data when submitting your *Proof of Appropriation of Water* form or when requesting future permit extensions. Please also submit water use data at that time.

Although you requested a 20-year extension of this permit, we are approving only a five-year extension for resource management purposes. The Sea View Water System will be eligible for additional permit extensions upon showing continued due diligence in development and upon submitting chloride and metering data.

The new deadline to submit your *Proof of Appropriation of Water* form is **May 1, 2020**.

If you have any questions, please contact Marie Peter at (360) 407-0279 or mpet461@ecy.wa.gov.

YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).



To appeal you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel RD SW STE 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

For additional information visit the Environmental Hearings Office Website:
<http://www.eho.wa.gov> . To find laws and agency rules visit the Washington State Legislature Website: <http://www.l.leg.wa.gov/CodeReviser>.

Sincerely,



Michael J. Gallagher
Section Manager
SWRO Water Resources

MJG:MP:th

Enclosures: *Proof of Appropriation of Water*
Meter Form 1
Your Right to Be Heard

BY CERTIFIED MAIL: 7012 2920 0000 1182 1031