



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

February 25, 2016

H&R Waterworks Inc  
Attn: Stephen Harrington  
PO Box 3  
East Olympia, WA 98540

Re: Water Right G2-28990 for Hawley Hills, Deerfield Park 1 and 2 Water Systems

Dear Mr. Harrington:

In response to your request, you are hereby granted an extension to put the water to full beneficial use for the reasons below:

- Due diligence is shown in development of the Hawley Hills, Deerfield Park 1 and Deerfield Park 2 subdivisions.
- Additional time is needed for full build-out due to variable development plans of individual lot owners.

The new deadline to submit your *Proof of Appropriation of Water* is **June 1, 2021**.

Please note that Permit G2-28990 requires you to measure static water levels monthly and to submit data annually. We reminded you of this requirement in our extension approval letter of August 23, 2013, and asked that you select a well to monitor for this purpose. Please refer to the provisions of Permit G2-28990 for details on water level monitoring and reporting requirements.

*To keep this permit in good standing, you must submit static water level data to our office by May 1, 2016.*

If you have any questions, please contact Marie Peter at (360) 407-0279 or [mpet461@ecy.wa.gov](mailto:mpet461@ecy.wa.gov)

#### **YOUR RIGHT TO APPEAL**

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.



- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

**ADDRESS AND LOCATION INFORMATION**

Street Addresses	Mailing Addresses
<p><b>Department of Ecology</b>            Attn: Appeals Processing Desk            300 Desmond Drive SE            Lacey, WA 98503</p>	<p><b>Department of Ecology</b>            Attn: Appeals Processing Desk            PO Box 47608            Olympia, WA 98504-7608</p>
<p><b>Pollution Control Hearings Board</b>            1111 Israel RD SW            STE 301            Tumwater, WA 98501</p>	<p><b>Pollution Control Hearings Board</b>            PO Box 40903            Olympia, WA 98504-0903</p>

*For additional information visit the Environmental Hearings Office Website:  
<http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.*

Sincerely,



Michael J. Gallagher  
 Section Manager  
 SWRO Water Resources

Enclosures: *Proof of Appropriation of Water  
 Your Right to Be Heard*

BY CERTIFIED MAIL: 7015 0640 0001 0768 2478