



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

July 23, 2015

Jackie Trimmer
1015 Turkey Road NW
Olympia, WA 98502

Re: Water Right No. S2-29408

Dear Ms. Trimmer:

In response to your request, you are hereby granted an extension to complete construction for the reasons below:

- Construction was delayed due to extended illness of the primary water right holder.

Information in this file indicates that a surface water source is needed as a back-up to a well that serves your existing residence on Turkey Road. Under Chapter 173-514 Washington Administrative Code, surface water from Summit Lake may be appropriated for in-house domestic supply only under the condition that there is no reliable alternative water source available.

Due to the severe drought this year, it is likely that the reliability of your well will become apparent in the near future and that you will need to complete the surface water delivery system to your home if an alternative surface water source is actually required. Because you have already been granted several extensions of this permit, you will be required to complete construction of your surface water system within the next year to demonstrate due diligence in development and intent to apply water to beneficial use.

The new deadline to submit your *Construction Notice* is **August 1, 2016**.

If you have any questions, please contact Marie Peter at (360) 407-0279 or mpet461@ecy.wa.gov.

YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).



To appeal you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel RD SW STE 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

For additional information visit the Environmental Hearings Office Website:
<http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State
Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.

Sincerely,



Michael J. Gallagher
Section Manager
SWRO Water Resources

Enclosures: *Construction Notice*
Your Right to Be Heard

BY CERTIFIED MAIL: 7013 2630 0001 9408 8480