

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY
REPORT OF EXAMINATION
 TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

<input checked="" type="checkbox"/>	Surface Water	(Issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology.)
	Ground Water	(Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology.)

PRIORITY DATE July 1, 2013	APPLICATION NUMBER S1-28753	PERMIT NUMBER	CERTIFICATE NUMBER
-------------------------------	--------------------------------	---------------	--------------------

NAME Mark Chacon			
ADDRESS (STREET) 13026 42 nd Avenue NE	(CITY) Seattle	(STATE) WA	(ZIP CODE) 98125

PUBLIC WATERS TO BE APPROPRIATED

SOURCE Lake Cavanaugh		
TRIBUTARY OF (IF SURFACE WATERS) Lake Creek		
MAXIMUM CUBIC FEET PER SECOND 0.011 (approximately 5 gallons per minute)	MAXIMUM GALLONS PER DAY 150	MAXIMUM ACRE FEET PER YEAR 0.168 (54,750 gallons per year)
TYPE OF USE, PERIOD OF USE Single domestic (in-house) supply – continuously		

LOCATION OF DIVERSION

APPROXIMATE LOCATION OF DIVERSION Approximately 39.0 feet north and 814.6 feet east of the SW corner of Section 22 Latitude: 48.3264 Longitude: -122.0281					
LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION) SW 1/4 SW 1/4	SECTION 22	TOWNSHIP N. 33	RANGE, (E. OR W.) W.M. 6 E	W.R.I.A. 5	COUNTY Skagit

RECORDED PLATTED PROPERTY (LOCATION OF DIVERSION)

LOT 99	BLOCK 1	OF (GIVE NAME OF PLAT OR ADDITION) Lake Cavanaugh Subdivision, Division No. 3
-----------	------------	--

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

Lot 99, Block 1 "LAKE CAVANAUGH SUBDIVISION, DIVISION NO. 3", Skagit County, Washington. (See map on Attachment 1)
 Parcel number P66875

DESCRIPTION OF PROPOSED WORKS

Existing 1 ¼ polybutylene intake line extends out in the lake approximately 150 feet. Foot valve on end of water line approximately 15 feet above lake bottom. Equipment: ½ HP jet pump, 5 micron particulate filter, ultraviolet light bacteria disinfection, expansion tank.

DEVELOPMENT SCHEDULE

BEGIN PROJECT BY THIS DATE: Started	COMPLETE PROJECT BY THIS DATE: December 31, 2015	WATER PUT TO FULL USE BY THIS DATE: December 31, 2016
--	---	--

REPORT

BACKGROUND

The subject application is for the diversion of 0.011 cubic feet per second (cfs) of water from Lake Cavanaugh for single domestic supply. The application was received on July 1, 2013 from Mark Chacon.

Legal notice was published in the Skagit Valley Herald on October 25 and 28, 2013. No protests were received.

INVESTIGATION

The application investigation consisted of a review of office records, a review of pertinent water resource laws. A site visit was waived by this report writer. Water is to be used in a single family residence located at 33096 Deer Park Lane. The point of diversion is located approximately 39.0 feet north and 814.6 feet east of the SW corner of Section 22, Township 33N, Range 6E, W.M.

Lake Cavanaugh is located within Water Resources Inventory Area (WRIA) 5. Inflow to the lake is from groundwater and small tributary streams. The water level of the lake is controlled by an outlet weir. From the weir, water spills into Lake Creek. Lake Creek flows into Pilchuck Creek, which flows into the Stillaguamish River, and ultimately into saltwater at Port Susan.

Lake Cavanaugh is an 844-acre lake with a volume of 37,294 acre-feet. Water in the lake is utilized for recreation, boating, fishing, etc. The lakeshore is largely developed with single-family homes. The water supply for most homes is from the lake or from shallow wells.

FINDINGS

In accordance with state law, the following considerations must be addressed prior to the issuance of a water right:

- Water Availability
- Impairment to Existing Rights
- Beneficial Use of Water
- Detriment to the Public Interest

Water Availability

Water use in WRIA 5 is governed by chapter 173-505 WAC (the Stillaguamish River Instream Resources Protection Program). Within this chapter, WAC 173-505-060 allows for the issuance of new in-house domestic water rights from lakes within WRIA 5. This section reads as follows:

173-505-060

Lakes and Ponds

RCW 90.54.020(3) provides, in part that the quality of the natural environment shall be protected, and where possible, enhanced, and lakes and ponds shall be retained substantially in their natural condition. The department has determined that further consumptive withdrawals would impact the lakes and ponds of the Stillaguamish River basin. Therefore, surface withdrawals from all lakes and ponds shall be limited to single in-house domestic uses not to exceed one hundred fifty gallons per day per residence. Outdoor use is prohibited.

Therefore, I determine water is available for this appropriation within the specified 150 gallons per day limit. Total annual volume shall be limited to 54,750 gallons (0.168 acre-feet) per year based on 150 gallons per day multiplied by 365 days per year.

Impairment to Existing Rights

Based on the size of Lake Cavanaugh and the limited number of water right holders on the lake, no impairment of existing diversionary rights will occur as a result of this authorization. In addition, WAC 173-505-020(2) establishes "a reservation of adequate and safe supplies of potable water to satisfy human domestic needs" that are not subject to stream closures or minimum instream flow requirements. WAC 173-505-070(2) also allows for an "exception to the closures and instream flow requirements" for diversions from lakes and ponds (in accordance with WAC 173-505-060, see above). Therefore, I determine there will be no impairment of existing rights.

Beneficial Use of Water

In accordance with RCW 90.54.020, domestic water supply is declared to be a beneficial use.

Detriment to the Public Interest

No detriment to the public interest could be identified during the investigation of this application.

RECOMMENDATIONS

I recommend this application be approved and a permit be issued for 0.011 cfs and 0.168 acre-feet per year for single domestic (in-house) supply, subject to the following conditions and provisions:

Provisions

- The permit shall be issued subject to Washington Department of Fish and Wildlife screening criteria as outlined in a Hydraulic Project Approval. Please contact the Department of Fish and Wildlife, 600 Capitol Way North, Olympia, WA 98501-1091, attention Habitat Management Division, Phone (360) 902-2534 to obtain specific requirements for your project.
- Issuance of a water right by this department for appropriation of the waters in question does not convey a right of access to, or other right to use land which the water right holder may not legally possess. Obtaining such a right is a private matter between the water right holder and the owner of the land where the water withdrawal is located.
- An approved measuring device shall be installed and maintained for each diversion identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", chapter 173-173 WAC.

Water use data shall be recorded monthly. Data shall be maintained by the property owner and promptly submitted to Ecology upon request. Recording and retention of data by the water right holder are required to inform the water users about how much water is used, when the water is used and to assist users in efficient water management.

Chapter 173-173 WAC describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition Ecology for modifications to some of the requirements. Installation, operation and maintenance requirements are enclosed as a document entitled "Water Measurement Device Installation and Operation Requirements".

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the records of water use that are kept to meet the above conditions, and to inspect at reasonable times any measuring device used to meet the above conditions.

- The applicant is advised that the certificate will be issued for only that quantity of water that has been withdrawn and applied to actual beneficial use. Such quantity applied to actual beneficial use shall not exceed the quantity specified in this report of examination, and will be calculated on the basis of the best information available to Ecology, including metering data and/or water duty analysis.


CONCLUSION

In accordance with chapters 90.03 RCW and 173-505 WAC, I find there is water available from the source in question, there will be no impairment of existing rights, the purpose of use is beneficial, and there will be no detriment to public interest.

REPORT BY Dorothy Glenn
Dorothy Glenn

DATE SEP 23 2014


Mark Chacon
 Water Right SI-28753
 Section 22 T 233N R 06E W.M.
 WRIA 5 - Skagit County




ATTACHMENT 1

Legend

-  Authorized Place of Use
-  Authorized Point of Diversion
-  Parcels
-  Water Body
-  Townships
-  Sections



Map Date: 8/19/2014



Place of use and point(s) of Diversion are as defined on the cover sheet under the headings, 'LOCATION OF DIVERSION' and 'LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED.'