



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

1250 W Alder St • Union Gap, WA 98903-0009 • (509) 575-2490

April 29, 2016

Sandflat Water Association  
Attn: Jon Erickson, Vice President  
15 Red Apple Drive  
Omak, WA 98841

**Re: Ground Water Permit No. G4-26301P- Sandflat Water Association**

Dear Mr. Erickson,

In response to your request, you are hereby granted an extension to put the water to full beneficial use for the reason below:

- The permit holder requires more time to collect water-use data for the purpose of quantifying beneficial use of water.

The new deadline to submit your *Proof of Appropriation of Water* is **December 31, 2016**.

**YOUR RIGHT TO APPEAL**

You have the right to appeal this Decision to the Pollution Control Hearings Board (PCHB) within 30 days of the date of receipt of this Decision. The appeal process is governed by chapter 43.21BRCW and chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do all of the following within 30 days of the date of receipt of this Decision:

- File your appeal and a copy of this Decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this Decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in chapter 43.21B RCW and chapter 371-08 WAC.



ADDRESS AND LOCATION INFORMATION	
Street Addresses	Mailing Addresses
<b>Department of Ecology</b> Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey WA 98503	<b>Department of Ecology</b> Attn: Appeals Processing Desk PO Box 47608 Olympia WA 98504-7608
<b>Pollution Control Hearings Board</b> 1111 Israel Road SW, Suite 301 Tumwater WA 98501	<b>Pollution Control Hearings Board</b> PO Box 40903 Olympia WA 98504-0903

For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov>  
To find laws and agency rules visit the Washington State Legislature Website: <http://www.leg.wa.gov/CodeReviser>

If you have any questions, please contact Water Resources Help Desk at 509-575-2597.

Sincerely,



Trevor Hutton, Section Manager  
Water Resources Program  
Central Regional Office

TH:CLG:SS/160446  
WR ID# 2085410

Enclosure: Your Right to Be Heard  
Proof of Appropriation form  
Form 1 – Measuring Device Information  
Form 2 – Pressurized Flow and Open Channel  
Water Measurement Requirements

By certified mail: 7014 3490 0001 5527 8288