

October 13, 2010

Mr. Robert Petersen
Driftwood Shores Water System Inc
PO Box 2525
Stanwood WA 98292

Re: Water Right No. G1-27605

Dear Mr. Petersen:

In response to your request, you are hereby granted an extension to put the water to full beneficial use for the reason below:

You are waiting for additional homes to be built and connected to the system before it is complete.

The new deadline to submit your *Proof of Appropriation of Water* is **December 23, 2015**.

An approved measuring device shall be installed and maintained for each diversion/withdrawal of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", Chapter 173-173 WAC.

Water use data shall be recorded weekly. Data shall be maintained by the property owner and promptly submitted to Ecology upon request. Recording and retention of data by the water right holder are required to inform the water users about how much water is used, when the water is used and to assist users in efficient water management.

Chapter 173-173 WAC describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition Ecology for modifications to some of the requirements. Installation, operation and maintenance requirements are enclosed as a document entitled "Water Measurement Device Installation and Operation Requirements".

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the records of water use that are kept to meet the above conditions, and to inspect at reasonable times any measuring device used to meet the above conditions.

When sending in your *Proof of Appropriation of Water* form, or your extension request, be sure to include all of the data you have been recording as required by your permit. The provisions requiring recording of data have been highlighted on the enclosed copy of your permit.

You have a right to appeal this action to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this document. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. “Date of receipt” is defined in RCW 43.21B.001(2).

To appeal, you must do the following within 30 days of the date of receipt of this document:

- File your appeal and a copy of this document with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this document on Ecology in paper form - by mail or in person. (See addresses below.) Email is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel Rd SW STE 301 Tumwater WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

Please also send a copy of your appeal to:

Jacqueline Klug
 Department of Ecology
 Northwest Regional Office
 3190 160th Ave SE
 Bellevue WA 98008

*For additional information visit the Environmental Hearings Office Website:
<http://www.eho.wa.gov> . To find laws and agency rules visit the Washington State
Legislature Website: <http://www1.leg.wa.gov/CodeReviser> .*

If you have any questions, please contact Arlene Harris at 425-649-7020.

Sincerely,

Jacqueline Klug
Section Manager
Water Resources Program

JK:ah

Enclosures: *Proof of Appropriation of Water*
Your Right to Be Heard
Copy of permit

By certified mail [7009 1410 0002 4049 5123]