



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

4601 N Monroe Street • Spokane, Washington 99205-1295 • (509)329-3400

February 21, 2013

Mr. Joel Maroney
Greenbluff Bench Water and Road Association
19509 North Kamiakin Trail Lane
Colbert, Washington 99005

Re: Application for Change under Ground Water Certificate No. G3-28056C

Dear Mr. Maroney:

In response to your request, you are hereby granted an extension to complete construction for the reason(s) below:

According to your request, you completed constructed an additional well for your water system that subsequently collapsed. Since this well is no longer usable, a replacement well will now be constructed at this site. According to your letter, it is estimated that it will take up to two or three years to obtain funding and complete the well. It appears you have diligently perused the completion of this project. Your request is for a reasonable period of time. We will grant you an additional three years to complete your project.

The new deadline to submit your *Construction Notice* is **November 1, 2015**.

Water use data shall be recorded annually and maintained by the property owner for a minimum of five years, and shall be promptly submitted to the Department of Ecology upon request.

WAC 173-173 describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.

Any well which is unusable, abandoned, or is an environmental, safety, or public health hazard shall be properly decommissioned in accordance with WAC 173-160.

YOUR RIGHT TO APPEAL

You have a right to appeal this action to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this document. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).



To appeal, you must do the following within 30 days of the date of receipt of this document:

- File your appeal and a copy of this document with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this document on Ecology in paper form - by mail or in person. (See addresses below.) Email is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

| Street Addresses | Mailing Addresses |
|---|--|
| Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503 | Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608 |
| Pollution Control Hearings Board 1111 Israel Road SW Suite 301 Tumwater, WA 98501 | Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903 |

For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.

If you have any questions, please contact Dan Tolleson at 509-329-3526.

Sincerely,



Keith L. Stoffel
Section Manager
Water Resources Program
Eastern Regional Office

KLS/DT:md

Enclosures: *Construction Notice*
Your Right to Be Heard

I certify that I mailed this letter or an identical copy thereof, postage prepaid, to the above addressee(s) this 21 day of Feb, 2013.

Water Resources Program, Secretary Senior, Molly A. Davis MB.