



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

March 27, 2014

Kelso Elks Lodge #1482
900 Ash St
Kelso WA 98626

Re: Water Right Permit No. **G2-27265**

Dear Sir or Madam:

In response to your request, the development schedule for the above referenced water right has been extended as follows:

Proof of Appropriation: November 1, 2016

Basis of extension approval:

- The permit holder requires more time to collect water use data for the purpose of quantifying beneficial use of water.

The Department of Ecology is adding the following water measurement provisions to this permit to ensure that you are in compliance with Chapter 173-173 WAC and to document beneficial use.

Measurement of Water Use

How often must water use be measured?	Weekly
How often must water use data be reported	Annually (Jan 31)
What volume should be reported?	Total Annual Volume
What rate should be reported?	Annual Peak Rate of Withdrawal (gpm or cfs)

An approved measuring device must be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", WAC 173-173.

Department of Ecology personnel, upon presentation of proper credentials, must have access at reasonable times, to the records of water use that are kept to meet the above conditions, and to inspect at reasonable times any measuring device used to meet the above conditions.

Recorded water use data shall be submitted via the Internet. To set up an Internet reporting account, contact the Southwest Regional Office. If you do not have Internet access, you can still submit hard copies by contacting the Southwest Regional Office for forms to submit your water use data.

WAC 173-173 describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.



Please mail in the enclosed *Proof of Appropriation* form by the deadline. If you have any questions, please contact Tammy Hall at thal461@ecy.wa.gov or (360) 407-6099.

Your Right To Appeal

You have a right to appeal this Order to the Pollution Control Hearings Board (PCHB) within 30 days of the date of receipt of this Order. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of the Order.


File your appeal and a copy of this Order with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.

- Serve a copy of your appeal and this Order on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.
- You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel RD SW Ste 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

For additional information visit the Environmental Hearings Office Website:
<http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.

Sincerely,



Michael J. Gallagher, Section Manager
Water Resources Program

Enclosures: *Your Right to Be Heard*
Water Use Measurement Form
Proof of Appropriation Form

CERTIFIED MAIL: 7012 1010 0003 0195 8367