

State of Washington
**REPORT OF EXAMINATION
FOR WATER RIGHT APPLICATION**

PRIORITY DATE JANUARY 30, 2013	WATER RIGHT NUMBER S3-30682
--	---------------------------------------

MAILING ADDRESS JOHN ADOLFSON 1704 E. 19 TH AVENUE SPOKANE, WA 99203	SITE ADDRESS (IF DIFFERENT)
---	------------------------------------

Quantity Authorized for Diversion

DIVERSION RATE 0.04	UNITS CFS	ANNUAL QUANTITY (AF/YR) 3.87
-------------------------------	---------------------	--

Purpose

PURPOSE	DIVERSION RATE		ANNUAL QUANTITY (AF/YR)		PERIOD OF USE (mm/dd)
	ADDITIVE	UNITS	ADDITIVE	NON-ADDITIVE	
Domestic supply for 2 recreational cabins	0.02	CFS	1	---	01/01 - 12/31
Irrigation of 1 acre	0.02	CFS	2.87	---	05/01 - 10/01

IRRIGATED ACRES		PUBLIC WATER SYSTEM INFORMATION	
ADDITIVE 1	NON-ADDITIVE	WATER SYSTEM ID	CONNECTIONS 2

Source Limitations

SOURCE FACILITY/DEVICE	DIVERSION RATE (CFS)	ANNUAL QUANTITY (AF/YR)	PERIOD OF USE (mm/dd)
UNNAMED SPRING	0.02	1	01/01 - 12/31
PEND OREILLE RIVER	0.02	2.87	05/01 - 10/01

Source Location

COUNTY	WATERBODY	TRIBUTARY TO	WATER RESOURCE INVENTORY AREA
PEND OREILLE	UNNAMED SPRING	PEND OREILLE RIVER	62-PEND OREILLE
PEND OREILLE	PEND OREILLE RIVER	COLUMBIA RIVER	62-PEND OREILLE

SOURCE FACILITY/DEVICE	PARCEL	TWP	RNG	SEC	QQ Q	LATITUDE	LONGITUDE
UNNAMED SPRING	433805060001	38N	43E	5	GL 6 (SE¼SE¼)	48.81717°N	117.39075°W
PEND OREILLE RIVER	433805060001	38N	43E	5	GL 6 (SE¼SE¼)	48.81694°N	117.39127°W

Datum: WGS84

Place of Use (See Attached Map)

PARCELS (NOT LISTED FOR SERVICE AREAS)

433805060001

LEGAL DESCRIPTION OF AUTHORIZED PLACE OF USE

Government Lot 6, Sec. 5, T. 38 N., R. 43 E.W.M.

Proposed Works

Cistern type collection, 2 gas pumps, 2 storage tanks, irrigation system

Development Schedule

BEGIN PROJECT	COMPLETE PROJECT	PUT WATER TO FULL USE
July 1, 2015	July 1, 2016	July 1, 2017

Measurement of Water Use

How often must water use be measured?	Monthly
How often must data be reported to Ecology?	Upon Request by Ecology
What volume should be reported?	Total Annual Volume
What rate should be reported?	Annual Peak Rate of Diversion (cfs)

Provisions

This authorization to make use of public waters of the State is subject to existing rights, including any existing rights held by the United States for the benefit of Indians under treaty or otherwise.

Nothing in this authorization shall be construed as satisfying other applicable federal, state, or local statutes, ordinances, or regulations.

Measurements, Monitoring, Metering and Reporting

An approved measuring device shall be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", WAC 173-173.

WAC 173-173 describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.

Pend Oreille River Low Flow

All diversion from the Pend Oreille River shall cease when the flow of the Pend Oreille River falls below 7700 cubic feet per second at U.S. Geological Survey (U.S.G.S.) gage #12395500, Pend Oreille River at Newport, located within Section 24, Township 56 N., Range 6 W.B.M.

Department of Fish and Wildlife Requirement(s)

The intake(s) shall be screened in accordance with Department of Fish and Wildlife screening criteria (pursuant to RCW 77.57.010, RCW 77.57.070, and RCW 77.57.040). Contact the Department of Fish and Wildlife, 600 Capitol Way N, Olympia, WA 98501-1091. Attention: Habitat Program, Phone: (360) 902-2534 if you have questions about screening criteria. <http://wdfw.wa.gov/about/contact/>

Water Use Efficiency

The water right holder is required to maintain efficient water delivery systems and use of up-to-date water conservation practices consistent with RCW 90.03.005.

Proof of Appropriation

The water right holder shall file the notice of Proof of Appropriation of water (under which the certificate of water right is issued) when the permanent distribution system has been constructed and the quantity of water required by the project has been put to full beneficial use. The certificate will reflect the extent of the project perfected within the limitations of the permit. Elements of a proof inspection may include, as appropriate, the source(s), system instantaneous capacity, beneficial use(s), annual quantity, place of use, and satisfaction of provisions.

Schedule and Inspections

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the project location, and to inspect at reasonable times, records of water use, wells, diversions, measuring devices and associated distribution systems for compliance with water law.

Findings of Facts

Upon reviewing the investigator's report, I find all facts, relevant and material to the subject application, have been thoroughly investigated. Furthermore, I concur with the investigator that water is available from the source in question; that there will be no impairment of existing rights; that the purpose(s) of use are beneficial; and that there will be no detriment to the public interest.

Therefore, I ORDER approval of Application No. S3-30682, subject to existing rights and the provisions specified above.

Your Right To Appeal

You have a right to appeal this Order to the Pollution Control Hearings Board (PCHB) within 30 days of the date of receipt of this Order. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of the Order.

File your appeal and a copy of this Order with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.

- Serve a copy of your appeal and this Order on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.
- You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses
<p>Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503</p> <p>Pollution Control Hearings Board 1111 Israel Road SW Ste 301 Tumwater, WA 98501</p>	<p>Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608</p> <p>Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903</p>

Signed at Spokane, Washington, this 7th day of May, 2013.



For Keith L. Stoffel, Section Manager

For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.

INVESTIGATOR'S REPORT

Application for Water Right – John Adolfson

Water Right Control Number S3-30682

Gene Drury, Department of Ecology

BACKGROUND

This report serves as the written findings of fact concerning Water Right Application Number S3-30682.

Table 1 Summary of Requested Water Right

Applicant Name:	John Adolfson
Date of Application:	January 30, 2013
Place of Use	Government Lot 6, Sec. 5, T. 38 N., R. 43 E.W.M.

County	Waterbody	Tributary To	WRIA
Pend Oreille	Unnamed Spring	Pend Oreille River	62-Pend Oreille
Pend Oreille	Pend Oreille River	Columbia River	62-Pend Oreille

Purpose	Rate	Unit	Ac-ft/yr	Begin Season	End Season
Domestic supply for 2 recreational cabins	0.02	CFS	1	01/01	12/31
Irrigation of 1 acre	0.02	CFS	2.87	05/01	10/01

Source Name	Parcel	Twp	Rng	Sec	QQ Q	Latitude	Longitude
Unnamed Spring	433805060001	38N	43E	5	SE¼SE¼	48.81717°N	117.39075°W
Pend Oreille River	433805060001	38N	43E	5	SE¼SE¼	48.81694°N	117.39127°W

CFS = Cubic Feet per Second; Ac-ft/yr = Acre-feet per year; Sec. = Section; QQ Q = Quarter-quarter of a section; WRIA = Water Resource Inventory Area; E.W.M. = East of the Willamette Meridian; Datum: WGS84.

Public Notice

RCW 90.03.280 requires that notice of a water right application be published once a week, for two consecutive weeks, in a newspaper of general circulation in the county or counties where the water is to be stored, diverted and used. Notice of this application was published in the Newport Miner on February 20 and 27, 2013.

Consultation with the Department of Fish and Wildlife

RCW 90.03.280 requires the Department to send notice to the Department of Fish and Wildlife of applications to divert, withdraw or store water. The department also provides notice to appropriate Indian Tribes. The department has developed an electronic procedure to meet this statutory requirement. Applications are posted to an RSS (Really Simple Syndication) feed to which Department of Fish and Wildlife, Tribes and other agencies have been advised to subscribe. Through subscription to the RSS feed, interested parties may review new water right applications and provide comment. This

application was forwarded to the Department of Fish and Wildlife and the Kalispell Tribe for comments. The department did not receive any objections to the granting of this permit.

State Environmental Policy Act (SEPA)

A water right application is subject to a SEPA threshold determination (i.e., an evaluation whether there are likely to be significant adverse environmental impacts) if any one of the following conditions are met.

- (a) It is a surface water right application for more than 1 cubic foot per second, unless that project is for agricultural irrigation, in which case the threshold is increased to 50 cubic feet per second, so long as that irrigation project will not receive public subsidies;
- (b) It is a groundwater right application for more than 2,250 gallons per minute;
- (c) It is an application that, in combination with other water right applications for the same project, collectively exceed the amounts above;
- (d) It is a part of a larger proposal that is subject to SEPA for other reasons (e.g., the need to obtain other permits that are not exempt from SEPA);
- (e) It is part of a series of exempt actions that, together, trigger the need to do a threshold determination, as defined under WAC 197-11-305.

Because this application does not meet any of these conditions, it is categorically exempt from SEPA and a threshold determination is not required.

INVESTIGATION


A site visit was conducted by Gene Drury with John and Jeanne Adolfson on April 2, 2013. The project is located on the east side of the Pend Oreille River, a few miles south of Metaline Falls, Washington.

The applicant proposes to develop a small unnamed spring with a cistern and pump the water uphill to a storage tank for domestic supply. A recreational cabin (about 1300 square feet) is proposed to be constructed on the property above this diversion. A second smaller guest cabin is also proposed. Ten gallons per minute (or 0.02 cubic foot per second) was requested for this purpose. One acre-foot per year should be adequate for these two cabins.

A second diversion from the Pend Oreille River will also pump water uphill to a separate storage tank. This water will be used to irrigate one acre of garden, lawn and some fruit trees. The Washington State Irrigation Guide (WA210-Vi-WAIG, AMEND.1NOVEMBER1990 at Newport, Washington) estimates that 34.44 inches of water (or 2.87 acre-feet of water per acre) is required based on 70% system efficiency. Therefore, 2.87 acre-feet of water should be adequate for one acre of irrigation under this permit.

Both points of diversion and the place of use are all located within Government Lot 6, Sec. 5, T. 38 N., R. 43 E.W.M.

Township 38 North, Range 43 E.W.M.



USGS 7.5 Minute (Topographic Map) - "Metaline"

Impairment Considerations

A review of Ecology records was conducted for existing water rights, permits, and claims in the vicinity of the proposed point of diversion and also within Government Lot 6, Sec. 5, T. 38 N., R. 43 E.W.M. There are no other water rights appurtenant to the applicant's property. The proposed appropriation under the Adolfsen application will not cause any impairment to existing water rights.

Water Availability

An analysis of water availability must take into account not only the physical limitations on the source of supply, but the legal availability as well.

Hydrogeologic Analysis: On the day of examination, water was flowing from the ground at the proposed point of diversion for the unnamed spring. The spring originates and ends on the applicant's property which borders the Pend Oreille River. The Department of Ecology has not closed the Pend Oreille River to further consumptive appropriations, however all diversions shall cease when the flow of the Pend Oreille River falls below 7700 cfs at U.S. Geological Survey (U.S.G.S.) gage #12395500. This low-flow is a recommendation from the Washington State Department of Fish and Wildlife (WDFW) and does not apply to in-house domestic supply. Water is available the uses proposed under this application.

Beneficial Use

The proposed uses of water are defined in statute as a beneficial uses (RCW 90.54.020(1)).

Public Interest Considerations

There has been no public expression of protest or concern regarding the subject proposal, and no findings through this investigation indicate that there would be any detrimental impact to the public welfare through issuance of the proposed appropriation. The approval of this application for this quantity and use will not be detrimental to the public interest.

Consideration of Protests and Comments

No protests were filed against this application.

Conclusions

Under Chapter 90.03.290 RCW, an application for permit may be approved if water is available for appropriation, and the proposed use would be a beneficial use, would not impair existing water rights, and would not be detrimental to the public welfare.

It is the conclusion of this examiner that public surface water, from an Unnamed Spring and the Pend Oreille River, is available for appropriation under this application. This appropriation is considered a beneficial use and will not impair existing water rights or be detrimental to the public welfare.

RECOMMENDATIONS

Based on the above investigation and conclusions, I recommend that this request for a water right be approved in the amounts and within the limitations listed below and subject to the provisions listed above.

Purpose of Use and Authorized Quantities

The amount of water recommended is a maximum limit and the water user may only use that amount of water within the specified limit that is reasonable and beneficial:

Quantities and Purposes:

- 1) Unnamed Spring - 0.02 cubic foot per second; 1 acre-foot per year for domestic supply for 2 recreational cabins
- 2) Pend Oreille River - 0.02 cubic foot per second; 2.87 acre-feet per year for seasonal irrigation of 1 acre

TOTAL DIVERSION = 0.04 cubic foot per second; 3.87 acre-feet per year

Point of Diversion and Place of Use:

- 1) Unnamed Spring - Government Lot 6, Sec. 5, T. 38 N., R. 43 E.W.M.
- 2) Pend Oreille River - Government Lot 6, Sec. 5, T. 38 N., R. 43 E.W.M.




Gene Drury, Report Writer

5-7-2013
Date

If you need this publication in an alternate format, please call the Water Resources Program at (360) 407-6600. Persons with hearing loss can call 711 for Washington Relay Service. Persons with a speech disability can call 877-833-6341.

ATTACHMENT 1

John Adolphson
 S3-30682
 T06N/R35E



Basemap - (ESRI US Topographic Maps)

Legend

-  Authorized Place of Use
-  Townships
-  Sections

 Authorized Point of Diversion

Comment:

Place of use and source locations are as defined within the Report of Examination cover sheet for the document identified in the header above.



Map Date: 5/6/2013

