



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

15 W Yakima Ave, Ste 200 • Yakima, WA 98902-3452 • (509) 575-2490

August 4, 2011

Cascadia Law Group, PLLC
ATTN: Tom McDonald
606 Columbia Street NW, Ste 212
Olympia WA 98501

Re: Ground Water Permit Nos. G4-30507P, G4-30509P, G4-30510P
Candy Mountain, LLC

Dear Mr. McDonald:

On April 14, 2011, Ecology received a *Completion of Construction* extension request from you for the above-referenced Permits and on July 21, 2011, we received additional information outlining efforts toward due diligence. In response to your request, you are hereby granted an extension to complete construction for the reason(s) below:

- Revised rates and charges submitted to the Utilities and Transportation Commission is not yet complete.
- Department of Health's review of the water system has been delayed.
- An additional 32 ERUs have been added to community domestic system since 2009.

The new deadline to submit your *Construction Notice* is **April 1, 2014**.

New provisions: Ecology is requiring the submittal of monthly meter readings to collect seasonal information for water resource planning, management, and compliance.

1. METER INSTALLATION

An approved measuring device shall be installed and maintained for each of the sources authorized by this water right in accordance with the "Requirements for Measuring and Reporting Water Use," WAC 173-173.

<http://www.ecy.wa.gov/programs/wr/measuring/measuringhome.html>

2. RECORDING AND REPORTING

Water use (volume and rate) shall be recorded weekly and maintained by the permittee for a minimum of five years. The maximum rate of withdrawal and the annual total volume shall be submitted to the Department of ecology by January 31st of each calendar year.



YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia WA 98504-7608
Pollution Control Hearings Board 1111 Israel Road SW Ste 301 Tumwater WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia WA 98504-0903

For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State Legislature Website: <http://www.leg.wa.gov/CodeReviser>.

If you have any questions, please contact Teresa Mitchell at 509-575-2597.

Sincerely,



Robert F. Barwin
Acting Section Manager
Water Resources Program

Cascadia Law Group, PLLC

August 4, 2011

Page 3

RFB:CLG:gh
110808

Enclosures: *Construction Notice (3 copies)*
Your Right to Be Heard
Form 2—Pressurized Flow and Open Channel (3 copies)

cc: Kirk Rathbun, Candy Mountain LLC

By certified mail: 7007 2560 0001 9535 2949

CC extension granted.doc