



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

August 23, 2013

H&R Waterworks Inc
Attn: Steve Harrington
PO Box 542
East Olympia, WA 98540

Re: Water Right G2-28990 for Hawley Hills, Deerfield Park 1 and 2 Water Systems

Dear Mr. Harrington:

In response to your request, you are hereby granted an extension to put the water to full beneficial use for the reasons below:

- Due diligence is shown in development. 117 connections are currently being served under this water right.
- Additional time is needed for full build-out due to current economic conditions.

The new deadline to submit your *Proof of Appropriation of Water* is **January 1, 2016**.

Enclosed is Second Amended Water Right Permit G2-28990 with the following amendments:

- The water right number now appears in the box at the top of the permit.
- It is now identified as a water right for municipal supply purposes and the place of use has been amended accordingly.
- The parcel number for the Hawley Hills wells was amended.
- The Proof of Appropriation due date has been updated.
- The first provision has been clarified to include the primary water right numbers.
- The static water level measurement provision has been modified for clarity.

Please note that you must report both *monthly and annual total volumes* withdrawn from each source by January 31st of each year. Static water level measurements must be performed as prescribed in the provision and reported to our office by January 31st each year. You may select any one of the wells under this right for measurements.

YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.



- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
<p>Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503</p> <p>Pollution Control Hearings Board 1111 Israel RD SW STE 301 Tumwater, WA 98501</p>	<p>Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608</p> <p>Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903</p>

For additional information visit the Environmental Hearings Office Website:
<http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State Legislature Website: <http://www.l.leg.wa.gov/CodeReviser>.

If you have any questions, please contact Marie Peter at (360) 407-0279 or mpet461@ecy.wa.gov

Sincerely,



Michael J. Gallagher
Section Manager
SWRO Water Resources

Enclosures: *Proof of Appropriation of Water*
Your Right to Be Heard

BY CERTIFIED MAIL: 7011 2970 0000 0555 2954