



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

September 13, 2013

Washington Water Service Company  
Attn: Bill Maibauer, P.E.  
6800 Meridian Road SE  
Olympia, WA 98513

Re: Water Right No. G2-27964 for Pleasant Tides Water Co-Op

Dear Mr. Maibauer:

In response to your request, you are hereby granted an extension to put water to full beneficial use for the reasons below:

- Due diligence is shown in development of this water system. Infrastructure improvements are being made and the water system is currently serving 109 of 118 approved services.
- Additional time is needed for full build-out due to local economic conditions and municipal supply needs.

The new deadline to submit your *Proof of Appropriation of Water* is **August 1, 2018**.

Permit G2-27964 requires you to record meter data monthly and test chloride levels quarterly. We understand that quarterly chloride testing has been added to the water system maintenance schedule. You must submit metering and chloride data by January 31<sup>st</sup> each year.

Please also complete and submit the enclosed *Meter Form 1* for each source on this water system. We also recommend that you contact Eva Richards at (360) 407-6643 to set up an on-line meter data reporting account.

### **YOUR RIGHT TO APPEAL**

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this decision:



- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

**ADDRESS AND LOCATION INFORMATION**

Street Addresses	Mailing Addresses
<p><b>Department of Ecology</b>            Attn: Appeals Processing Desk            300 Desmond Drive SE            Lacey, WA 98503</p> <p><b>Pollution Control Hearings Board</b>            1111 Israel RD SW            STE 301            Tumwater, WA 98501</p>	<p><b>Department of Ecology</b>            Attn: Appeals Processing Desk            PO Box 47608            Olympia, WA 98504-7608</p> <p><b>Pollution Control Hearings Board</b>            PO Box 40903            Olympia, WA 98504-0903</p>

For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.

If you have any questions, please contact Marie Peter at (360) 407-0279 or [mpet461@ecy.wa.gov](mailto:mpet461@ecy.wa.gov).

Sincerely,

  
 Michael J. Gallagher  
 Section Manager  
 SWRO Water Resources

MJG:MP:th

Enclosures: *Proof of Appropriation of Water*  
*Meter Form 1*  
*Your Right to Be Heard*

BY CERTIFIED MAIL: 7011 2970 0000 0555 2817