



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

January 21, 2016

Latvian Homeowners Association
Attn: Yanis Atvars
13825 SE 713rd Pl
Renton, WA 98058

Re: Water Right No. G2-27170 for Latvian Homeowners Association

Dear Mr. Atvars:

In response to your request, you are hereby granted an extension to put the water to full beneficial use for the reasons below:

- Due diligence is shown in development of this project. Latvian Village Water System is actively serving nine residences and has received approval by the Department of Health to serve 89 full-time connections.
- Additional time is needed to develop full beneficial use of water due to the magnitude of this project and variable development schedules of individual lot owners.

The new deadline to submit your *Proof of Appropriation of Water* is **February 1, 2021**. If water is not in full use, you must request another extension of the permit by this date.

We note that a new well, Well #2 (Well ID# BIG829), was drilled for this water system within the authorized quarter quarter-section (SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 8, T. 20 N., R. 4 W.W.M.). In order to add that well to the water right, you must complete and submit the enclosed *Showing of Compliance* affidavit and submit it to our office within 60 days. You must also submit *Meter Form 1* for the new source.

If you have any questions, please contact Marie Peter at (360) 407-0279 or marie.peter@ecy.wa.gov.

YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this decision:



- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
<p>Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503</p>	<p>Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608</p>
<p>Pollution Control Hearings Board 1111 Israel RD SW STE 301 Tumwater, WA 98501</p>	<p>Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903</p>

For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov>.
 To find laws and agency rules visit the Washington State Legislature Website:
<http://www1.leg.wa.gov/CodeReviser>.

Sincerely,



Michael J. Gallagher
 Section Manager
 SWRO Water Resources

MJG:MP:th

cc: Lydia Bower, Northwest Water Systems

Enclosures: *Proof of Appropriation of Water*
Metering Form 1 (for Well #2)
Showing of Compliance (for Well #2)
Your Right to Be Heard

BY CERTIFIED MAIL: 7014 0150 0000 9188 5353