



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

June 3, 2011

William Slaymaker
2103 Harrison Avenue NW, Suite 2116
Olympia, WA 98502-2636

Re: Water Right No. S2-30247 for 1848 Summit Lake Shore Road NW

Dear Mr. Slaymaker:

In response to your request, you are hereby granted an extension to begin construction for the reason(s) below:

- Financial problems encountered by permit holder.

The new deadline to submit your *Construction Notice* is **May 1, 2015**.

YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
<p>Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503</p> <p>Pollution Control Hearings Board 1111 Israel RD SW STE 301 Tumwater, WA 98501</p>	<p>Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608</p> <p>Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903</p>
<p>And Send a Copy of Your Appeal to: Thomas Loranger Department of Ecology Southwest Regional Office PO Box 47775 Olympia, WA 98504-7775</p>	

*For additional information visit the Environmental Hearings Office Website:
<http://www.eho.wa.gov> . To find laws and agency rules visit the Washington State
Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.*

If you have any questions, please contact Marie Peter at (360) 407-0279 or mpet461@ecy.wa.gov.

Sincerely,



Thomas Loranger
Section Manager
Water Resources Program

MP:th
S2-30247

Enclosures: *Construction Notice*
Your Right to Be Heard

BY CERTIFIED MAIL: 7010 0780 0002 3400 0734