



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

July 9, 2012

Tim and Deb Villm
9441 Delphi Road SW
Olympia, WA 98512

Re: Water Right Nos. S2-29330 and S2-29407

Dear Mr. and Mrs. Villm:

In response to your request, you are hereby granted an extension to complete construction for the reason below:

- Construction is delayed due to issues encountered in obtaining septic permit approvals.

The new deadline to submit your *Construction Notice* is **May 1, 2014**.

YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.




ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel RD SW STE 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

*For additional information visit the Environmental Hearings Office Website:
<http://www.eho.wa.gov> . To find laws and agency rules visit the Washington State
Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.*

If you have any questions, please contact Marie Peter at (360) 407-0279 or
mpet461@ecy.wa.gov.

Sincerely,



Michael J. Gallagher
Section Manager
SWRO Water Resources

MJG:MP:th

Enclosures: *Construction Notice (2)*
Your Right to Be Heard
Measuring Device Information (2)

BY CERTIFIED MAIL: 7011 1150 0000 7881 9524