



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

4601 N Monroe Street • Spokane, Washington 99205-1295 • (509)329-3400

March 3, 2010

Mr. Dean Derby
1696 Corkrum Road
Walla Walla, Washington 99362

Re: Application for Change under Ground Water Certificate No. G3-01249(H)

Dear Mr. Derby:

In response to your request, you are hereby granted an extension to put the water to full beneficial use for the reason(s) below:

According to your request there are changes being made to the well and system design to accommodate other water right holders using the same well. You have developed your vineyard, pasture and plan to have the changes to the system completed by next year pending funding and no additional problems. You've requested an extension to complete the Proof of Appropriation by the spring of 2013. Your request is for a reasonable and short period of time. We will grant you an additional three years to complete your project and put the water to full beneficial use. According to the information provided, this will complete your project.

The new deadline to submit your *Proof of Appropriation of Water* is April 1, 2013.

An approved measuring device shall be installed and maintained for each of the sources authorized by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", WAC 173-173. <http://www.ecy.wa.gov/programs/wr/measuring/measuringhome.html>

Water use data shall be recorded weekly and maintained by the property owner for a minimum of five years. The maximum monthly rate of diversion/withdrawal and the monthly total volume shall be submitted to the Department of Ecology by January 31st of each calendar year.

WAC 173-173 describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements. Installation, operation and maintenance requirements are enclosed as a document titled "Water Measurement Device Installation and Operation Requirements".
<http://www.ecy.wa.gov/programs/wr/measuring/measuringhome.html>

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the project location, and to inspect at reasonable times, records of water use, wells, diversions, measuring devices and associated distribution systems for compliance with water law.

You have a right to appeal this decision. To appeal this you must:

- File your appeal with the Pollution Control Hearings Board within 30 days of the "date of receipt" of this document. Filing means actual receipt by the Board during regular office hours.

- Serve your appeal on the Department of Ecology within 30 days of the “date of receipt” of this document. Service may be accomplished by any of the procedures identified in WAC 371-08-305(10). “Date of receipt” is defined at RCW 43.21B.001(2).

Be sure to do the following:

- Include a copy of this document that you are appealing with your *Notice of Appeal*.
- Serve and file your appeal in paper form; electronic copies are not accepted.

1. To file your appeal with the Pollution Control Hearings Board

Mail appeal to:

The Pollution Control Hearings Board
PO Box 40903
Olympia WA 98504-0903

OR Deliver your appeal in person to:

The Pollution Control Hearings Board
4224 – 6th Ave SE Rowe Six, Bldg 2
Lacey WA 98503

2. To serve your appeal on the Department of Ecology

Mail appeal to:

The Department of Ecology
Appeals & Relief Coordinator
P.O. Box 47608
Olympia WA 98504-7608

OR Deliver your appeal in person to:

The Department of Ecology
Appeals & Relief Coordinator
300 Desmond Dr SE
Lacey WA 98503


3. And send a copy of your appeal to:

Keith L. Stoffel
Department of Ecology
Eastern Regional Office
4601 N. Monroe St.
Spokane, WA 99205-1295

For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov>.
To find laws and agency rules visit the Washington State Legislature Website:
<http://www1.leg.wa.gov/CodeReviser>.

If you have any questions, please contact Dan Tolleson at 509-329-3526.

Sincerely,



Keith L. Stoffel
Section Manager
Water Resources Program
Eastern Regional Office

KLS/LD:md

W: Extensions/letters/Dahmen/2010/Derby G3-01249(H) 3-03-2010.doc

Enclosures: *Proof of Appropriation of Water*
Your Right to Be Heard