

May 17, 2011

Kim Moore
Snohomish County PUD #1
PO Box 1107
Everett WA 98206-1107

Re: Water Right No. S1-24496P

Dear Ms. Moore:

In response to your request, you are hereby granted an extension to begin construction for the reason(s) below:

You need additional time to get permits, licenses and designs completed.

The new deadline to submit your *Construction Notice* is **April 30, 2017**.

An approved measuring device shall be installed and maintained for each diversion/withdrawal of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", Chapter 173-173 WAC.

Water use data shall be recorded weekly. The maximum monthly instantaneous rate of diversion/withdrawal and the monthly total volume shall be submitted to Ecology by January 31st of the following year. Ecology is requiring submittal of monthly meter readings to collect seasonal information for water resource planning, management and compliance.

The following information shall be included with each submittal of water use data: owner, contact name if different, mailing address, daytime phone number, Permit/Certificate/Claim No., source name, volume including units, Department of Health WFI water system number and source number(s) (for public drinking water systems), and well tag number (for ground water withdrawals). In the future, Ecology may require additional parameters to be reported or more frequent reporting. Ecology prefers web based data entry, but does accept hard copies. Ecology will provide forms and electronic data entry information.

Chapter 173-173 WAC describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition Ecology for modifications to some of the requirements. Installation, operation and maintenance requirements are enclosed as a document entitled "Water Measurement Device Installation and Operation Requirements".

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the records of water use that are kept to meet the above conditions, and to inspect at reasonable times any measuring device used to meet the above conditions.

You have a right to appeal this action to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this document. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal, you must do the following within 30 days of the date of receipt of this document:

- File your appeal and a copy of this document with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this document on Ecology in paper form - by mail or in person. (See addresses below.) Email is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel Rd SW Ste 301 Tumwater WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

Please also send a copy of your appeal to:

Jacqueline Klug
Department of Ecology
Northwest Regional Office
3190 160th Ave SE
Bellevue WA 98008

For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.

If you have any questions, please contact Arlene Harris at 425-649-7020 or by email at arlene.harris@ecy.wa.gov.

Sincerely,

Jacqueline Klug
Section Manager
Water Resources Program

JK:ah

Enclosures: *Construction Notice*
Your Right to Be Heard

By certified mail [7009 1410 0002 4049 5604]