STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY
PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

June 17, 2013

Mount Rainier Resort at Park Junction
Attn: Sylvia Cleaver Shepherd
6203 SW Sundance Lane
Culver, OR 97735

Re: Water Right No. G2-29199, Park Junction Partners

Dear Ms Shepherd:

In response to your request, you are hereby granted an extension to file your *Construction Notice* to complete construction of your water system for the reason below:

- Financial difficulties due to current economic conditions.

The new deadline to submit your *Construction Notice* is **July 1, 2018.**

YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	**Department of Ecology** Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel RD SW STE 301 Tumwater, WA 98501	**Pollution Control Hearings Board** PO Box 40903 Olympia, WA 98504-0903

For additional information visit the Environmental Hearings Office Website: http://www.eho.wa.gov . To find laws and agency rules visit the Washington State Legislature Website: http://www1.leg.wa.gov/CodeReviser.

If you have any questions, please contact Tammy Hall at 360-407-6099 or thal461@ecy.wa.gov.

Sincerely,

Michael J. Gallagher
Section Manager
SWRO Water Resources

MJG:TH:th

Enclosures: *Construction Notice*
Your Right to Be Heard

BY CERTIFIED MAIL: 7011 3500 0003 5810 5137