



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

September 19, 2016

Pacific Aquaculture Inc
Attn: John Bielka
2821 N Sunnyside Rd
Shelton, WA 98584

Re: Ground Water Right No. G2-27071 for Shelton Sunnyside Road Facility

Dear Mr. Bielka:

In response to your request, you are hereby granted an extension to complete construction for the reasons below:

- Due diligence is shown in development of this project. Phase 1 construction has been completed, including the hatchery building, treatment system, and company residence. Three wells have been developed and groundwater is in use. Phase 2 is currently in the design phase.
- Additional time is needed to obtain the required permits and approvals and to complete construction of Phase 2.

The new deadline to submit your *Construction Notice* is **September 1, 2018**.

In accordance with your permit development schedule, your next *Progress Report* is due on **September 1, 2017**. You must also submit annual groundwater withdrawal totals and weekly peak rates of withdrawal by January 31st, each year.

Please review the provisions of your permit to ensure compliance with all requirements including the conditions specified in Mason County's SEPA Mitigated Determination of Non-significance (SEP2007-00141) dated October 2, 2008. We strongly recommend that you communicate your design and construction plans with the Skokomish Indian Tribe prior to beginning Phase 2 construction.

If you have any questions, please contact Marie Peter at (360) 407-0279 or marie.peter@ecy.wa.gov.



YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.


You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
<p>Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503</p>	<p>Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608</p>
<p>Pollution Control Hearings Board 1111 Israel RD SW STE 301 Tumwater, WA 98501</p>	<p>Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903</p>

For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov>. To find laws and agency rules visit the Washington State Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.

Sincerely,



Michael J. Gallagher
Section Manager
SWRO Water Resources

By Certified Mail: 91 7199 9991 7036 9329 6094

Enclosures: *Complete Construction Notice*
Your Right to Be Heard